

CODIFIED ORDINANCES OF YORK

PART NINE - STREETS, UTILITIES AND PUBLIC SERVICES CODE

TITLE ONE - Street and Sidewalk Areas

- Art. 901. Street Adoption and Names.
- Art. 905. Excavations.
- Art. 909. Curbs and Sidewalks.
- Art. 913. Trees and Vegetation.
- Art. 915. Poles and Wires.
- Art. 917. Underground Conduits.

TITLE THREE - Public Sewers

- Art. 931. Sanitary Sewers.
- Art. 932. Plumbing Requirements.
- Art. 933. Sewer Rentals. (Amended Bill 52, Ord. 51-08)

TITLE FOUR - Stormwater Management

- Art. 935. General Provisions.
- Art. 936. Stormwater Management Requirements.
- Art. 937. Plan Requirements.
- Art. 938. Inspections.
- Art. 939. Fees and Expenses.
- Art. 940. Maintenance Responsibilities.
- Art. 941. Enforcement and Penalties.
- Art. 942. Detection and Elimination of Illicit Discharges.
- Pocket Tables, Maps and Appendices

TITLE FIVE - Other Public Services

- Art. 951. Municipal Solid Waste Management Act. (Amended Ord. 50-08)
- Art. 952. Waste Minimization and Recycling.

CODIFIED ORDINANCES OF YORK

PART NINE - STREETS, UTILITIES AND PUBLIC SERVICES CODE

TITLE ONE - Street and Sidewalk Areas

- Art. 901. Street Adoption and Names.
- Art. 905. Street Excavations.
- Art. 909. Curbs and Sidewalks.
- Art. 911. Snow Removal.
- Art. 913. Trees and Vegetation.
- Art. 915. Poles and Wires.
- Art. 917. Underground Conduits.

ARTICLE 901

Street Adoption and Names

- | | |
|---|-----------------------------|
| <p>901.01 Street approval by Planning Commission prior to adoption.</p> | <p>901.02 Street names.</p> |
|---|-----------------------------|

CROSS REFERENCES

- Street openings prior to reconstruction - see
S.U. & P.S. 905.03
- Subdivision street improvements - see P. & Z. 1393.02,
1397.02

901.01 STREET APPROVAL BY PLANNING COMMISSION PRIOR TO ADOPTION.

- (a) Council hereby declares its policy to be that it will not in the future adopt or vacate any street or alley hereafter created within the City, if such adoption or vacation has not been approved by the City Planning Commission.

(b) Prospective purchasers of lots are hereby warned of the policy of Council hereby declared. (1944 Code Ch. 29 §42.)

901.02 STREET NAMES.

(a) There shall be placed on two corners of all intersections of streets and alleys, within the City limits, in some conspicuous place, the names of such streets and alleys.

(b) The City shall maintain and replace any such name whenever it is necessary, and shall cause to be placed on all streets and alleys, on their adoption, the names as specified in this section.

(c) The City shall cause the expense thereof to be taken from the contingent fund, or whatever funds may be available. (1972 Code §21-75.)

ARTICLE 905 Street Excavations

EDITOR'S NOTE: Resolution 233-1995, passed December 5, 1995, established street excavation fees.

905.01	Definitions.	905.10	Backfilling and paving.
905.02	Permit required and emergency openings.	905.11	Backfilling and replacing surface by City.
905.03	Street openings prior to reconstruction or resurfacing.	905.12	Responsibility; extra inspectors and other rules.
905.04	Prerequisites to obtaining permit.	905.13	Test holes.
905.05	Bond.	905.14	Gutters, lights and identification.
905.06	Fees.	905.15	Additional work.
905.07	Cancellation of permit.	905.16	Guarantee of work.
905.08	Revocation of permit.	905.99	Penalty.
905.09	Time extension and fee.		

CROSS REFERENCES

Street opening and maintenance - see 3rd Class §2901 et seq. (53 P.S. §37901 et seq.)
 Grading and paving - see 3rd Class §2930 et seq. (53 P.S. §37930 et seq.)
 Closed streets to have detours - see 3rd Class §2978 (53 P.S. §37978)
 Collection of costs of improvements - see 3rd Class §3301 et seq. (53 P.S. §38301 et seq.)
 Protection of trees during excavations - see S.U. & P.S. 913.08

905.01 DEFINITIONS.

The following words and phrases, when used in this article shall have the meanings ascribed to them in this section, except in those instances where the context clearly indicates otherwise:

- (a) "Applicant" means any person who makes application for a permit.
- (b) "Calendar year" means January 1 through December 31, inclusive.
- (c) "City" means the City of York.

- (d) “City corporate authority” means any governmental corporation initiated by Council under the Municipal Authorities Act of 1945.
- (e) “City highway fund” means a fund established and regulated by the City, the moneys therein are explicitly designated for the resurfacing and reconstruction of City streets.
- (f) “Concrete” means soil cement, plain cement concrete or reinforced cement concrete and material contained in the base course of some City streets.
- (g) “Cost” means actual expenditures incurred by the City for labor, equipment and materials, which include all fringe benefits and overhead.
- (h) “Degradation fee” means a fee paid by the permittee to the City to defray a percentage of the costs for resurfacing and reconstruction of City streets resulting from the depreciation of streets associated with street openings.
- (i) “Department” means the Department of Public Works.
- (j) “Emergency” means any condition constituting a clear and present danger to life or property by reason of escaping gas, exposed wires or other breaks or defects in the user’s line.
- (k) “Inspection fee” means a fee paid by the permittee to the City to defray street opening inspection costs.
- (l) “PennDOT” means the Commonwealth of Pennsylvania Department of Transportation.
- (m) “PennDOT road” means any Pennsylvania State road located within the municipal boundaries of the City of York, Pennsylvania.
- (n) “Permit fee” means a fee paid by the permittee to the City to cover the cost of issuing, processing, inspecting and filing the street opening permit.
- (o) “Permittee” means any person who has been issued a permit and has agreed to fulfill all the provisions of this article.
- (p) “Person” means any natural person, partnership, firm, association, utility or corporation.
- (q) “Public utility” means any utility company, excluding corporate authorities of the City, franchised by the Public Utility Commission of the Commonwealth of Pennsylvania.
- (r) “Resurface” means a process which provides a new wearing surface in a certain paved street area between curbs with the same material that was existing prior to excavation.
- (s) “Resurfacing penalty” means the fee to be paid if any person shall open a street within five years from the date of its reconstruction or being paved.
- (t) “Sidewalk area” means that portion of the street right-of-way reserved for sidewalks or that area defined on the City Plan.
- (u) “Street” means the entire right-of-way of a public street, public highway, public alley, public avenue, public road or public easement within the City limits, excluding the designated curb and sidewalk area.
- (v) “User” means the public utility, municipal corporation, municipal authority, rural electric cooperative or other person who, or which, uses a line to provide service to one or more consumers.
- (w) “Work day” means normal business day for the City government including Monday through Friday, except designated holidays.
(Ord. 37-2005. Passed 9-20-05.)

905.02 PERMIT REQUIRED AND EMERGENCY OPENINGS.

(a) The opening of the surface of any City street is prohibited unless a permit is obtained for that purpose in the manner hereinafter described, except in situations which require the placement of utility poles. Such permit shall be granted through the Department of Public Works when a person applying for such permit files an application with the Department in compliance with the provisions of this article and pays into the City Treasury the amounts adopted by resolution.

(b) Any person working in the vicinity of a City street who in any manner disturbs such street or who in any manner causes damage to a street shall be required by this article to obtain a permit and correct this damage in accordance with the standards of the Department. Street opening permits are not required for persons excavating adjacent to the curb for the express purpose of installing or replacing sidewalks and/or curbs provided a curb and sidewalk permit has been obtained prior to such work.

(c) The obtaining of street opening permits by City departments and corporate authorities shall be waived when work to be performed is completed by their own personnel.

(d) All contractors performing work under contract for the City or City corporate authorities shall obtain the street opening permit for street opening work.

(e) If street openings are necessitated by emergencies, street opening permits shall be obtained on the first regular business day on which the office of the City is open for business and such permit shall be retroactive to the date when the work was begun.

(f) A person performing street openings for an emergency shall verify the emergency nature of the circumstance in writing to the Department of Public Works within five days after such emergency on the street cut opening application.

(g) For work on PennDOT roads within the City limits, no City street excavation permit is required, but a PennDOT permit is required. This permit can be obtained from the offices of Maintenance District 8-4 (York County), Pennsylvania Department of Transportation, 1920 Susquehanna Trail North, P.O. Box 907, York, Pennsylvania 17405-0907. (Ord. 37-2005. Passed 9-20-05.)

905.03 STREET OPENINGS PRIOR TO RECONSTRUCTION OR RESURFACING.

(a) When the City reconstructs or resurfaces any street, the Department of Public Works shall first serve written notice by certified mail of such improvements to all persons owning property abutting the street about to be improved who are in violation of Article 909 relative to curbs and sidewalks and to all public utility companies operating in the City. Within ninety calendar days from receipt of such notice all notified persons shall complete or cause to be complete all necessary repairs and replacement of utility mains, service connections and/or laterals existing under the street and designated curb and sidewalk areas. Notified persons shall also complete or cause to be completed, any new installations, under the street and designated curb and sidewalk areas, required for use within a five year period thereafter.

(b) This section shall not forbid the installation of new pipes, conduits or other services or structures, or the repair or replacement of those already existing, in or under the portions of such highways improved as aforesaid; by penetrating the subsurface beneath paving in accordance with City ordinances and the directions of the Department of Public Works upon obtaining a permit therefor from the Department of Public Works, and upon payment to the City of the same fees as prescribed by Council resolution except for the degradation fee for making a surface opening in the highway of the same dimensions.

(c) If any person shall open a street within five years from the date of reconstruction or having been paved there shall be imposed on that person a resurfacing penalty. The penalty shall be an additional cost of one hundred percent (100%) of the regular degradation fee for the street cut when the street is more than one year and less than two years old. The penalty shall be an additional cost of fifty percent (50%) of the regular degradation fee for the street cut when the street is more than two years and less than three years old. The penalty shall be an additional cost of twenty-five percent (25%) of the regular degradation fee for the street cut when the street is more than three years old and less than five years old. Any person who opens a street that is less than one year old shall be required to repair the street by milling and paving the entire street or a portion thereof as directed by the Director of Public Works in consultation with the City Engineer.
(Ord. 37-2005. Passed 9-20-05.)

905.04 PREREQUISITES TO OBTAINING PERMIT.

Street opening permits shall only be granted upon compliance with the following express provisions:

- (a) A written application shall be filed with the Department of Public Works for making all street openings or excavations and signed by the person desiring such permit. Such application shall set forth the purpose for which such excavation is to be made; the size and location of the same; the full scope of work to be included in the project; the date or dates during which such excavation is to be performed; the date such excavation is to be refilled and resurfaced in the manner hereinafter provided; and shall provide that the applicant will faithfully comply with each and every provision contained in this article. An applicant shall furnish a drawing of the proposed opening site upon request of the Department. Items required on the drawing shall be specified at the time of request.
- (b) Prior to the issuing of such permit, every such applicant shall pay to the City Treasurer the amount hereinafter required for the purposes specified and shall exhibit to the Department a receipt for the amount paid. Public utilities recognized by the Pennsylvania Utilities Commission may be exempt from pre-payment. Those exempt utilities will be issued permits upon request followed by a quarterly billing cycle for completed work.
- (c) Where the street opening permit is required for water supply purposes, the application shall be countersigned by the City's plumbing inspection service or authorized person before the permit will be granted. Where the street opening permit is required for sewer service purposes, the application shall be countersigned by the City's plumbing inspection service or authorized person before the permit will be granted.
- (d) No permit shall be granted to any applicant unless the applicant has paid to the City any and all moneys, then due to the City, for prior excavations made or for any loss, damages or expense in any manner occasioned by or arising from the work done by the applicant under the provisions of this article.

- (e) Agree to save the City, its officers, employees and agents from any and all costs, damages and liabilities which may accrue or be claimed to accrue by reason of such work to be done by the applicant under the provisions of this article. The acceptance of any permit under this article shall constitute such an agreement by the applicant whether the same is expressed or not.
- (f) An applicant shall secure a certificate of insurance from the Department and have the certificate properly executed by the applicant's insurance agency. Properly executed certificates of insurance shall be filed with the Department and verify that the applicant is insured against claims for personal injury as well as against claims for property damages which may arise from or out of the performance of the excavation work, whether such performance be by the applicant or anyone directly or indirectly employed by him. Such insurance shall include protection against liability arising from completed operations, underground utility damage and collapse of any property. Liability insurance shall be in the amounts established by Council resolution. Failure of an applicant to file a certificate of insurance shall be a sufficient reason for denying a permit. The applicant shall save and hold harmless the City from any and all damages and liability by reason of personal injury or property damage arising from work done by the applicant under the provisions of this article. Liability insurance requirements for blasting may be obtained and blasting permits shall be obtained from the City Fire Department.
(Ord. 37-2005. Passed 9-20-05.)

905.05 BOND.

- (a) All persons other than public utility companies desiring to open a street shall furnish a properly executed corporate surety bond.
- (b) All other persons, including contractors performing work for City corporate authorities, desiring to open a street shall furnish a properly executed corporate surety bond. Such bond shall be executed by a reputable surety company licensed to do business in the Commonwealth of Pennsylvania. All bonds obtained by contractors performing work under contract with City corporate authorities shall be countersigned by the director or chairman of the authority.
- (c) The bond shall cover street opening work performed during one calendar year. The bond shall be in effect for a thirty-six month period in accordance with Section 905.16. The amount of the surety bond shall be five thousand dollars (\$5,000) unless any street excavation and restoration work for a single project exceeds such amount. In this case, a person shall secure additional bonding in an amount equal to the difference between the five thousand dollars (\$5,000) and the amount of the proposed restoration based on an amount per square yard set by Council resolution.
(Ord. 37-2005. Passed 9-20-05.)

905.06 FEES.

- (a) A permit fee shall be paid to the City Treasurer prior to permit issuing; the remaining inspection fee and degradation fee shall be paid when the work is completed, inspected and measured by the appropriate City department. The City shall have the right to waive fees for contractors performing work under contract with the City.
- (b) The permit fee shall be in the amount set by Council resolution.

(c) The degradation fee shall be calculated by actual measurement after the work is completed at a rate per square yard set by Council resolution. The City Treasurer shall place collected degradation fees into the City Highway Fund.

- (1) The degradation fee shall be waived for openings made on streets maintained by the Pennsylvania Department of Transportation.
- (2) The number of square yards computed for the degradation fee will be based on the actual size of excavation including any pavement that must be removed to provide a one foot bench beyond the original trench wall. (Ord. 37-2005. Passed 9-20-05.)

905.07 CANCELLATION OF PERMIT.

In all cases where a permit has been issued and the work set forth in such permit has not been completed within a period of twelve months, the permit becomes void, and the permit fee shall not be refunded.

(Ord. 37-2005. Passed 9-20-05.)

905.08 REVOCATION OF PERMIT.

(a) All street opening permits are subject to revocation at any time by the Department of Public Works after written notice for:

- (1) Violation of any condition of the permit;
- (2) Violation of any provision of this article or any other applicable ordinance or law relating to the work;
- (3) The existence of any condition or the doing of any act constituting or creating a nuisance or endangering the lives or property of others.

(b) Written notice of such violation shall be served upon the person to whom the permit was granted, or his agent or employee engaged in the work. Such notice shall also contain a brief statement of the reasons for revoking such permit. Notice may be given either by personal delivery thereof to the person to be notified or by United States mail, addressed to such person to be notified.

(Ord. 37-2005. Passed 9-20-05.)

(c) (EDITOR'S NOTE: This subsection was repealed by Ordinance 9-1990, Section 7, passed July 3, 1990.)

905.09 TIME EXTENSION AND FEE.

(a) A permit shall remain in effect for a period of twelve months. If the work is not completed in this time period, a new permit shall be obtained, and an additional permit fee shall be required.

(b) No time extension shall be granted for a permit in which work has not started within the twelve month period. A new permit shall be obtained if the same project location work is rescheduled.

(c) Reasonable time extensions, but not longer than three months, for permitted work shall be granted when requested in writing and shall only be honored for those types of projects that commenced during the required twelve month permit period and are of a size and scope that support an extension of time to complete.
(Ord. 37-2005. Passed 9-20-05.)

905.10 BACKFILLING AND PAVING.

(a) The permittee shall be responsible for backfilling and paving the opening and restoring the street surface to its original condition prior to the street cut.

(b) The Department of Public Works shall have the full authority to establish standards for paving and backfilling materials and associated procedures. Details specifying paving and backfilling procedures and materials shall be obtained from the Department prior to any street opening work. (Ord. 37-2005. Passed 9-20-05.)

905.11 BACKFILLING AND REPLACING SURFACE BY CITY.

In case the work has not been completed before the date of expiration as shown on the permit, which time shall be fixed when the permit and/or time extension is granted, the Department of Public Works may take steps to backfill the trench and replace the street surface over the opening for which the permit has been issued upon proper notification from the Department to the applicant. The City shall invoice the permittee for all costs incurred by the City in the performance of this work. Payment not made within thirty days will be chargeable against the posted bond including all fees and costs involved in the collection of this payment.
(Ord. 37-2005. Passed 9-20-05.)

905.12 RESPONSIBILITY; EXTRA INSPECTORS AND OTHER RULES.

(a) The permittee shall assume all responsibility for the excavation made by such party for refilling the same and for all damages caused by the action of the permittee that may arise by reason of the digging of such trenches or excavations. Whenever it is determined by the Department of Public Works that in the best interests of the City it is necessary to assign additional street opening inspectors to supervise excavation, backfill or pavement restoration operations, such inspectors shall be paid by the permittee at a rate per day to be fixed by the Department.

(b) The Department is authorized to make such other rules and regulations for the excavation of streets which it may deem necessary for the proper maintenance of the street surface due to excavations, which rules and regulations shall be printed upon the permit granted or forwarded from the Department in writing from time to time.

(c) The permittee shall be required to return the "Notice of Completion of Street Excavation Permit" when work is completed. This form is to be returned to the office that issued the permit. (Ord. 37-2005. Passed 9-20-05.)

905.13 TEST HOLES.

A street opening permit shall be obtained for any test hole work. No test holes shall be made in or upon a greater surface of the highway than as specified in such permit, and no excavation or test holes shall interfere with any of the water pipes, sewers or drains of the City, or any other underground utility service. Test holes shall be backfilled in accordance with the provisions set by the City Engineer. (Ord. 37-2005. Passed 9-20-05.)

905.14 GUTTERS, LIGHTS AND IDENTIFICATION.

(a) All gutters shall be left open so as not to obstruct the free passage of water, and the sidewalks and foot ways must be kept in a safe and passable condition. All excavations or material from them shall have placed upon them sufficient lights and barricades to identify them from all directions during the day and after dark.

(b) If, for safety purposes, the Department of Public Works deems it necessary to install additional warning devices such as lights, barricades or signs, the permittee shall be notified of the decision and shall receive instructions on the installation. In case of emergencies the City may install all additional warning devices deemed necessary by the Department. The City shall invoice the permittee for rental and installation costs incurred from the date of installation until the permittee installs warning devices.

(c) If the permittee fails to install such devices, the City shall invoice the permittee for rental and installation costs incurred from the date of installation until the date of removal. Payment not made by the permittee within thirty days of the invoice date will be chargeable against the posted bond including all fees and costs involved in the collection of this payment. (Ord. 37-2005. Passed 9-20-05.)

905.15 ADDITIONAL WORK.

If the permittee determines during construction that an additional area of the street will have to be opened, he shall notify and secure permission from the Department of Public Works for the additional opening. Upon receipt of permission, the permittee shall file a supplementary application for the work not later than the next work day. Fee amounts specified in this article and detailed by resolution shall be followed for any subsequent fees associated with supplementary applications. (Ord. 37-2005. Passed 9-20-05.)

905.16 GUARANTEE OF WORK.

The permittee shall guarantee and maintain his work for thirty-six months from the completion of the restoration and replacement work. Within this thirty-six month period, upon notification from the City of necessary correction work required, the permittee shall correct or cause to be corrected all restoration work required within five working days of receipt of the notification. The Department of Public Works shall determine the extent of restoration required and the method of correction. Any and all work not completed within this five-day period may be completed by the City at the discretion of the Director of the Department of Public Works. The City shall invoice the permittee for all costs incurred by the City in performance of this work. Payment not made within thirty days of the invoice date will be chargeable against the posted bond including all fees and cost involved in the collection of this payment.
(Ord. 37-2005. Passed 9-20-05.)

905.99 PENALTY.

(a) Any person violating any provision of this article shall, upon conviction thereof be fined not less than five hundred dollars (\$500.00) nor more than one thousand dollars (\$1,000) for each and every offense, together with costs, and in default of payment thereof, shall be imprisoned not more than thirty days. Each failure to obtain a permit or to comply with any of the requirements of this article, and each and every day during which such violation continues shall constitute a separate offense.

(b) The Department of Public Works reserves the right to deny the issuance of future street opening permits to any person who violates the provisions of this article. This provision in no way shall prohibit or limit the right of the City to bring legal action against the permittee.
(Ord. 37-2005. Passed 9-20-05.)

ARTICLE 909

Curbs and Sidewalks

EDITOR'S NOTE: Resolution 57-1996, passed March 19, 1996, established curb and sidewalk permit fees.

- | | |
|---|--|
| 909.01 Permit required; repair defined. | 909.12 Intersection construction. |
| 909.02 Permit fee. | 909.13 Drains or gutters from dwelling to gutters. |
| 909.03 Permit term and expiration. | 909.14 Rules and regulations. |
| 909.04 Application, investigation and approval. | 909.15 Permit revocation. |
| 909.05 Handicapped ramps required. | 909.16 (Reserved). |
| 909.06 Proper grade and line to be obtained. | 909.17 (Reserved). |
| 909.07 Laying with improper grade or slope. | 909.18 (Reserved). |
| 909.08 Change of marks of grade or line. | 909.19 Obligations of property owners. |
| 909.09 Storage of materials; restoration. | 909.20 Liens. |
| 909.10 Mixing concrete. | 909.21 Constructive services. |
| 909.11 Safety precautions; lights and barricades. | 909.98 Duties and responsibilities. |
| | 909.99 Penalty. |

CROSS REFERENCES

- Power to compel sidewalk construction - see 3rd Class §3001 (53 P.S. §38001)
- Notice to property owners abutting improved streets - see S.U. & P.S. 905.03
- Snow removal - see S.U. & P.S. Art. 911
- Planting trees along sidewalks - see S.U. & P.S. 913.09
- Subdivision curbs and sidewalks - see P. & Z. 1397.03

909.01 PERMIT REQUIRED; REPAIR DEFINED.

- (a) No person whether as owner or contractor shall lay or repair, or begin the laying or repairing, of any curb or sidewalk, whether such curb or sidewalk is constructed or to be constructed on the highway or back from such highway, unless a permit therefor has first been obtained as hereinafter provided.
(1944 Code Ch. 29 §5.)

(b) "Repair" as used in this article means the demolition or removal of a portion of the old curb or sidewalk and relaying same with new material.
(Ord. 3-1996 §1. Passed 3-19-96.)

909.02 PERMIT FEE.

(a) The fee for a curb and sidewalk permit shall be as set by Council resolution and shall be paid at the time application is made therefor.

(b) Where work for which a permit is required by this Code is started prior to obtaining the required permit, the fee shall be double: the payment of such double fee shall not relieve any persons from fully complying with the requirements of this Code in the execution of the work or from any other penalties prescribed herein.

(c) Individual permits are required for curb and/or sidewalk replacement performed for each property, unless the work is determined by the Building Official to be treated as one project in which case one permit may be issued.
(Ord. 3-1996 §2-4. Passed 3-19-96.)

909.03 PERMIT TERM AND EXPIRATION.

Permits are to be granted for a month period. If, at the end of the period any further use of the public right-of-way is required another permit shall be obtained in the same manner and under the same circumstances as to fees, periods, etc., as in the case of an original permit.
(Ord. 3-1996 §5. Passed 3-19-96.)

909.04 APPLICATION, INVESTIGATION AND APPROVAL.

(a) No permit shall be issued unless an application therefor to the Building Official is made in writing and signed by applicant or by a duly authorized agent or contractor and accompanied by a bond in the sum of five thousand dollars (\$5,000.00) payable to the City, conditioned upon the compliance of the applicant with City ordinances in reference to the laying of sidewalks and curbs. The bond shall have sufficient surety thereon and the bond and surety thereon shall be subject to the approval of the Building Official. The application shall contain all the information needed to enable the Building Official to ascertain the exact location, extent and character of the work. The Building Official shall investigate such application and unless the work would be in violation of law or ordinance or create a public safety concern, shall issue a permit. If, in the opinion of the Building Official, the work would be in violation of law or ordinance, he shall at once refer the application to Council, which shall pass upon such application subject to all conditions herein specified.

(b) Upon placing forms, the person building the curbs and/or sidewalks shall contact the Building Official for an inspection. Cement shall not be poured until an inspection has been performed. (Ord. 24-2006. Passed 4-18-06.)

909.05 HANDICAPPED RAMPS REQUIRED.

All curbs and sidewalks at intersections of streets, avenues or other pedestrian crossings in the City which are being constructed, reconstructed or altered for any reason shall provide curb cut ramps for the handicapped in accordance with the current specifications promulgated by the City Engineer.
(Ord. 3-1996 §9,10. Passed 3-19-96.)

909.06 PROPER GRADE AND LINE TO BE OBTAINED.

Any person installing or repairing curb or sidewalk shall notify the Building Official forty-eight hours prior to a concrete pour for inspection of the grade and line to be established. If the person performing the work is unclear as to what/how the grade should be established, they must indicate this when notifying the Building Official of the concrete pour so that the Official can be prepared to answer these questions. In any case, the specifications promulgated by the City Engineer must be complied with where, physically possible.
(Ord. 3-1996 §11. Passed 3-19-96.)

909.07 LAYING WITH IMPROPER GRADE OR SLOPE.

(a) Whenever any sidewalk shall be laid or relayed within the City the grade or slope of such sidewalk from property line to curb or gutter, shall be in compliance with the specifications promulgated by the City Engineer where physically possible.

(b) Any sidewalk which is laid or relayed in disregard of or in nonconformity with such grade, is hereby declared to be public nuisance, and shall be abated by the Building Official who shall require the sidewalk to be removed and relayed to the proper grade. The entire costs and expenses of such removal and relaying, with a penalty of ten percent (10%) of such cost and expenses added thereto, shall be recoverable from the owner of the property along which such sidewalk was removed and relayed, to be collected in like manner as similar debts are now by law collectible.

(Ord. 3-1996 §12. Passed 3-19-96.)

909.08 CHANGE OF MARKS OF GRADE OR LINE.

No person shall change or remove any stake, stone or mark or other designation by which any grade or line so given is indicated.
(1944 Code Ch. 29 §12.)

909.09 STORAGE OF MATERIALS; RESTORATION.

(a) No person without a curb and sidewalk permit shall store any materials used in the construction of curbs and sidewalks on or within the public right-of-way.

(b) With a permit, materials used in construction may be stored immediately in front of the premises in question, and if the owners thereof shall give their consent, in front of one adjoining property on each side thereof. Such construction material shall in no case extend toward the center of the public right-of-way more than eight feet from the curb line where an existing marking lane exists. If parking is permanently prohibited within the area of construction, no encroachment into the cartway is permitted.

(c) No construction material, nor temporary structure, shall be permitted to obstruct the free flow of water in the gutter or along the curb or in front of fire plugs. No construction material or any temporary structure shall be placed on any public right-of-way until the same in each instance becomes necessary, nor shall the same nor any rubbish be permitted to remain on any public right-of-way longer than shall be absolutely necessary.

(d) It is hereby made the duty of the Bureau of Permits, Licenses, and Inspections to see that these provisions are strictly complied with and to have removed at the cost of the owner or contractor all unnecessary obstructions in the public right-of-way after forty-eight hours' notice. After the use of the public right-of-way under any permit, the public right-of-way shall be restored to its original condition.
(Ord. 3-1996 §13. Passed 3-19-96.)

909.10 MIXING CONCRETE.

The mixing of concrete shall not take place upon the surface of the street, but a proper platform or covering sufficiently tight to keep mixture from surface of street shall be provided by owner or contractor. (1944 Code Ch. 29 §14.)

909.11 SAFETY PRECAUTIONS; LIGHTS AND BARRICADES.

All work or storage of materials or equipment within the cartway must be in compliance with current PA DOT requirements, specifically, Publication 203, Work Zone Traffic Control.
(Ord. 3-1996 §14. Passed 3-19-96.)

909.12 INTERSECTION CONSTRUCTION.

All intersections must be constructed or reconstructed to be in conformance with the current ADA (American with Disabilities Act) requirements. In addition the intersection should, in general, be established to be the largest radius possible given all existing structures and physical restraints. As a general rule, intersections with alleys should have a radius not less than ten feet and intersections of two streets should have a radius not less than twenty feet. (Ord. 3-1996 §15. Passed 3-19-96.)

909.13 DRAINS OR GUTTERS FROM DWELLINGS TO GUTTERS.

Cross drains of gutters, running from dwelling to curb or gutters, shall be eighteen inches in width and have a depression in the center not to exceed one and one-half inches. Such gutter shall give a gradual slope from side to center. Trench drains are incorporated and may also be required by the Building Official for this purpose: however, the specifications and shop drawing of the proposed type must be submitted to the Building Official to assure that it will provide a long term safe pedestrian walkway.
(Ord. 3-1996 §16. Passed 3-19-96.)

909.14 RULES AND REGULATIONS.

(a) The City Engineer shall promulgate rules and regulations governing the materials used and the manner of sidewalk and curb installation and repair.

(b) No person shall install or repair any sidewalk or curb except in accordance with City ordinances and specifications promulgated by the City Engineer.

909.15 PERMIT REVOCATION.

Every permit issued hereunder shall be conditioned on faithful compliance with all of the provisions of this article. Any failure to so comply with such provisions shall be cause for revocation of such permit.
(1944 Code Ch. 29 §19.)

909.16 (RESERVED FOR FUTURE LEGISLATION.)

909.17 (RESERVED FOR FUTURE LEGISLATION.)

909.18 (RESERVED FOR FUTURE LEGISLATION.)

909.19 OBLIGATIONS OF PROPERTY OWNERS.

Owners of property abutting on any public street or highway within the City, shall at their expense, construct, pave, curb, repave and recurb the sidewalks and keep them in good repair along such property, in conformity with existing City ordinances.
(Ord. 9-1945 §1.)

909.20 LIENS.

Upon failure of property owners to construct, pave, curb, repave and recurb such sidewalks upon written notice by the Building Official, the same may be done by the City and the expense thereof, plus a penalty of ten percent (10%) of such expense, may be levied and collected from such owners. Such amount shall be a lien upon the premises and shall bear interest at the rate of six percent (6%) per annum from the time of the completion of the work, which to date shall be fixed by certificate of the Building Official filed with the City Clerk, and may be collected by action at law, or such lien may be filed and proceeded in as provided by law in the case of municipal liens.
(Ord. 3-1996 §18. Passed 3-19-96.)

909.21 CONSTRUCTIVE SERVICE.

If the owner of such property cannot be served with notice within the County of York, notice may be served upon the agent of the owner, or the party in possession, if any there be, or if there be no agent or party in possession, the notice may be served by posting upon the most public part of such premises.
(Ord. 9-1945 §3.)

909.98 DUTIES AND RESPONSIBILITIES.

All duties and responsibilities assigned to the Building Official within this article may also be undertaken by a designee of the Building Official.
(Ord. 3-1996 §19. Passed 3-19-96.)

909.99 PENALTY.

Any property owner who neglects to construct, pave, curb or recurb the sidewalk along his property, or repair the same within thirty days after service of written notice, or any person who violates any provision of this article, shall upon conviction be fined not more than six hundred dollars (\$600.00) and costs of prosecution, and in default of payment thereof be imprisoned for not more than thirty days.
(Ord. 39-1989 §1. Passed 4-18-89.)

ARTICLE 911
Snow Removal

EDITOR'S NOTE: Former Article 911 was repealed by Ordinance 18-2003. See now Article 1763 for snow removal provisions.

ARTICLE 913 Trees and Vegetation

913.01	Injury prohibited.	913.07	Gas pipes.
913.02	Advertisements or notices.	913.08	Excavations.
913.03	Trimming trees; dangerous trees.	913.09	Planting along sidewalks permitted.
913.04	Pruning standard.	913.99	Penalty.
913.05	Wires.		
913.06	Work by Electrical Bureau.		

CROSS REFERENCES

Regulation of shade trees - see 3rd Class §2403(18) (53 P.S. §37403(18))
 Payment for trees by property owner - see 3rd Class §3807
 (53 P.S. §38807)
 Maintenance by City - see 3rd Class §3809 (53 P.S. §38809)
 Subdivision street trees - see P. & Z. 1397.03

913.01 INJURY PROHIBITED.

No person shall injure any tree or shrub planted in any public place.
 (Ord. 14-1970 § 1.)

913.02 ADVERTISEMENTS OR NOTICES.

No person shall attach any advertisement to any tree or shrub in any street, parkway or other public place. (Ord. 14-1970 §2.)

913.03 TRIMMING TREES; DANGEROUS TREES.

(a) Any tree or shrub which overhangs any sidewalk, street or public place in such a way as to impede or interfere with traffic or travel on such public place including City street sweepers and other vehicles requiring a high clearance on roadways, shall be trimmed by the owner of the abutting premises on which such trees or shrub grows, to a height of a minimum of fourteen feet above the roadway and eight feet above the sidewalk so that the obstruction shall cease. (Ord. 5-1995. Passed 4-18-95.)

(b) Any tree or limb of a tree which has become likely to fall on or across any public way or place, shall be removed by the owner of the premises on which such tree grows or stands.

(c) If any owner of such premises neglects or refuses to trim any tree or remove the tree or any limb thereof, as required by this section upon notice in writing by the Director of Community Development within the time limit specified in such notice, the Director may cause such trimming or removal of a tree or a limb thereof to be done at the expense of such owner. The entire cost thereof, shall be a lien on such premises and a claim thereof shall be filed and collected by the City Solicitor in the same manner as municipal claims are filed and collected. (Ord. 14-1970 §3.)

913.04 PRUNING STANDARD.

Tree pruning for street or roadway lighting shall be in accordance with formulas as set forth in figure A-4 (recommending tree pruning to minimize conflict with roadway lighting) of American Standard Practice for Roadway Lighting, sponsored by Illuminating Engineering Society and approved by American Standards Association, Inc., November 7, 1963 with periodic revisions. (Ord. 14-1970 §4.)

913.05 WIRES.

- (a) No person shall attach any electrically charged wire to any tree.
- (b) Any person or company given the right to maintain poles and wires in the streets, alleys or other public places in the City shall, in absence of provisions in the franchise concerning the subject, keep such wires and poles free from and away from any trees or shrubs in such places so far as may be possible and shall keep all such trees and shrubs properly trimmed so that no injury shall be done to the poles or wires or shrubs and trees by contact.
- (c) Trees and shrubs shall be pruned so that esthetics and health will not be impaired.
- (d) The Director of Community Development shall have the authority to direct the utilities to prune trees and shrubs as deemed necessary for such public safety.
- (e) Owners of properties on which trees and shrubs to be pruned are located shall be contacted prior to pruning and granted the privilege to have the trees and shrubs pruned by a tree expert, of their choice, at the owner's expense. (Ord. 14-1970 §5.)

913.06 WORK BY ELECTRICAL BUREAU.

The Electrical Bureau of the City under the authority and supervision of the Director of Public Works, shall have the right to prune or remove trees and shrubs that interfere with the traffic signals and fire alarm systems. (Ord. 14-1970 §6.)

913.07 GAS PIPES.

Any person or company maintaining any underground natural gas distribution system on public right-of-way within the City shall periodically test for leaks in accordance with the Pennsylvania P.U.C. "Gas Regulations" and/or the U.S.A. Standard Code for Pressure Piping, "Gas Transmission and Distribution Piping Systems," otherwise known as USAS B31.8-1968 as revised periodically. If leaks of a magnitude likely to affect tree growth are discovered, repairs shall be made with reasonable promptness so that no injury shall be done thereby to any trees or shrubs. (Ord. 14-1970 §7.)

913.08 EXCAVATIONS.

In making excavations in streets or other public places, prudent and economically reasonable care shall be exercised to avoid injury to the roots of any tree or shrub wherever possible. (Ord. 14-1970 §8.)

913.09 PLANTING ALONG SIDEWALKS PERMITTED.

Property owners are permitted to plant trees for shade along the streets or lines of pavements in front of such property not exceeding three trees to the half lot. The person so planting trees shall not be liable for violation of the laws or ordinances of the City in relation to the obstruction of streets. (1944 Code Ch. 29 §49.)

913.99 PENALTY.

Whoever violates or fails to comply with any of the provisions of this article shall upon conviction thereof be fined not more than six hundred dollars (\$600.00) and costs of prosecution, and in default of payment thereof shall be imprisoned for not more than ten days. A separate offense shall be deemed committed on each day during or on which a violation occurs or continues. (Ord. 41-1989 §1. Passed 4-18-89.)

ARTICLE 915
Poles and Wires

915.01 Liability; pole maintenance.

915.99 Penalty.

CROSS REFERENCES

Power to license - see 3rd Class §2601 (53 P. S. §37601)

Use of poles for advertisements - see GEN. OFF. 753.04

Wires to be kept away from trees - see S.U. & P.S. 913.05

Pole removal - see S.U. & P.S. 917.05

Installation underground in new subdivision - see P. & Z. 1397.06

Wiring cut during fires; insulation - see FIRE PREV. Art. 1509

915.01 LIABILITY; POLE MAINTENANCE.

Any corporation granted the privilege of erecting and maintaining poles within the limits of this City shall be liable for all damages caused to public or private property by reason of such privileges. Such corporation shall at all times keep and maintain the sidewalks, curbing and gutters in good repair at all places where poles are now or may hereafter be erected.
(1944 Code Ch. 8 §9.)

915.99 PENALTY.

Any corporation, upon service of notice that any pole erected or maintained has been found defective or dangerous, shall be fined fifty dollars (\$50.00), and any corporation that neglects or refuses within forty-eight hours after notice is served, to remove such pole or to replace the same with a sound and safe pole, shall be fined five dollars (\$5.00) for each and every day such neglect or refusal continues. All fines authorized to be imposed by this section shall be collected as debts of like amount are now by law collected.
(1944 Code Ch. 8 §10.)

(EDITOR'S NOTE: The next printed page is page 29.)

ARTICLE 917 Underground Conduits

917.01	Districts created.	917.04	Suspension in emergencies.
917.02	Underground conduits required; intersecting streets.	917.05	Removal of poles.
917.03	City exception.	917.99	Penalty.

CROSS REFERENCES

Underground wires required - see 3rd Class §2403(50)
(53 P. S. §37403(50))

Poles and wires - see S.U. & P.S. Art. 915

Installation underground in new subdivisions - see P. & Z. 1397.06

National Electrical Code - see BLDG. & HSG. Art. 1709

917.01 DISTRICTS CREATED.

The following portions of the City are hereby defined as districts in which all electric light, electric power, telephone and telegraph wires and cables for the conveyance of electrical energy for any purpose shall be placed underground in conduits:

- (a) All that portion of George Street between the east and west building lines thereof, and extending from a point twenty-five feet north of Gas Avenue to the south building line of Princess Street.
- (b) All that portion of Market Street between the north and south building lines thereof and extending from the east end of the bridge crossing Codorus Creek to the east building line of Queen Street.
- (c) All that portion of what is known as Continental Square, between the building lines as presently constituted. (Ord. 77-1964 §1; Ord. 64-1965 §1.)

917.02 UNDERGROUND CONDUITS REQUIRED; INTERSECTING STREETS.

All electric light, electric power, telephone and telegraph wires and cables for the conveyance of electrical energy for any purpose, in the districts defined in Section 917.01 shall be placed underground. No poles or supports therefore shall be allowed to remain, or be, or be constructed on any portion of the streets or sidewalks in such districts, except ornamental standards for the support of street illumination and supports for traffic control devices. It is not the intention of this article to require the removal of overhead electric

light, electric power, telephone or telegraph wires and cables, in intersecting streets where such wires or cables cross the streets herein enumerated, except that poles for the support of such overhead wires or cables shall not be erected, maintained or used within the districts defined in Section 917.01. (Ord. 77-1964 §2.)

917.03 CITY EXCEPTION.

Notwithstanding any of the provisions of this article to the contrary, it shall be lawful for the Department of Public Works to erect, maintain or use overhead electrical wires and cables, span wires and traffic signs, and signals at any location in the streets of the City. (Ord. 77- 1964 § 3.)

917.04 SUSPENSION IN EMERGENCIES.

The Director of Public Works with the approval of the Mayor, may during any emergency caused by fire, flood, earthquake, lightning, wind storm, ice storm, war casualty, civil disorder, any act of God, or similar catastrophe suspend any or all of the provisions of this article for the duration of such emergency and for such reasonable time thereafter as may be necessary to permit restoration of normal service and removal of any temporary wires, cables and supporting poles. (Ord. 77-1964 §4.)

917.05 REMOVAL OF POLES.

All existing poles and overhead wires and cables, excepting those in intersecting streets as provided in Section 917.02 shall be removed within six months after the effective date of this section. No poles, wires or cables shall be constructed or placed in violation of any of the provisions of this article at any time after the effective date of this section. (Ord. 77-1964 §5.)

917.99 PENALTY.

Whoever violates any provision of this article shall, upon conviction thereof be fined not more than six hundred dollars (\$600.00) and costs of prosecution, and in default of payment thereof shall be imprisoned for not more than ten days. A separate offense shall be deemed committed on each day during or on which a violation occurs or continues. (Ord. 42-1989 § 1. Passed 4-18-89.)

TITLE THREE - Public Sewers
 Art. 931. Sanitary Sewers
 Art. 932 Plumbing Requirements
 Art. 933. Sewer Rentals

ARTICLE 931
 Sanitary Sewers

931.01	Definitions.	
931.02	Prohibited wastes.	determination and measuring
931.03	Industrial wastes.	volume.
931.04	Inspections.	Suspension and termination
931.05	Sewage, wastes and spilled matter not to be discharged into watercourses.	of service. Public notice of significant violators.
931.06	Garages.	Public access to information.
931.07	Interceptors required.	Hazardous waste.
931.08	Hotels and restaurants.	Penalty
931.09	Violations.	

CROSS REFERENCES

Federal Water Pollution Control Act - (Clean Water Act); (as amended
 33 U.S.C.1251, et seq.)
 Sewer connections - see 3rd Class 3201 et seq. (53 P.S. 38201 et seq.)
 City may charge tapping fee - see 3rd Class 3202 (53 P.S. 38202)
 Power to furnish facilities outside City - see 3rd Class 3250
 (53 P.S. 38250)
 Sewage disposal standards - see 25 Pa. Code 73.1 et seq.
 Waste water treatment - see 25 Pa. Code Ch. 95
 Industrial wastes - see 25 Pa. Code Ch. 97
 Industrial wastes charge - see S.U. & P.S. 933.04
 New subdivision sewers - see P. & Z. 1397.07

931.01 DEFINITIONS.

The following words and terms, when used in this article, shall have the following meanings, unless the context clearly indicates otherwise:

- (a) "Act" means Federal Water Pollution Control Act, also known as the Clean Water Act, as amended 33 U.S.C. 1251, et seq.
- (b) "B.O.D. (Biochemical oxygen demand)" means the quantity of oxygen utilized in the biochemical oxidation of organic matter under standard laboratory procedure in five (5) days at twenty degrees Centigrade, expressed in terms of weight and concentration (milligrams per liter (mg/L)).
- (c) "Categorical Pretreatment Standards" means any regulation containing pollutant discharge limits set forth by the EPA.
- (d) "Commercial Wastes" means the wastes generated from a commercial operation as distinct from domestic, and industrial sewage.
- (e) "Composite sample" means a combination of individual samples obtained at regular intervals over a specified time period not to exceed two hours.
- (f) "Daily average concentration" means the concentration as determined by a twenty-four hour composite sample. (Ord. 02-7. Passed 2-20-02.)
- (g) "Daily discharge" means the discharge of a pollutant measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in units of mass, the "daily discharge" is calculated as the total mass of the pollutant discharged over the day. For pollutants expressed in other units of measurement (i.e., mg/l), the "daily discharge" is calculated as the arithmetic average measurement of the pollutant over the day.
(Ord. 50-2003. Passed 12-16-03.)
- (h) "Domestic sewage" means the water-borne waste derived from ordinary living processes.
- (i) "Garbage" means solid waste from the preparation, cooking and dispensing of food, and from the handling, storage and sale of produce.
- (j) "Garbage grinders" means a mechanical device which shreds or grinds food for the purpose of sewage disposal.
- (k) "General Manager" means the General Manager of the York City Wastewater Treatment Plant or his duly authorized representative.
- (l) "Grab sample" means an individual sample collected in less than fifteen minutes.
- (m) "Ground garbage" means the residue from the preparation, cooking and dispensing of food that has been shredded to such degree that all particles shall be carried freely in suspension under the normal flow conditions prevailing in the sewer conduit to which they are contributory and those prevailing in public sewers with no particle greater than one-half inch in any dimension.
- (n) "Industrial wastes" means the wastes from industrial processes as distinct from domestic, and commercial sewage.
- (o) "Instantaneous maximum concentration" means the concentration not to be exceeded at any time in any grab sample.
- (p) "Interceptor" means a device designed and installed so as to separate and retain deleterious, hazardous, or undesirable matter from normal wastes, while permitting normal sewage or wastes to discharge into the drainage system by gravity.
- (q) "Interference" means a discharge which, alone or in conjunction with a discharge or discharges from other sources, both:
 - (1) Inhibits or disrupts the POTW, its treatment processes or operations, or its sludge processes, use or disposal; and

- (2) Therefore is a cause of a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use or disposal in compliance with the following statutory provisions and regulations or permits issued thereunder (or more stringent State or local regulations): Section 405 of the Clean Water Act, the Solid Waste Disposal Act (SWDA) (including Title II, more commonly referred to as the Resource Conservation and Recovery Act (RCRA), and including State regulations contained in any State sludge management plan prepared pursuant to Subtitle D of the SWDA), the Clean Air Act, and the Marine Protection, Research and Sanctuaries Act [40 CFR 403.3(i)].
(Ord. 02-7. Passed 2-20-02; Ord. 50-03. Passed 12-16-03.)
- (r) "Maximum daily limit" means the highest allowable "daily discharge" of a pollutant. (Ord. 50-2003. Passed 12-16-03.)
- (s) "mg/l" means milligrams per liter.
- (t) "New source" means any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced after the publication of proposed Pretreatment Standards under Section 307(c) of the Clean Water Act if such standards are thereafter promulgated in accordance with that section (provided that certain conditions dealing with the construction and siting of that source vis-a-vis other sources are met) [40 CFR 403.3(k)].
- (u) "Pass through" means a discharge which exits the POTW into waters of the United States in quantities or concentrations which, alone or in conjunction with a discharge or discharges from other sources, is a cause of a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation) [40 CFR 403.3(n)].
- (v) "pH" means the logarithm (base 10) of the reciprocal of the weight of hydrogen ions in grams per liter of solution.
- (w) "Person" means any individual, partnership, firm, company, corporation, association, joint stock company, trust, estate, governmental entity or any other legal entity, or their legal representatives, agents or assigns. The masculine gender shall include the feminine, the singular shall include the plural where indicated by the context.
- (x) "Publicly Owned Treatment Works" or "POTW" means a treatment works as defined by section 212 of the Act, which is owned by a State or municipality (as defined by section 502(4) of the Act). This definition includes any devices and systems used in the storage, treatment, recycling and reclamation of municipal sewage or industrial wastes of a liquid nature. It also includes sewers, pipes and other conveyances only if they convey wastewater to a POTW Treatment Plant. The term also means the municipality as defined in section 502(4) of the Act, which has jurisdiction over the Indirect Discharges to and the discharges from such a treatment work [40 CFR 403.3(o)].
- (y) "Sanitary sewer" means a sewer which carries sewage and to which storm, surface and ground waters are not intentionally admitted.
- (z) "Sewage" means a combination of the water-carried wastes from residences, business buildings, institutions and industrial establishments, together with such ground, surface and storm waters as may be present.
- (aa) "Sewage works" means all facilities for collection, pumping, treating and disposing of sewage (see Publicly Owned Treatment Works-POTW).
- (bb) "Storm Water" means storm water runoff, snow melt runoff, and surface runoff and drainage.

- (cc) "Storm sewer or storm drain" means a sewer which carries storm and surface waters and drainage, but excludes sewage and polluted industrial wastes.
- (dd) "Suspended solids" means the total nonfilterable residue retained on a glass fiber filter, .45 micron, and dried at a temperature of 103-105 C to a constant weight.
- (ee) "Toxic Pollutant" means any pollutant or combination of pollutants listed as toxic in regulations promulgated by the Administrator of the Environmental Protection Agency under the provision of the Clean Water Act 307(a) or other Acts.
- (ff) "Treatment plant" means the York City Wastewater Treatment Plant, 1701 Black Bridge Road, York, PA 17402.
- (gg) "Upset" means an exceptional incident in which there is unintentional and temporary noncompliance with categorical Pretreatment Standards because of factors beyond the reasonable control of the Industrial User. An Upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation [40 CFR 403.16(a)].
(Ord. 02-7. Passed 2-20-02; Ord. 50-2003. Passed 12-16-03.)

931.02 PROHIBITED WASTES.

(a) No person shall discharge or cause to be discharged any storm water, surface water, ground water, roof run-off or subsurface drainage except around basement walls into any sanitary sewer. The addition of cooling water or unpolluted water or an increase in the use of process water for the purpose of reducing the concentrations of substances that are limited or prohibited by this article shall be prohibited.

(b) Except as hereinafter provided, no person shall discharge or cause to be discharged at any time any of the following described wastes or waters into any sanitary sewer or drain connected therewith:

- (1) Any liquid or vapor having temperature which shall inhibit biological activity in the treatment plant resulting in an inhibition or disruption of the Treatment Plant process, but in no case wastewater with a temperature upon reaching the Treatment Plant which exceeds 40 C (104 F) or upon reaching the public sewer of 82 C (180 F).
(Ord. 02-7. Passed 2-20-02.)
- (2) Any water or waste containing more than 100 mg/l by weight of recoverable oil and grease, as per 40 CFR 136.3.
(Ord. 50-2003. Passed 12-16-03.)
- (3) Any garbage that is not ground garbage.
- (4) Any ashes, cinders, sand, mud, straw, hay scraps, rags, shavings, metal, glass, bones, feathers, rubber, tires, plastic, wood, paunch manure, butchers' offal, grease or solid fat, floating oil or any other solids or viscous substance capable of causing obstruction to the flow in sewers or other interference with the proper operation of the sewage works.
- (5) Any water or waste having a pH lower than 5.5 or higher than 11.0 or having any corrosive property capable of causing damage or hazards to structures, equipment or personnel of the sewage works or affecting the biological treatment of the waste.
(Ord. 02-7. Passed 2-20-02.)

- (6) Any water or waste containing any substances in concentrations in excess of the following limits:

<u>Substances</u>	<u>Maximum Daily Limit</u> (mg/L.)
Arsenic	0.2
Cadmium	0.16
Chromium	0.9
Copper	1.6
Cyanide	0.005 or 0.9 by permit
Lead	0.5
Mercury	0.05
Molybdenum	3.0
Nickel	1.5
Selenium	0.5
Silver	1.3
Zinc	5.0

(Ord. 38-2003. Passed 10-7-03.)

- (7) Any toxic substance that shall pass through the sewage works and exceed State or Federal Environmental quality standards or cause an adverse effect on the POTW treatment processes or the quality of the Wastewater Treatment Plant effluent.
- (8) Any water or waste containing pollutants of such character and quantity that unusual attention or expense is required to handle such materials at the wastewater treatment plant, without a permit obtained in accordance with Section 931.03.
- (9) Any water or waste containing any pollutant at a flow rate and/or concentration which causes interference.
- (10) Any toxic radioactive isotopes, without special permit. Biomedical waste disposal in accordance with 10 CFR Part 20 "Standards for Protection Against Radiation", is permitted.
- (11) Any fuel or flammable material.
- (12) Any substance which may form a deposit tending to cause a stoppage or injure, in any way, the sewage works.
- (13) Any tar or by-products from any gas works or similar establishment.
- (14) Any pathological matter.
- (15) Any water or waste by any person having any average daily discharge to the sewage works of more than 5,000 gallons per day containing more than 3,000 mg/L. of B.O.D.
- (16) Pollutants which create a fire or explosion hazard in the POTW, including, but not limited to, wastestreams with a closed cup flashpoint of less than 140 degrees Fahrenheit or 60 degrees Centigrade using the test methods specified in 40 CFR 261.21.

- (17) Petroleum oil, nonbiodegradable cutting oil, or products of mineral oil origin in amounts that will cause interference or pass through.
- (18) Pollutants which result in the presence of toxic gases, vapors or fumes within the POTW in a quantity that may cause acute worker health and safety problems.
- (19) Any trucked or hauled pollutants, except at discharge points designated in writing by the General Manager of the POTW.

(c) The Federal Pretreatment Regulations do not allow a waiver of pretreatment standards, or local limits, for Categorical Industrial Users.
(Ord. 02-7. Passed 2-20-02.)

931.03 INDUSTRIAL WASTES.

(a) Treatment of Industrial Wastes. The economy and desirability of the combined treatment of industrial wastes and sanitary sewage is recognized. However, not all types and quantities of industrial wastes can be so treated. Hence it shall be the established policy of the City to admit those types and quantities of industrial wastes that are not harmful or damaging to the structures, processes or operation of the sewage works or are not specifically prohibited by this article. It is also recognized that to provide this service, additional facilities are required, the cost of which shall be borne by those persons receiving benefits. Additionally, the City and industry shall abide by federal pretreatment regulations.

(b) Approval Required for Industrial Wastes. In order to control the admission of industrial waste, the discharge into any sanitary sewer of any industrial waste having:

- (1) A five day 20 degrees Centigrade B.O.D. greater than 300 mg/l; or
- (2) A suspended solids content greater than 350 mg/l; or
- (3) An average daily flow greater than twenty-five thousand gallons per day, or
- (4) Any toxic pollutant as defined pursuant to Section 307 of the Federal Water Pollution Control Act, 33 U.S.C. 1251, et seq. or any hazardous wastes as defined pursuant to the Resource Conservation and Recovery Act, 42 U.S.C. 6901 et seq.; or
- (5) Any wastes which are considered by the General Manager to offer possibilities of harm to structures, processes, or operation of the sewage works or to have significant impact, either singly or in combination with other contributing industries, on the treatment process, the quality of sludge, the system's effluent quality or air emissions generated by the system;

Shall be prohibited unless a permit is obtained for that purpose in the manner hereinafter described. Such permit shall be granted by the City upon the review and approval of the General Manager. The City reserves the right to deny new or existing contributions to the system if, because of the volume or characteristics, such wastes are determined by the City to be detrimental to the operation of the sewage works or shall cause the City to be in violation of any laws or regulations affecting the City.

(c) Survey Data Required. All persons who are now discharging industrial wastes into any sanitary sewer shall upon the request of the General Manager, fill in and file with the General Manager, a questionnaire which furnishes pertinent data, inclusive of quantity of flow and analysis of the industrial wastes discharged, as set forth in subsection (j) hereof. Any person desiring to make a new connection or a significant change in the quality of an existing connection to the sewage works for the purpose of discharging, shall fill in and file with the General Manager an industrial waste questionnaire which furnishes pertinent or predicted data inclusive of quantity of flow and an analysis of the industrial waste to be discharged into the sewage works as set forth in subsection (j) hereof.

(d) Industrial Wastewater Contribution Permits.

- (1) In order to receive a permit to discharge wastes requiring approval under subsection (b), a written application shall be filed with the General Manager. Information required for industrial users includes, but not limited to, a baseline monitoring report containing identifying information, a compliance report concerning categorical pretreatment standard deadlines, compliance schedule reports, and periodic reports on continued compliance. Any person discharging industrial wastes into any sanitary sewer at the time of passage of this article and requiring a permit shall apply within ninety days after the effective date of this article. All such persons are considered to have a valid permit until such time as the City shall act upon the permit application. It shall be the duty of the Industrial and Commercial user to maintain operations in compliance with Federal and State regulations.
- (2) Prior to the issuance or renewal of a permit, the applicant shall pay to the City Treasurer the nonrefundable sum of forty-five dollars (\$45.00) and shall exhibit to the General Manager a receipt for the amount paid.
- (3) No permit shall be granted to any person unless he agrees to indemnify and to save the City, its officers, employees and agents harmless from any and all claims, costs, damages and liabilities which may accrue or be claimed to accrue by reason of the permitted waste disposal activity.
- (4) Permit holders shall abide by the conditions of the permit and failure to do so constitutes a violation of this article.
- (5) Should a permit holder significantly change the volume of its discharge or change its character for any reason, he shall notify the General Manager of such changes and the General Manager may require application for a new permit.
- (6) A permit may be suspended or revoked in whole or in part by the General Manager for cause including but not limited to the following:
 - A. Violation of any terms or conditions of the permit;
 - B. Obtaining the permit by misrepresentation or failure to disclose fully all relevant facts;
 - C. A change in any condition, including but not limited to changes in state or federal regulations or changes in the treatment process that require either a temporary or permanent reduction or elimination of the permitted discharge.
- (7) All categorical industrial users are required to obtain a permit.

(e) Permit Conditions. Industrial wastewater contribution permits shall be expressly subject to all provisions of this article and all other applicable state, federal and local regulations, user charges and fees established by the City. Where federal or state pretreatment regulations impose additional requirements or more stringent limits than those stated in the permit, these requirements and limits become part of the permit whether or not they are stated in the permit. Permits may contain the following:

- (1) Limits on the average and maximum wastewater constituents and characteristics;
- (2) Limits on average and maximum rate and time of discharge or requirements for flow regulation and equalization;
- (3) Requirements for the installation and maintenance of inspection and sampling facilities;
- (4) Specifications for self-monitoring programs which may include sampling locations, frequency of sampling number, types and standards for tests and reporting schedule;
- (5) Compliance schedules;
- (6) Requirements for submission of technical reports or discharge reports;
- (7) Requirements for maintaining and retaining plant records relating to wastewater discharge for a period of not less than 3 years, and affording the City access thereto;
- (8) Requirements for notification to the City of any new introduction of industrial wastes or an substantial change in the volume or character of the industrial wastes being introduced into any sanitary sewer;
- (9) Requirements for submission of spill prevention plans;
- (10) Requirements for installation of means to prevent spills of hazardous materials, untreated waste, raw materials or product into the sewage works;
- (11) Other conditions as deemed appropriate by the City to ensure compliance with this article.

(f) Permit Duration. An industrial wastewater contribution permit shall be issued for a specified time period not to exceed three years. A permit holder shall apply for permit reissuance a minimum of one hundred twenty (120) days prior to the expiration of the existing permit. The terms and conditions of the permit may be subject to modification by the City during the term of the permit should changes in federal or state pretreatment regulations occur or other just cause exist. The permit holder shall be informed of any proposed changes in his permit at least thirty days prior to the effective date of change. Any changes or new conditions in the permit shall include a reasonable time schedule for compliance.

(g) Permit Transfer. Industrial wastewater contribution permits are issued to a specific person for a specific operation. A wastewater discharge permit shall not be reassigned or transferred or sold or applied to different premises or a new or changed operation without the written approval of the General Manager.

(h) Pretreatment. All persons using sewage works shall provide wastewater treatment as required to comply with this article and with all federal pretreatment standards within the time limitations specified by federal regulation or other limits that may from time to time be set by regulatory agencies.

(i) Certification of Reports. Any person signing the application statement, baseline monitoring report, periodic self-monitoring reports, and questionnaire shall make the following certification:

“I have personally examined and am familiar with the information submitted in the attached document, and I hereby certify under penalty of law that this information was obtained in accordance with the requirements of Article 931 of the Codified Ordinances of the City of York, Pennsylvania. Moreover, based upon my inquiry of those individuals immediately responsible for obtaining the information herein, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.”

(j) Sampling and Analysis. The holder of an industrial wastewater contribution permit shall furnish the General Manager with written and signed reports of sample analysis at a frequency specified in the industrial wastewater contribution permit. Samples to be used for surcharge purposes shall be composites collected over a twenty-four hour period so as to be truly representative of the quality of the wastes. Samples shall be collected, preserved and analyzed promptly, in accordance to 40 CFR Part 136, to insure accurate results. An analysis shall be made by a qualified chemist in a testing laboratory approved by the General Manager to perform the required analysis using the laboratory methods as specified in 40 CFR Part 136. The City representatives may sample and inspect the waste by composite sample or by grab sample in order to verify the analysis being submitted by the industry. If the analysis being made by the City determines that the waste is not in substantial accordance with the analysis furnished and not in conformance with the anticipated determinations of the wastes in the wastewater contribution permits, the industry shall be declared in violation of its wastewater contribution permit by the General Manager, and shall be subject to the provisions of Section 931.99.

(k) Control Manhole. Any person discharging industrial wastes into any sanitary sewer shall construct and maintain at his expense a suitable control manhole, or manholes, downstream from any treatment storage, or other approved works, to facilitate observation, measurement and sampling of all wastes, including domestic sewage, from the establishment. The control manhole or manholes shall be constructed at suitable and satisfactory locations and built in a manner approved by the General Manager. The control manhole shall be accessible to the General Manager or his representatives at all times for sampling.

(l) Slug Loading. Any person shall notify the General Manager immediately of any planned or unplanned discharge of waste of a strength or character unusual for the person or in violation of the person's wastewater contribution permit, or Upset. A written follow-up report thereof shall be filed by the person with the City within five days. The report shall specify:

- (1) Description of the upset, the cause thereof and the upset's impact on a user's compliance status.
- (2) Duration of noncompliance, including exact dates and times of noncompliance, and if the noncompliance continues, the time by which compliance is reasonably expected to occur.
- (3) All steps taken or to be taken to reduce, eliminate and prevent recurrence of such an upset or other conditions of noncompliance.

(m) Fees for Analyses and Inspections. The City or its designated agent shall inspect properties discharging waste other than domestic wastewater into the sewage works and obtain and analyze samples therefrom to enforce provisions of this article, to comply with State and Federal requirements, and to determine applicable surcharges. Fees for such services shall be assessed in accordance with a schedule established by administrative order based on costs.

(n) Spill Prevention Plans. Any person using or storing flowable materials in excess of fifty gallons of liquid or 500 pounds of solid shall be required to submit a spill prevention control plan if so ordered by the General Manager.

(o) Signatory Requirements. Industrial user reports and submissions, to include but not limited to (Permit Applications, Industrial Questionnaires, Baseline Monitoring Reports, final compliance reports and periodic compliance reports), requiring signature and certification shall be signed by the following persons:

- (1) By a responsible corporate officer, if the industrial user submitting the reports is a corporation. For the purposes of this paragraph a responsible corporate officer means:
 - A. A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function or any other person who performs similar policy or decision-making functions for the corporations, or;
 - B. The manager of one or more manufacturing, production, or operation facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second quarter 1980) dollars, if the authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
- (2) By a general partner or proprietor if the industrial user submitting the reports is a partnership or sole proprietorship respectively.
- (3) The principal executive officer or director having responsibility for the overall operation of the discharging facility if the Industrial User submitting the reports is a Federal, State or local governmental entity, or their agents.
- (4) By a duly authorized representative of the individual designated in paragraph (1), (2), or (3) of this section if:
 - A. The authorization is made in writing by the individual described in paragraph (1), (2), or (3);
 - B. The authorization specifies either an individual or a position having responsibility for the overall operation of the facility from which the industrial discharge originates, such as the position of plant manager, operator of a well, or a well file General Manager, or a position of equivalent responsibility, or having overall responsibility for environmental matters for the company; and
 - C. The written authorization is submitted to the City.

- (5) If an authorization under paragraph (4) of this section is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, or overall responsibility for environmental matters for the company, a new authorization satisfying the requirements of paragraph (4) of this section must be submitted to the City prior to or together with any reports to be signed by an authorized representative.
(Ord. 02-7. Passed 2-20-02.)

931.04 INSPECTIONS.

The General Manager and other duly authorized employees of the City bearing proper credentials and identification shall be permitted to enter upon all properties for the purposes of inspection, observation, measurement, sampling and testing, and to examine and copy records of operation required by the City, Federal or State agencies in accordance with the provisions of this article.

(Ord. 02-7. Passed 2-20-02.)

931.05 SEWAGE, WASTES AND SPILLED MATTER NOT TO BE DISCHARGED INTO WATERCOURSES.

(a) All owners or users of private sewers which, either directly or through an intervening public or private storm sewer, drain domestic sewage into any natural watercourse within the City limits, shall discontinue the discharge of such sewage into such watercourse within three months after notice to do so from the Department of Public Works served upon such owner or user, or, if nonresident in the City, upon the agent thereof or upon the party in possession, and if there is no agent or party in possession, then by notice posted upon the most public part of the property. Such owner shall, within such time, and at his own expense, connect his house drain with the sanitary sewer system. Provided, however, that if the sanitary sewer system is not laid along any property, then the owner of such property shall be exempted from the requirements of this section until such time as the system shall be available for use, or until the City otherwise makes provision for the disposition of such sewage. Nothing herein contained shall forbid the continuation of the drainage through such private or public storm water sewers of roof, surface or ground water.

(b) The discharge or spilling of industrial waste or waste water or of any hazardous, toxic, colored or oil-bearing matter into a natural watercourse either directly or indirectly via public or private storm sewer, ditch or culvert is prohibited unless such discharge is in accordance with the permit issued by the United States Environmental Protection Agency or the Pennsylvania Department of Environmental Resources or consists of unpolluted cooling, boiler or distilled water.

(Ord. 02-7. Passed 2-20-02.)

931.06 GARAGES.

(a) Every garage or other structure for the housing, sale or repair of vehicles in which vehicles are washed, cleaned or repaired shall, before being connected with the sewage works, be provided with proper means for draining the floors and repair pits, as hereinafter provided.

(b) Any drain in the floor or repair pit of any garage or other structure for the housing, sale or repair of vehicles, shall have a special connection discharging through an interceptor, which shall be located under the direction of the Plumbing Inspector, before being connected to the house drain. The interceptor shall be so arranged as to intercept all oils, gasoline or other flammable fluids, as well as sand, silt and other solids, for the purpose of excluding the same from the sewage works. It shall be water-tight, so located as to be provided a suitable approved manhole frame and cover, and shall be of design and capacity approved by the Plumbing Inspector. The oils and other flammable fluids which accumulate in such interceptors shall be pumped or otherwise removed, and the interceptors shall be so maintained as to insure the exclusion of the same from the sewage works. They shall be kept free from sand, silt or other solids and shall be subject to regular inspection by the Department of Public Works. The contents of the same shall be promptly disposed of after removal to the satisfaction of the Department of Public Works.

(c) Every garage or other structure used for the housing, sale or repair of vehicles connected with any public or private sewer shall be provided with a floor drain and interceptor in accordance with this section within sixty days after notice from the Department of Public Works. (Ord. 02-7. Passed 2-20-02.)

931.07 INTERCEPTORS REQUIRED.

All persons storing or using flammable or hazardous materials or discharging matter likely to obstruct any part of the sewage works or injure same or cause a nuisance, shall not connect to any sanitary sewer except through interceptors, catch basins or screens as may be prescribed by the Plumbing Inspector, or Department of Public Works. (Ord. 02-7. Passed 2-20-02.)

931.08 HOTELS AND RESTAURANTS.

(a) All hotels, restaurants, boarding houses and public eating places, before draining into the sewage system, shall install grease interceptors on fixtures as required by the Plumbing Inspector or the Department of Public Works.

(b) The greases, oils and solid materials which accumulate in such interceptors shall be pumped or otherwise removed, and the interceptors shall be so maintained as to insure the exclusion of the same from the sewage works. They shall be subject to regular inspection by the Department of Public Works. The contents of same shall be promptly disposed of after removal to the satisfaction of the Department of Public Works. (Ord. 02-7. Passed 2-20-02.)

931.09 VIOLATIONS.

(a) Upon failure of any owner to comply with any of the terms and requirements of this article after notice to do so, the same may be done or caused to be done by the City and the cost thereof shall be levied and collected from such owner, together with penalty of ten percent (10%) of such costs and all charges and expenses. Such amount shall be a lien upon such premises from the time of the completion of the work, which date shall be fixed by the certificate of the Plumbing Inspector, filed with the City Solicitor, and may be collected by action in assumpsit, or such lien may be filed and proceeded in as provided by law in the case of municipal liens.

(b) In addition thereto any owner or other person who violates or refuses to comply with any provision of this article or any notice given under the authority of the same, or who obstructs or interferes with any person in the execution of any of the provisions hereof, shall be subject to the penalty provided in Section 931.99.
(Ord. 02-7. Passed 2-20-02.)

931.10 SEWER RENTAL SURCHARGES; DETERMINATION AND MEASURING VOLUME.

(a) Sewer Rental Surcharges for Nondomestic Wastes. In addition to sewer rent for collection and treatment of sewage discharged into the sewage works by commercial and industrial users, further charges shall be made for all sewage discharged into the sewage works having values for certain parameters in excess of certain concentrations limits as listed below:

<u>Parameters</u> <u>Concentrations in mg/L.</u>	<u>Concentration Limits in mg/L.</u>
Ammonia (as Nitrogen)	15
Arsenic	0.004
B.O.D.	300
Cadmium	0.004
Chromium	0.06
Copper	0.1
Cyanide	0.05
Lead	0.06
Nickel	0.03
Phosphate (as Phosphorus)	9.0
Mercury	0.0004
Silver	0.006
Suspended Solids	350
Zinc	0.3

The total surcharge shall equal the sum of each of the surcharges applicable to the waste in accordance with the formula below:

SC	=	$8.34 \times Q \times (\text{Value of Parameter} - \text{Concentration Limit})$
		$\times K / 1,000,000$
SC	=	Surcharge for parameter
Q	=	Volume in gallons
K	=	Cost factor for parameter

Cost factors shall be established by administrative order based on toxicity, impact on sludge disposal and on costs. The strength of any sewage subject to surcharge shall be determined quarterly, or more frequently as the City shall determine, based upon sampling and analysis by the City or its designees. However, the City may if it so elects, determine the strength of the sewage based upon the results of routine sampling and analysis by the producer of such sewage or the results of analysis from previous quarters or from the results of analysis of sewage from similar customers.

(b) Methods of Measuring Volume for Surcharge Purposes.

- (1) Whenever a person purchasing all water used from the Water Company discharges all sewage to the sewage works at one point, the volume of water purchased shall be used as a measure of the quantity of sewage discharged.

- (2) Whenever a person obtains water from other sources or claims that alternate means of disposal reduce the volume of sewage discharged, or whenever sewage is discharged at more than one point in the sewage works, the City shall require the person to install at his expense a meter or meters, as may be required to measure the volume or volumes of sewage discharged to the sewage works at the point or points of entry. No meter for measurement either of water or sewage shall be installed until a plan for such installation is submitted to the City or its designated representative, and approved satisfactory. All meters or other measuring devices installed or required to be used under any provision of this article shall be under the control of the City, and may be tested, inspected or repaired by the City or by its designee whenever deemed necessary by the City. The owner of the property upon which such measuring device is installed shall be responsible for its testing, maintenance and safekeeping, and all repairs thereto shall be made at the property owner's expense, whether such repairs are made necessary by ordinary wear and tear or other causes. Owners shall test meters in a manner and at a frequency satisfactory to the City. Bills for repairs and calibrations, if made by the City, shall be due and payable at the same time, and collected in the same manner as are the bills for sewage treatment. (Ord. 02-7. Passed 2-20-02.)

931.11 SUSPENSION AND TERMINATION OF SERVICE.

(a) Emergency Suspension of Service. The City may for good cause shown suspend the wastewater treatment service to any person when it appears to the City that an actual or threatened discharge presents or may present an imminent or substantial danger to the health or welfare of persons or to the environment, interferes with the operation of the sewage works, or violates any pretreatment limits imposed by this article. In the event of failure to comply voluntarily with a suspension order within the specified time, the City may commence judicial proceedings to compel compliance with such order.

(b) Revocation of Treatment Services. The City may seek to terminate the wastewater treatment services to any person who fails to:

- (1) Factually report the wastewater constituents and characteristics of its discharge;
- (2) Report significant changes in wastewater constituents or characteristics;
- (3) Permit reasonable access to the person's premises by a representative of the City for the purpose of inspection or monitoring; or
- (4) Violates the conditions of this article or any order entered with respect thereto.

(c) Notification of Violation; Administrative Adjustment. Whenever the City finds that any person has engaged in conduct which justifies termination of wastewater treatment services, pursuant to subsection (b) hereof, the City may serve or cause to be served upon such person, a written notice either personally or by certified or registered mail, return receipt requested, stating the nature of the alleged violation.

Within thirty days of the date of receipt of the notice, the person shall respond personally or in writing to the City, advising of its position with respect to the allegations. Thereafter the parties shall meet to ascertain the veracity of the allegations and where necessary, establish a plan for the satisfactory correction thereof.

(d) Show Cause Hearing. Where the violation which justifies termination of wastewater treatment service pursuant to subsection (b) hereof, is not corrected by timely compliance by means of administrative adjustment, the City may order any person to show cause before the City or its duly authorized representative, why the proposed service termination action should not be taken. A written notice shall be served on the person either personally or by certified or registered mail, return receipt requested, specifying the time and place of a hearing to be held by the City or its designee regarding the violation, the reasons why the enforcement action is to be taken, the proposed enforcement action, and directing the person to show cause before the City, or its designee, why the proposed enforcement action should not be taken. The notice of the hearing shall be served no less than seven days before the hearing. Service may be made on any agent, officer or authorized representative of a person. The proceedings at the hearing shall be considered by the City which shall then enter appropriate orders with respect to the alleged improper activities of the person.

(e) Judicial Proceedings. Following the entry of any order by the City with respect to the conduct of a person contrary to the provisions of this article, the Solicitor for the City may commence an action for appropriate legal and/or equitable relief in the appropriate court. (Ord. 02-7. Passed 2-20-02.)

931.12 PUBLIC NOTICE OF SIGNIFICANT VIOLATORS.

The City shall annually provide public notification in the largest daily newspaper published in the municipality in which the POTW is located, of Industrial Users which, at any time during the previous twelve months, were in significant noncompliance with applicable pretreatment requirements. For the purposes of this provision, an Industrial User is in significant noncompliance if its violation meets one or more of the following criteria:

(a) Violations of Wastewater Discharge Limits.

- (1) Chronic violations. Sixty-six percent or more of the measurements exceed the same daily maximum limit or the same average limit in a 6-month period (any magnitude of exceedance).
- (2) Technical Review Criteria (TRC) violations. Thirty-three percent or more of the measurements exceed the same daily maximum limit or the same average limit by more than the TRC in a 6-month period.
There are two groups of TRCs:

Group I for conventional pollutants
(BOD, TSS, fats, oil, and grease) TRC = 1.4

Group II for all other pollutants TRC = 1.2
- (3) Any other violation(s) of an effluent limit (average or daily maximum) that the Control Authority believes has caused, alone or in combination with other discharges, interference (e.g., slug loads) or passthrough; or endangered the health of the sewage treatment personnel or the public.

- (4) Any discharge of a pollutant that has caused imminent endangerment to human health/welfare or to the environment and has resulted in the POTW's exercise of its emergency authority to halt or prevent such a discharge.
- (b) Violations of compliance schedule milestones, contained in a local control mechanism or enforcement order, for starting construction, completing construction, and attaining final compliance by 90 days or more after the schedule date.
- (c) Failure to provide reports for compliance schedules, self-monitoring data, or categorical standards (baseline monitoring reports, 90 day compliance reports, and periodic reports) within 30 days from the due date.
- (d) Failure to accurately report noncompliance.
- (e) Any other violation or group of violations that the Control Authority determines will adversely affect the operation or implementation of the local pretreatment program. (Ord. 02-7. Passed 2-20-02.)

931.13 PUBLIC ACCESS TO INFORMATION.

"Effluent Data", as defined by 40 CFR Part 2, will be available to the public for review upon request. The effluent data, as defined in 40 CFR 2.302(a)(2), will not be considered confidential under any circumstances. Proprietary information and trade secrets will be entitled to consideration by the Control Authority for possible confidential treatment, provided this information is not "effluent data", if the industrial user stamps "Confidential Business Information" over all parts for which protection is sought. (Ord. 02-7. Passed 2-20-02.)

931.14 HAZARDOUS WASTE.

(a) All Users shall notify the General Manager, the EPA Regional Waste Management Division Director, and Pennsylvania Hazardous Waste authorities in writing of any discharge in the POTW of a substance which, if otherwise disposed of, would be a hazardous waste under 40 CFR 261. Such notification must include the name of the hazardous waste as set forth in 40 CFR 261, the EPA hazardous waste number, and the type of discharge (continuous, batch, or other). If the User discharges more than 100 kilograms of such waste per calendar month to the POTW, the notification shall also contain the following information to the extent such information is readily available to the User: An identification of the hazardous constituents contained in the wastes, an estimation of the mass and concentration of such constituents in the wastestream discharged during that calendar month, and an estimation of the mass of constituents in the wastestream expected to be discharged during the following twelve months. Any notification under this Section need be submitted only once for each hazardous waste discharged. This notification requirement does not apply to pollutants already reported under the self-monitoring requirements of this Article.

(b) Users making notification under this section, shall certify that it has a program in place to reduce the volume and toxicity of hazardous wastes generated to the degree it has determined to be economically practical.

(c) Users shall permit the General Manager, or duly authorized representatives, to inspect hazardous waste generation, treatment, storage, and disposal procedures, and the records generated from the management of hazardous waste. (Ord. 02-7. Passed 2-20-02.)

931.99 PENALTY.

(a) Any person who violates or fails to comply with any provision of this article shall upon conviction thereof be fined not more than one thousand dollars (\$1,000) and costs of prosecution and in default of payment thereof, shall be imprisoned for not more than thirty days. A separate offense shall be deemed committed on each day during or on which a violation or failure to comply occurs or continues.

(b) Any person violating any of the provisions of this article shall become liable to the City for any expenses, loss or damage occasioned by the City by reason of such violation.

(c) For the violation of any of the provisions of this article, the City shall have the right and power to disconnect all connecting pipe lines conveying sewage or industrial wastes from the buildings of the users of the City's sewers to the City's sewer system from such sewer system. The cost of disconnection and any reconnection shall be paid by the user. The right and power of disconnection shall be in addition to any fine or penalty imposed for the violation. (Ord. 02-7. Passed 2-20-02.)

(EDITOR'S NOTE: The next printed page is page 40K.)

ARTICLE 932 Plumbing Requirements

932.01	Definitions.	
932.02	Applications for permits for connections.	septic tanks or other receptacles prohibited; cleaning and backfilling.
932.03	Tapping fee.	
932.04	Connections.	Cesspools or privy vaults not to be connected with sewers.
932.05	Joints.	Storm water, ground water, and other water pipe conveyers.
932.06	Basement drains and connections.	Approval by Plumbing Inspector and Director of Economic Development.
932.07	Garbage grinders or disposers.	Violations.
932.08	"V" connections, laterals and "Y" branches.	Penalty.

CROSS REFERENCES

Federal Water Pollution Control Act - (Clean Water Act); (as amended 33 U.S.C. 1251, et seq.)
 Sewer connections - see 3rd Class 3201 et seq. (53 P.S. 38201 et seq.)
 City may charge tapping fee - see 3rd Class 3202 (53 P.S. 38202)
 Power to furnish facilities outside City - see 3rd Class 3250 (53 P.S. 38250)
 Sewage disposal standards - see 25 Pa. Code 73.1 et seq.
 Waste water treatment - see 25 Pa. Code Ch. 95
 Industrial wastes - see 25 Pa. Code Ch. 97
 Industrial wastes charge - see S. U. & P.S. 933.04
 New subdivision sewers - see P. & Z.1397.07

932.01 DEFINITIONS.

The following words and terms, when used in this article, shall have the following meanings, unless the context clearly indicates otherwise:

- (a) "Commercial wastes" means the wastes generated from a commercial operation as distinct from domestic, and industrial sewage.
- (b) "Domestic sewage" means the water-borne waste derived from ordinary living processes.
- (c) "Garbage" means solid waste from the preparation, cooking and dispensing of food, and from the handling, storage and sale of produce.

- (d) "Garbage grinders" means a mechanical device which shreds or grinds food for the purpose of sewage disposal.
- (e) "Ground garbage" means the residue from the preparation, cooking and dispensing of food that has been shredded to such degree that all particles shall be carried freely in suspension under the normal flow conditions prevailing in the sewer conduit to which they are contributory and those prevailing in public sewers with no particle greater than one-half inch in any dimension.
- (f) "Industrial wastes" means the wastes from industrial processes as distinct from domestic, and commercial sewage.
- (g) "Interceptor" means a device designed and installed so as to separate and retain deleterious, hazardous, or undesirable matter from normal wastes, while permitting normal sewage or wastes to discharge into the drainage system by gravity.
- (h) "Person" means any individual, partnership, firm, company, corporation, association, joint stock company, trust, estate, governmental entity or any other legal entity, or their legal representatives, agents or assigns. The masculine gender shall include the feminine, the singular shall include the plural where indicated by the context.
- (i) "Publicly Owned Treatment Works" or "POTW" means a treatment works as defined by section 212 of the Act, which is owned by a state or municipality (as defined by section 502(4) of the Act). This definition includes any devices and systems used in the storage, treatment, recycling and reclamation of municipal sewage or industrial wastes of a liquid nature. It also includes sewers, pipes and other conveyances only if they convey wastewater to a POTW Treatment Plant. The term also means the Municipality as defined in section 502(4) of the Act, which has jurisdiction over the Indirect Discharges to and the discharges from such a treatment work [40 CFR 403.3(o)].
- (j) "Sanitary sewer" means a sewer which carries sewage and to which storm, surface and ground waters are not intentionally admitted.
- (k) "Sewage" means a combination of the water-carried wastes from residences, business buildings, institutions and industrial establishments, together with such ground, surface and storm waters as may be present.
- (l) "Sewage works" means all facilities for collection, pumping, treating and disposing of sewage (see Publicly Owned Treatment Works-POTW).
- (m) "Storm water" means storm water runoff, snow melt runoff, and surface runoff and drainage.
- (n) "Storm sewer or storm drain" means a sewer which carries storm and surface waters and drainage, but excludes sewage and polluted industrial wastes.
- (o) "General Manager" means the General Manager of the York City Wastewater Treatment Plant or his duly authorized representative.
- (p) "Treatment plant" means the York City Wastewater Treatment Plant, 1701 Black Bridge Road, York, PA 17402.
(Ord. 12-2000. Passed 6-20-00.)

932.02 APPLICATIONS FOR PERMITS FOR CONNECTIONS.

Whenever it is desired to make any connections with the sewage works, application for a permit shall first be made to the Plumbing Inspector in such form as may be approved by the Department of Economic Development, and a permit shall be granted by such Inspector in conformity with the provisions of this article.

(Ord. 12-2000. Passed 6-20-00.)

932.03 TAPPING FEE.

A charge of five hundred dollars (\$500.00) is hereby levied against each property owner for any new connection with such sewer, which sum shall be paid into the City Sewer Rental Fund at the time of the granting of the connection permit.

(Ord. 12-2000. Passed 6-20-00.)

932.04 CONNECTIONS.

(a) Connections shall be laid at the expense of the property owner, but shall be subject to inspection at all times by the Plumbing Inspector, or his properly authorized assistants. These connections shall not be covered up until they have been properly inspected and approved. Sizes shall in general be four inches or greater. They shall be laid in a workmanlike manner with sufficient slope and with watertight joints. Watertight work will be insisted upon, and the City reserves the right to take up and relay leaky connections at the owner's expense.

(b) No person, without authority or permission from the City, shall connect any property with any sewer which connects with or is a part of the sewage works of the City or discharge any sewage, or other drainage or other substance into any sewer which connects with or is a part of the City sanitary sewer system.

(Ord. 12-2000. Passed 6-20-00.)

932.05 JOINTS.

All joints, of both storm and sanitary sewers, shall rendered watertight in accordance with existing regulations.

(Ord. 12-2000. Passed 6-20-00.)

932.06 BASEMENT DRAINS AND CONNECTIONS.

No permit for a basement drain shall be granted until the owner of the building or his agent has executed and signed a written agreement upon a form furnished by the City, releasing the City from any damage that may result from the basement being flooded by the stoppage of sewers, which agreement shall be filed with the City Plumbing Inspector. All basement sewer connections for which such permits have been obtained shall be provided with a check valve, and the plumbing waste pipes therein shall be so connected that the use of fixtures on or about the first floor of such building shall not be interfered with by the shutting off of such valve. Nothing in this section shall be construed as affecting properties with basement sewer connections which were installed prior to December 28, 1982, and for which the permit and agreement described herein were not required.

(Ord. 12-2000. Passed 6-20-00.)

932.07 GARBAGE GRINDERS OR DISPOSERS.

(a) The installation and use of garbage grinders shall be permitted only in food preparation areas. Domestic units shall not exceed one-half horsepower in power.

(b) Garbage grinders shall be used only for the disposal of food wastes and no other; specifically, not for the disposal of paper products, pathological material, or any other prohibited materials or wastes. Such devices shall produce particles of a size that can be carried freely under normal flow conditions prevailing in the sewer conduit to which they are contributory. They shall not be permitted in areas where sluggish flow or other similar conditions exist which would be made worse by the use of garbage grinders.

(c) Where a property is equipped with a garbage grinder, the property owner shall be responsible for maintenance of connections from the main to the buildings.

(d) All garbage grinders shall be registered with the Plumbing Inspector at the time of installation.
(Ord. 12-2000. Passed 6-20-00.)

932.08 “V” CONNECTIONS, LATERALS AND “Y” BRANCHES.

All connections to the sanitary sewer system or any part thereof shall be made at the end of V or lateral provided at the curb or at the Y branch provided in the main sewer for that purpose. Where it is necessary to make a connection at a point not provided with a Y branch, the sewer shall be tapped and a Y branch inserted. A record of the exact location of such connection shall be made at once and placed on the official plans of the City. No connection shall be laid by any person from the main sewer to the curb line except under the supervision of the Plumbing Inspector and Director of Economic Development or his duly authorized assistants. All connections with laterals at the curb shall be made under the supervision of the Plumbing Inspector and Director of Economic Development or his duly authorized assistants.
(Ord. 12-2000. Passed 6-20-00.)

932.09 DRAINAGE INTO CESSPOOLS, WELLS, SEPTIC TANKS OR OTHER RECEPTACLES PROHIBITED; CLEANING AND BACKFILLING.

The drainage or depositing of sewage into cesspools, wells, septic tanks, drain fields or other sewage or drainage receptacles is prohibited. The use of cesspools, wells, septic tanks, drain fields or other sewage or drainage receptacles for the disposal of sewage is prohibited. All cesspools, wells, septic tanks or other sewer or drainage receptacles so used shall be cleaned, filled and sealed. A three months' notice to discontinue the use of any cesspool and to have it cleaned and filled shall be given by the Department of Economic Development. After the cesspool has been cleaned, it may be used to receive surface or roof drainage, upon permission granted therefor by the Department of Economic Development.
(Ord. 12-2000. Passed 6-20-00.)

932.10 CESSPOOLS OR PRIVY VAULTS NOT TO BE CONNECTED WITH SEWERS.

No connection for any cesspool or privy vault shall be made with any sewer, and no privy vault or cesspool for sewage or house drainage shall hereafter be constructed in any part of the City.

(Ord. 12-2000. Passed 6-20-00.)

932.11 STORM WATER, GROUND WATER, AND OTHER WATER PIPE CONVEYERS.

No storm water or downspout pipes, or other pipes used to convey water, except the pipes necessary to plumbing and dwelling drainage systems, shall be connected with any sanitary sewer. The Plumbing Inspector shall at all times have the right to close up or disconnect from the sanitary sewer system any private dwelling sewer which is used for the carrying of storm water or ground water into the sanitary sewer.

(Ord. 12-2000. Passed 6-20-00.)

932.12 APPROVAL BY PLUMBING INSPECTOR AND DIRECTOR OF ECONOMIC DEVELOPMENT.

(a) Before or after any building shall be connected with the sewage works, the plumbing system thereof shall be inspected and approved by the Plumbing Inspector and Superintendent of Sanitary Sewers, and he may order a revision, alteration or correction thereof to the end that the same may conform, in construction and manner of use, to the provisions of this article, the requirements of the State Department of Health, the requirements of the State Department of Environmental Resources, the requirements of the United States Environmental Protection Agency and the Acts of Assembly relating thereto.

(b) When any building is removed, or any drainage or sewer system is abandoned or dismantled or removed, the sewer connection shall be disconnected at the curb, or property line and properly sealed and inspected by the Plumbing Inspector.

(Ord. 12-2000. Passed 6-20-00.)

932.13 VIOLATIONS.

(a) Upon failure of any owner to comply with any of the terms and requirements of this article after notice to do so, the same may be done or caused to be done by the City and the cost thereof shall be levied and collected from such owner, together with penalty of ten percent (10%) of such costs and all charges and expenses. Such amount shall be a lien upon such premises from the time of the completion of the work, which date shall be fixed by the certificate of the Plumbing Inspector, filed with the City Solicitor, and may be collected by action in assumpsit, or such lien may be filed and proceeded in as provided by law in the case of municipal liens.

(b) In addition thereto any owner or other person who violates or refuses to comply with any provision of this article or any notice given under the authority of the same, or who obstructs or interferes with any person in the execution of any of the provisions hereof, shall be subject to the penalty provided in Section 931.99.

(Ord. 12-2000. Passed 6-20-00.)

932.99 PENALTY.

(a) Any person who violates or fails to comply with any provision of this article shall upon conviction thereof be fined not more than one thousand dollars (\$1,000) and costs of prosecution and in default of payment thereof, shall be imprisoned for not more than thirty days. A separate offense shall be deemed committed on each day during or on which a violation or failure to comply occurs or continues.

(b) Any person violating any of the provisions of this article shall become liable to the City for any expenses, loss or damage occasioned by the City by reason of such violation.

(c) For the violation of any of the provisions of this article, the City shall have the right and power to disconnect all connecting pipe lines conveying sewage or industrial wastes from the buildings of the users of the City's sewers to the City's sewer system from such sewer system. The cost of disconnection and any reconnection shall be paid by the user. The right and power of disconnection shall be in addition to any fine or penalty imposed for the violation. (Ord. 12-2000. Passed 6-20-00.)

Amended Bill No. 52, Ordinance No. 51 of 2008

ARTICLE 933
Sewer Rentals

933.01	Definitions.	933.10	Rules and regulations.
933.02	Imposition of sewer rent.	933.11	Amendments.
933.03	Annual sanitary sewer rates.	933.12	Sewer Rental Fund created.
933.04	Industrial wastes charge.	933.13	Administrative support.
933.05	Sewage from outside of City.	933.14	Records.
933.06	Additional classifications and modifications.	933.15	City credit not pledged.
			Rebates for low income elderly
933.07	Time of payment and penalties.		citizens and low income
933.08	Adjustments and credits.		permanently disabled citizens.
933.09	Delinquent sewer rentals and liens.		

CROSS REFERENCES

Power to impose and collect sewer rentals - see 3rd Class §3211 et seq.
(53 P.S. §38211 et seq.)
Industrial wastes - see 25 Pa. Code Ch. 97
Admission of industrial wastes - see S. U. & P. S. 931.03
Sewer connections outside City - see S. U. & P. S. 931.25

933.01 DEFINITIONS.

The following words and terms, when used in this article, shall have the following meanings, unless the context clearly indicates otherwise:

- (a) "Authority" means the York City Sewer Authority.
- (b) "City" means the City of York.
- (c) "Council" means the group of elected officials acting as the governing body of the City.
- (d) "Commercial use" means a property which is intended to be used for the purpose of carrying on a trade, business or profession, or for social, religious, educational, charitable or public uses.
- (e) "Domestic use" means a property which is intended to be used for continuous or periodic habitation by human beings or animals.
- (f) "Industrial use" means a property which is intended to be used in whole or in part for the manufacture, conversion, processing, cleaning, laundering or assembly of any product, commodity or article.
- (g) "Industrial waste" means the liquid, gaseous or water borne wastes from industrial processes or commercial establishments as distinct from sanitary sewage.
- (h) "Sanitary sewage" means the normal water-carried household and toilet wastes from residences, business buildings, institutions, commercial and industrial establishments.

- (i) "Sewer system" means all facilities for collection, treating and disposing of industrial waste and sanitary sewage.
- (j) "Uncontaminated water" means clean water unmixed with and free of any foreign matter whatsoever.
- (k) "Water Company" means the York Water Company, its successors and assigns. (Ord. 7-1954 §1.)

933.02 IMPOSITION OF SEWER RENT.

There is hereby imposed upon the owner of each property located within the City limits, served by the sewer system and having the use thereof, an annual sewer rent, payable as hereinafter provided, for use, whether direct or indirect of the sewer system, based on the rates and in accordance with the classifications hereinafter set forth. (Ord. 7-1954 §2.)

933.03 ANNUAL SANITARY SEWER RATES.

Rates for Domestic and Commercial Metered Water Users. All persons owning property used for domestic or commercial purposes which property is connected to the sewer system and served with metered water service by the Water Company shall pay a monthly rental for sanitary sewage service based on quantity of water used as evidenced by meter readings of water meters installed and maintained by the Water Company for the purpose of measuring water purchased from such Water Company and such other meters as may be installed pursuant to the provisions of this article, and subject to the minimum charges hereinafter provided as follows:

- (a) Monthly quantity charge.

For each 1000 gallons per month: **\$6.00**

- (b) Minimum charge. All domestic and commercial users shall pay a minimum charge of **\$18.00** per month which shall entitle such users to **3,000** gallons per month sewer service. (Ord. 42-2007. Passed 12-18-07.)

933.04 INDUSTRIAL WASTE CHARGE.

(a) Sewer Rent or Charge for Industrial Wastes. The sewer rent or charge for the collection and treatment of industrial wastes discharged into the sewer system by industrial users, shall be a quarterly charge based upon the water consumption, adjusted for that portion determined to be sanitary sewage, of the property served and shall be computed at the following standard metered rates:

For each 1000 gallons per month: **\$6.00**
(Ord. 42-2007. Passed 12-18-07.)

(b) Sewer Rental Surcharge for Industrial Wastes. (EDITOR'S NOTE: This subsection was repealed by Ordinance 15-1987, passed May 5, 1987. See Section 931.10 for relevant provisions.)

(c) Methods of Measuring Volume of Industrial Wastes.

- (1) Whenever a person purchasing all water used from the Water Company discharges only industrial waste to the sewer system, the volume of water purchased shall be used as a measure of the quantity of industrial waste discharged.
- (2) Whenever a person purchasing all water used from the Water Company discharges combined sanitary sewage and industrial waste to the sewer system, the volume of water purchased chargeable as industrial waste shall be the total volume of water purchased less the volume of water determined to be sanitary sewage. The volume of water determined to be sanitary sewage shall be determined in either of the following ways:
 - A. Actual measured flows;
 - B. By multiplying the average number of employees in the establishment during the preceding billing period by 2,000 gallons per quarter.
- (3) Whenever a person purchasing water from the Water Company and discharging industrial waste to the sewer system also discharges uncontaminated water to either a separate storm sewer or other outlet, an allowance for the amount of water so discharged shall be made in computing the sewer charges. The person so discharging uncontaminated water shall at his own expense install a meter or meters, as required, to indicate accurately to the satisfaction of Council the amount of water claimed as a credit.
- (4) Whenever a person using a private water supply discharges industrial wastes to the sewer system, the charges for such discharge shall be in accordance with Section 933.04(a). Such person, however, shall install at his expense either a water meter or meters, as may be required, to measure the total volume of water used in the industrial plant; or shall install, at his expense, meters, as required, on the sewer line or lines leaving the plant so as to measure the entire flow of waste discharged to the sewer system. No meter for measurement either of the water or sewage shall be installed until a plan for such installation is submitted to Council or its designated representative, and approved as satisfactory. All meters or other measuring devices installed or required to be used under any provision of this article shall be under the control of Council, and may be tested, inspected or repaired by City employees whenever Council deems it necessary. The owner of the property upon which such measuring device is installed shall be responsible for its maintenance and safekeeping and all repairs thereto shall be made at the

property owner's expense, whether such repairs are made necessary by ordinary wear and tear or other causes. Bills for such repairs, if made by the City, shall be due and payable at the same time, and collected in the same manner as are the bills for sewer services; such bills from and after their due date shall constitute a lien upon the property upon which such measuring device is installed.

- (5) Council shall be responsible for the reading of water and/or sewage meters when installed in industrial establishments. Where in the opinion of Council it is not necessary to install a meter, measurements of the discharge to the sewer system shall be made quarterly by the City, and the measurements so made shall be used for determining the sewer rental or charge for that quarter. Any person dissatisfied with the sewer rate so determined may, at his own cost, install a meter or meters as provided in paragraph (4) of this subsection. (Ord. 15-1972 §4.)

933.05 SEWAGE FROM OUTSIDE OF CITY.

No sanitary sewage or industrial wastes shall be received into the sewer system from sources outside the City limits except upon payments therefor as may be satisfactory to Council. (Ord. 7-1954 §5.)

933.06 ADDITIONAL CLASSIFICATIONS AND MODIFICATIONS.

Additional classifications and additional sewer rentals or modifications of the above schedules of sewer rentals may be established by the City from time to time. (Ord. 7-1954 § 6.)

933.07 TIME OF PAYMENT AND PENALTIES.

(a) The sewer rents under Sections 933.03 and 933.04 shall be a monthly rental for which bills will be rendered by the 25th day of each month. Bills to sewer users having water meters shall be billed monthly and be based upon the metered water consumed in the previous month.

(b) The following penalties, fees and costs shall be imposed:

- (1) A penalty of one and one-half percent (1.5%) per month shall be added to each bill for each month during which a bill remains unpaid after thirty days from the billing date. In addition, all costs associated with the collection of delinquent accounts, including costs assessed by a collection agency for services rendered, shall be added to the account.

(c) Payments mailed as evidenced by the United States Post Office mark on or previous to the end of the period during which bills are payable will be deemed to be a payment within such period.

(d) All persons connected to the sewer system must give the City their correct address. Failure to receive sewer bills will not be considered an excuse for nonpayment nor permit an extension of the period during which sewer bills are payable.
(Ord. 15-1996. Passed 12-17-96.)

933.08 ADJUSTMENTS AND CREDITS.

(a) Upon proof provided by a property owner or the Water Company, the City shall provide a retroactive credit for periods where no water service and therefore no sewer service was provided to the property. At no time shall the credit reduce the billing to less than the minimum charge established for that period.
(Ord. 16-1990 §3. Passed 10-2-90.)

(b) If a property owner wishes to obtain a credit for water usage because some portion of the water used was not discharged into the sanitary sewer system, relief may be sought through the City. The applicant for relief will be required to furnish evidence satisfactory to the City that the water used did not enter the sanitary sewer system such as for leaks and swimming pools. The minimum credit that shall be processed is five dollars (\$5.00) per month.
(Ord. 15-1996. Passed 12-17-96.)

933.09 DELINQUENT SEWER RENTALS AND LIENS.

All sewer rentals, together with all penalties and fees thereon not paid on or before the end of six months from the beginning of each billing period shall be deemed delinquent for the purposes of this article. All delinquent sewer rentals and all penalties and fees thereon shall be a lien on the property served and shall be entered as a lien against such property in the Office of the Prothonotary of York County and shall be collected in the manner provided by law for the filing and collection of municipal claims. The City may also request water service termination in accordance with applicable State laws to provide for the collection of delinquent accounts.
(Ord. 16-1990 §4. Passed 10-2-90.)

933.10 RULES AND REGULATIONS.

Council reserves the right to adopt, revise and amend, such rules and regulations as it deems necessary and proper for the use and operation of the sewer system, which rules and regulations shall be and become a part of this article.
(Ord. 7-1954 §10.)

933.11 AMENDMENTS.

This article and the rules and regulations hereunder shall become effective immediately as to all sewer services rendered after December 1, 1953. The City reserves the right to make such changes as in its opinion may be desirable or beneficial, and to amend this article or to change the rates or charges in such manner and at such times as in its opinion may be advisable.
(Ord. 7-1954. §11.)

933.12 SEWER RENTAL FUND CREATED.

There is hereby created and established, a fund distinct and separate from all other funds of the City, to be known as the "Sewer Rental Fund". There shall be placed in this fund such moneys and revenues as are enumerated in the lease agreement between the City and the York City Sewer Authority, dated as of March 1, 1977. There shall be paid from this Fund all such expenditures as are provided for in the lease agreement.
(Ord. 8-1954 §1.)

933.13 ADMINISTRATIVE SUPPORT.

The City shall receive as a loan from the York City Sewer Authority, such office machinery and equipment as the Authority may furnish and shall use the same in the Sewer Rental Bureau in the carrying out of the Bureau's functions. The City shall have the Authority such evidence of the loan of such office machinery and equipment as the Authority may require.
(Ord. 8-1954 §4.)

933.14 RECORDS.

The City shall keep accurate records of the revenues which it receives from the sewer system, and of the expenses of the operation and maintenance thereof.
(Ord. 8-1954 §5.)

933.15 CITY CREDIT NOT PLEDGED.

Neither the credit nor the taxing power of the City is pledged for any payments required to be made by the City under the terms of its lease with the York City Sewer Authority hereinbefore mentioned, but nothing in such lease shall prevent the City from making any additional payments thereunder from any funds which may properly and legally be made available for that purpose. (Ord. 8-1954 §6.)

933.16 REBATES FOR LOW INCOME ELDERLY CITIZENS AND LOW INCOME PERMANENTLY DISABLED CITIZENS.

(a) All bona fide residents of the City who are sixty-five years of age or over or permanently disabled shall be entitled to rebates from the certain sewer rental charge paid for their homesteads, in accordance with the schedule hereinafter set forth. Only one rebate shall be paid for each homestead; and in the case of co-ownership, a single rebate shall be paid to the co-owners jointly so long as any one of them is sixty-five years of age or over or permanently disabled, provided that all co-owners are otherwise eligible for the rebate.

(b) Definitions for the purpose of determining rebates:

- (1) "Income" means all income from whatever source derived, including but not limited to salaries, wages, bonuses, commissions, income from self-employment, alimony, support money, cash, public assistance and relief, the gross amount of any pensions or annuities including railroad retirement benefits, all benefits received under the Federal Social Security Act, except Medicare benefits but including supplemental Social Security payments, all benefits received under State unemployment insurance laws and Veteran's Disability payments, all interest received from the Federal or any State government, or any instrumentality or political subdivision thereof, realized capital gains, rentals, Workmen's Compensation and the gross amount of loss of time insurance benefits, life insurance benefits and proceeds, except the first five thousand dollars (\$5,000) of the total death benefit payments, and gifts of cash or property other than transfers by gift between members of a household in excess of a total value of three hundred dollars (\$300.00), but shall not include surplus food or other relief in kind supplied by a governmental agency or those rebates offered by State and local government for services supplied.
- (2) "Household income" means the aggregate of all income received by the homestead owner, or owners, in case of co-ownership, and his or her spouse if a resident of the same household during a calendar year in which sewer rental charges are due and payable.
- (3) "Homestead" means a dwelling and so much of the land surrounding it as is reasonably necessary for use of the dwelling as a home, which is owned and occupied by a claimant. An owner includes a person in possession under a contract of sale, deed of trust, life estate, joint tenancy or tenancy in common.

- (4) "Sewer rental charge" means the charge, per quarter, as defined in Section 933.03.
- (5) "Permanently disabled" means unable to engage in any substantial gainful activity by reason of any medically determinable physical or mental impairment which can be expected to continue indefinitely. The City may require that a claimant be examined by a physician designated by the City to determine permanent disability.
(Ord. 29-1981 §1. Passed 12-15-81; Ord. 6-1982 §1. Passed 5-17-82.)

(c) The amount of rebates for the sewer rental charge paid during calendar year 1989 and thereafter shall be determined in accordance with the following schedule:

<u>Household Income</u>		<u>Percentage of Sewer Rental Charge to be Rebated</u>
\$0	5,499	100
5,500	5,999	90
6,000	6,499	80
6,500	6,999	70
7,000	7,499	60
7,500	7,999	50
8,000	8,499	40
8,500	8,999	35
9,000	9,999	25
10,000	11,999	20
12,000	12,999	15
13,000	15,000	10
15,000	or over	No Rebate

(Ord. 79-1989 § 1. Passed 12 - 19-89.)

(d) A claim for rebate shall be filed with the Sewer Rental Bureau of the City between May 1 and June 30 of each year commencing with the calendar year 1983. The rebate shall apply to the charges for the fiscal year, January 1 through December 31 immediately preceding the claim filing period. Such claims shall be submitted on forms provided by the City. The Sewer Rental Bureau may require such additional evidence as it deems necessary or appropriate in processing the claim and reserves the right to deny any claim that does not meet the requirements for rebate. The rebate shall be limited to the service charges paid for the applicable calendar year, and may be apportioned for the part of the year during which the claimant was sixty-five years of age or older or permanently disabled. The Sewer Rental Bureau shall review each claim and shall verify and confirm the amount of rebate to the extent that the claim is valid and proper.

(e) Any information gained by the Business Administrator or any other official, agent or employee of the City, as a result of any claims, investigations or hearings required or authorized by this article, shall be confidential and shall not be disclosed to any person except for official use in connection with the administration or enforcement of this article or as otherwise provided by law.
(Ord. 29-1981 §1. Passed 12-15-81; Ord. 6-1982 §1. Passed 5-17-82.)

(f) Any person who willfully makes any false or untrue statement on any claim for rebate under this article shall upon conviction before any District Justice of York County, be fined not more than six hundred dollars (\$600.00) for each offense and, in default of payment of fine or costs, shall be imprisoned for not more than ninety days for each offense.
(Ord. 44-1989 §1. Passed 4-18-89.)

TITLE FOUR - Stormwater Management

- Art. 935. General Provisions.
- Art. 936. Stormwater Management Requirements.
- Art. 937. Plan Requirements.
- Art. 938. Inspections.
- Art. 939. Fees and Expenses.
- Art. 940. Maintenance Responsibilities.
- Art. 941. Enforcement and Penalties.
- Art. 942. Detection and Elimination of Illicit Discharges.
- Pocket Tables, Maps and Appendices

ARTICLE 935 General Provisions

- | | | | |
|--------|------------------------|--------|---|
| 935.01 | Statement of findings. | 935.06 | Severability. |
| 935.02 | Purpose. | 935.07 | Compatibility with other permit and ordinance requirements. |
| 935.03 | Statutory authority. | 935.08 | Hardship waiver procedure. |
| 935.04 | Applicability. | 935.09 | Definitions. |
| 935.05 | Repealer. | | |

935.01 STATEMENT OF FINDINGS.

The governing body of the City of York finds that:

- (a) Inadequate management of accelerated runoff of stormwater resulting from development throughout a watershed increases flood flows and velocities; contributes to erosion and sedimentation; overtaxes the carrying capacity of streams and storm sewers; greatly increases the cost of public facilities to carry and control stormwater; undermines flood plain management and flood control efforts in downstream communities; reduces groundwater recharge; and threatens public health and safety; and
- (b) A comprehensive program of stormwater management, including reasonable regulation of development and activities causing Accelerated Erosion, is fundamental to the public health, safety and welfare and the protection of the people of the Municipality and all the people of the Commonwealth, their resources and the environment.

- (c) All proposed storm water sewers shall be presented in plan form to the City Engineer for his review and approval.
- (d) Before any street excavation takes place, all provisions and sections of Article 905 shall be complied with.
(Ord. 25-2006. Passed 4-18-06.)

935.02 PURPOSE.

The purpose of this Title Four is to promote the public health, safety and welfare by minimizing the damages described in Section 935.01(a) and (b) hereof by provisions designed to:

- (a) Control accelerated runoff and erosion and sedimentation problems at their source by regulating activities, which cause such problems.
- (b) Utilize and preserve the desirable existing natural drainage systems.
- (c) Encourage recharge of groundwaters and prevent degradation of groundwater quality.
- (d) Maintain the existing flows and quality of streams and watercourses in the Municipality and the Commonwealth.
- (e) Preserve and restore the flood carrying capacity of streams.
- (f) Provide for proper maintenance of all permanent stormwater management structures, which are constructed in the Municipality.
- (g) Provide performance standards and design criteria for watershed-wide stormwater management and planning.
(Ord. 25-2006. Passed 4-18-06.)

935.03 STATUTORY AUTHORITY.

The Municipality is empowered to regulate these activities by the authority of the Act of Oct. 4, 1978, P.L. 864 (Act 167), the "Storm Water Management Act".
(Ord. 25-2006. Passed 4-18-06.)

935.04 APPLICABILITY.

- (a) This Title Four shall apply to all areas of the Municipality.
- (b) This Title Four shall only apply to permanent stormwater management facilities constructed as part of any of the activities listed in this Section. Stormwater management and erosion and sedimentation control during construction activities are specifically not regulated by this Title Four, but shall continue to be regulated under existing laws and ordinances. The following activities, hereafter "Regulated Activities", are included within the scope of this Title Four:

- (1) Land development;
- (2) Subdivision;
- (3) Construction of new or additional impervious or semi-pervious surfaces (included, but not limited to, concrete, asphalt, stoned surfaces, surfaces using pavers);
- (4) Construction of new buildings or additions to existing buildings;
- (5) Diversion or piping of any natural or man-made stream channel;
- (6) Installation of stormwater systems or appurtenances thereto.
(Ord. 25-2006. Passed 4-18-06.)

935.05 REPEALER.

Any ordinance of the Municipality inconsistent with any of the provisions of this Title Four is hereby repealed to the extent of the inconsistency only.
(Ord. 25-2006. Passed 4-18-06.)

935.06 SEVERABILITY.

Should any section or provision of this Title Four be declared invalid by a court of competent jurisdiction, such decision shall not affect the validity of any of the remaining provisions of this Title Four.
(Ord. 25-2006. Passed 4-18-06.)

935.07 COMPATIBILITY WITH OTHER PERMIT AND ORDINANCE REQUIREMENTS.

Permits and approvals issued pursuant to this Title Four do not relieve the applicant of the responsibility to secure required permits or approvals for activities regulated by any other applicable code, rule, act or ordinance. If more stringent requirements concerning regulation of stormwater or erosion and sedimentation control are contained in the other code, rule, act or ordinance, the more stringent regulation shall apply. (Ord. 25-2006. Passed 4-18-06.)

935.08. HARDSHIP WAIVER PROCEDURE.

(a) Waiver of this Title Four or any of its terms may be requested, in writing, to the City and transmitted to the City's Engineer for their recommendation when it is alleged that any of the following circumstances exist.

- (1) The land development or subdivision will result in no increased post-development stormwater runoff.
- (2) That the proposed land development will result in an increase in post-development runoff so minimal that stormwater management is unnecessary.
- (3) Adherence to the criteria set forth herein is not practical or possible.

(b) The City Council will act upon the waiver taking into account the recommendations of the City's Engineer. The granting of any such waiver shall be within the sole discretion of the City Council.

(c) The City Engineer will evaluate the waiver request and make his recommendation utilizing the following general findings:

- (1) The extent of the proposed site development as it relates to the site area.
 - (2) The magnitude of the anticipated increased stormwater runoff as a result of the land development.
 - (3) The adverse impacts of the anticipated increased stormwater runoff at the area of discharge from the site.
 - (4) The physical circumstances or conditions of the site, including drainage characteristics of the soil types on the site, shape, location, topography or other physical conditions specific to the site.
 - (5) The history of stormwater runoff problems in the area which this land development would affect.
- (Ord. 25-2006. Passed 4-18-06.)

935.09 DEFINITIONS.

For the purposes of this Title Four, certain terms and words used herein shall be interpreted as follows:

- (a) Words used in the present tense include the future tense; the singular number includes the plural, and the plural number includes the singular; words of masculine gender include feminine gender; and words of feminine gender include masculine gender.
- (b) The word “includes” or “including” shall not limit the term to the specific example but is intended to extend its meaning to all other instances of like, kind, and character.
- (c) The word “person” includes an individual, firm, association, organization, partnership, trust, company, corporation, or any other similar entity.
- (d) The words “shall” and “must” are mandatory; the words “may” and “should” are permissive.
- (e) The words “used or occupied” include the words “intended, designed, maintained, or arranged to be used, occupied or maintained.
- (f) General Definitions:
 - (1) **Accelerated Erosion** - The removal of the surface of the land through the combined action of man’s activities and natural processes at a rate greater than would occur because of the natural processes alone.
 - (2) **BMP (Best Management Practice)** - Stormwater structures, facilities, and techniques used to maintain or improve the water quality of surface runoff while acting to neutralize increased runoff volume caused by development activity.
 - (3) **Cistern** - An underground reservoir or tank for storing rainwater.
 - (4) **City Council** - the Council of the City of York.
 - (5) **Conservation District** - the York County Conservation District.
 - (6) **Culvert** - A structure with appurtenant works which carries surface water through an obstruction.
 - (7) **Dedicated** - Offered for adoption by the municipality.
 - (8) **Design Storm** - The magnitude of precipitation from a storm event measured in probability of occurrence (e.g., 50-year storm) and duration (e.g., 24-hour), and used in computing stormwater management control systems.
 - (9) **Detention Basin** - A basin designed to retard stormwater runoff by temporarily storing the runoff and releasing it at a predetermined rate. A detention basin can be designed to drain completely after a storm event, or it can be designed to contain a permanent pool of water.
 - (10) **Detention District** - Those sub areas in which some type of detention is required to meet the plan requirements and the goals of appropriate and approved Act 167 Plans.
 - (11) **Developer** - A person, partnership, association, corporation or other entity, or any responsible person therein or agent thereof, that undertakes any Regulated Activity that is proposed.
 - (12) **Development Site** - The specific tract of land for which a Regulated Activity is proposed.
 - (13) **Down slope Property Line** - That portion of the property line of the lot, tract, or parcels of land being developed, located such that all overland or pipe flow from the site would be directed towards it.

- (14) **Drainage Conveyance Facility** - A Stormwater Management Facility designed to transmit stormwater runoff and shall include streams, channels, swales, pipes, conduits, culverts, storm sewers, etc.
- (15) **Drainage Easement** - A right granted by a land owner to a grantee, allowing the use of private land for stormwater management purposes.
- (16) **Drainage Permit** - A permit issued by the municipality after the Drainage Plan has been approved. Said permit is issued prior to or with the final Municipal approval.
- (17) **Drainage Plan** - The documentation of the stormwater management system, if any, to be used for a given development site, the contents of which are established in Section 937.03.
- (18) **Earth Disturbance** - Any activity including, but not limited to, construction, mining, timber harvesting and grubbing which alters, disturbs, and exposes the existing land surface.
- (19) **Erosion** - The removal of soil particles by the action of water, wind, ice or other natural forces.
- (20) **Erosion and Sedimentation Pollution Control Plan** - A plan that is designed to minimize Accelerated Erosion and sedimentation associated with construction activity.
- (21) **Existing Conditions** - The initial condition of a project site prior to the proposed construction. If the initial condition of the site is undeveloped land, the land use shall be considered as "meadow" unless the natural land cover is proven to generate lower Curve Numbers, such as forested lands.
- (22) **Flood** - A general but temporary condition of partial or complete inundation of normally dry land areas from the overflow of streams, rivers, and other waters of this Commonwealth.
- (23) **Floodplain** - Any land area susceptible to inundation by water from any natural source or delineated by applicable Department of Housing and Urban Development, Federal Insurance Administration Flood Hazard Boundary - Mapped as being a special flood hazard area. Also included are areas that comprise Group 13 Soils, as listed in Appendix A of the Pennsylvania Department of Environmental Protection (PA DEP) Technical Manual for Sewage Enforcement Officers (as amended or replaced from time to time by PA DEP).
- (24) **Floodway** - The channel of the watercourse and those portions of the adjoining floodplains that are reasonably required to carry and discharge the 100-year frequency flood. Unless otherwise specified, the boundary of the floodway is as indicated on maps and flood insurance studies provided by FEMA. In an area where no FEMA maps or studies have defined the boundary of the 100-year frequency floodway, it is assumed - absent evidence to the contrary - that the floodway extends 50 feet from the top of the bank of the stream.
- (25) **Groundwater Recharge** - Replenishment of existing natural underground water supplies.
- (26) **Impervious Surface** - A surface which prevents the percolation of water into the ground.
- (27) **Infiltration Structures** - A structure designed to direct runoff into the ground, (e.g., french drains, seepage pits, seepage trench).

- (28) **Land Development** -
- A. The improvement of one lot or two or more contiguous lots, tracts or parcels of land for any purpose involving
 - 1. A group of two or more buildings, or
 - 2. The division or allocation of land or space between or among two or more existing or prospective occupants by means of, or for the purpose of streets, common areas, leaseholds, condominiums, building groups or other features;
 - B. A subdivision of land.
- (29) **Land Disturbance** - Any activity involving grading, filling, digging or filling of ground, or stripping of vegetation, or any other activity which causes land to be exposed to the danger of erosion.
- (30) **Municipality** - The City of York, York County, Pennsylvania
- (31) **NRCS** - National Resource Conservation Service (previously SCS).
- (32) **Peak Discharge** - The maximum rate of flow of water at a given point and time resulting from a specified storm event.
- (33) **Professional** - An engineer, surveyor, landscape architect or geologist holding a current registration to practice as such in Pennsylvania.
- (34) **Provisional No Detention District** - A release rate district which does not require reduction of postdevelopment peak flow rates; provided, however, that adequate downstream conveyance capacity exists to convey such increased peak flow rates without adversely affecting any downstream properties or structures.
- (35) **Retention Basin** - An impoundment in which stormwater is stored and not released during the storm event. Stored water may be released from the basin at some time after the end of the storm.
- (36) **Return Period** - The average interval, in years, within which a storm event of a given magnitude can be expected to recur. For example, the 25-year return period rainfall would be expected to recur on the average, once every twenty-five years.
- (37) **Riser** - A vertical pipe extending from the bottom of a pond that is used to control the discharge rate from the pond for a specified design storm.
- (38) **Rooftop Detention** - Temporary ponding and gradual release of stormwater falling directly onto flat roof surfaces by incorporating control-flow roof drains into building designs.
- (39) **Runoff** - That part of precipitation which flows over the land.
- (40) **SCS** - Soil Conservation Service, U. S. Department of Agriculture.
- (41) **Sediment** - Solid material, both mineral and organic, that is in suspension, is being transported, or has been moved from its site of origin by water.
- (42) **Sediment Basin** - A barrier, dam, retention or detention basin designed to retain sediment.
- (43) **Seepage Pit/Seepage Trench** - An area of excavated earth filled with loose stone or similar materials and into which surface water is directed for infiltration into the ground.
- (44) **Semi-Pervious Surface** - A surface such as stone, rock, concrete or other materials which permits some vertical transmission of water.

- (45) **Sheet Flow** - Runoff that flows over the ground surface as a thin, even layer, not concentrated in a channel.
- (46) **Soil-Cover Complex Method** - A method of runoff computation developed by SCS, and found in its publication "Urban Hydrology for Small Watersheds", Technical Release No. 55, SCS, January 1975.
- (47) **Soil Group, Hydrologic** - A classification of soils by the Natural Resources Conservation Service, formerly the Soil Conservation Service, into four runoff potential groups. The groups range from A soils, which are very permeable and produce little runoff, to D soils, which are not very permeable and produce much more runoff.
- (48) **Spillway** - A depression in the embankment of a pond or basin which is used to pass peak discharge greater than the maximum design storm controlled by the pond.
- (49) **Storm Frequency** - The number of times that a given storm "event" occurs or is exceeded on the average in a stated period of years. See "Return Period".
- (50) **Storm Sewer** - A system of pipes or other conduits which carries intercepted surface runoff, street water and other wash waters, or drainage, but excludes domestic sewage and industrial wastes.
- (51) **Stormwater Management Facility** - Any structure, natural or man-made, that, due to its condition, design, or construction, conveys, stores, or otherwise affects stormwater runoff. Typical stormwater management facilities include, but are not limited to, detention and retention basins, open channels, storm sewers, pipes, and infiltration structures.
- (52) **Stormwater Management District Watershed Map** - Appendix C - Defining release rate criteria within the watershed.
- (53) **Stormwater Management Plan** - The plan for managing stormwater runoff adopted by York County.
- (54) **Stormwater Management Site Plan** - The plan prepared by the Developer or his representative indicating how stormwater runoff will be managed at the particular site of interest according to this Ordinance.
- (55) **Stream Enclosure** - A bridge, culvert or other structure in excess of 100 feet in length upstream to downstream which encloses a regulated water of this Commonwealth.
- (56) **Subarea** - The smallest drainage unit of a watershed for which stormwater management criteria have been established in the Stormwater Management Plan.
- (57) **Subdivision** - The division or re-division of a lot, tract or parcel of land by any means into two or more lots, tracts, parcels or other divisions of land including changes in existing lot lines for the purpose, whether immediate or future, of lease, transfer of ownership or building or lot development; provided, however, that the division of land for agricultural purposes into parcels of more than ten acres, not involving any new street or easement of access, shall be exempt.
- (58) **Swale** - A low lying stretch of land which gathers or carries surface water runoff.
- (59) **Time-of-Concentration (Tc)** - The time for surface runoff to travel from the hydraulically most distant point of the watershed to a point of interest within the watershed. This time is the combined total of overland flow time and flow time in pipes or channels, if any.

- (60) **Watercourse** - A stream of water; river, brook, creek, or a channel or ditch for water, whether natural or man-made.
- (61) **Waters of the Commonwealth** - Any and all rivers, streams, creeks, rivulets, ditches, watercourses, storm sewers, lakes, dammed water, wetlands, ponds, springs, and all other bodies or channels of conveyance of surface and underground water, or parts thereof, whether natural or artificial, within or on the boundaries of this Commonwealth.
- (62) **Wetland** - Those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions, including swamps, marshes, bogs, and similar areas.
(Ord. 25-2006. Passed 4-18-06.)

ARTICLE 936 Stormwater Management Requirements

936.01	General requirements.	936.06	Groundwater recharge (infiltration/recharge/retention).
936.02	Stormwater management districts.	936.07	Water quality and stream protection.
936.03	Design criteria.	936.08	Erosion and sedimentation requirements.
936.04	Regulation governing stormwater management facilities.		
936.05	Calculation methodology.		

936.01 GENERAL REQUIREMENTS.

(a) Drainage Plan. All regulated activities within the Municipality, which do not fall under the exemption criteria listed in Section 937.02, shall submit a Drainage Plan to the Municipality for review. Impervious cover shall include, but not be limited to, any roof, parking or driveway, new streets and sidewalks. Any areas designed to initially be gravel or crushed stone shall be assumed to be impervious for the purposes of comparison to the exemption criteria (Section 937.02) and stormwater design.

(b) Maintenance of Natural Drainageways. All natural streams, channels, swales, drainage systems and/or areas of surface water concentration shall be maintained in their existing condition unless an alteration is approved by the Municipality. All encroachment activities shall comply with the requirements of Chapter 105 (Water Obstructions and Encroachments) of Title 25, Rules and Regulations of PA DEP.

(c) Methods of Stormwater Runoff Detention and Control. The following is a listing of detention and control methods which may be utilized in stormwater management systems, if appropriate. The choice of control techniques is not limited to the ones appearing on this list.

- (1) Retention basins;
- (2) Detention basins;
- (3) Roof-top storage;
- (4) Parking lot and street ponding;
- (5) Seepage pits, seepage trenches or other infiltration structures;
- (6) Porous pavement and concrete lattice block surfaces;

- (7) Grassed channels and vegetated strips;
- (8) Cisterns and underground reservoirs;
- (9) Routed flow over grass; and
- (10) Decreased impervious area coverage.

The use of other control methods which meet the criteria in this section will be permitted when approved by the municipal engineer. Various combinations of methods should be tailored to suit the particular requirements of the type of development and the topographic features of the project area.

(d) Design. The applicant is urged to consult the publications listed in the appendix to this Title Four for aid in design of control methods.
(Ord. 25-2006. Passed 4-18-06.)

936.02 STORMWATER MANAGEMENT DISTRICTS.

(a) The Municipality has been divided into release rate areas as shown on Appendix B.

(b) Description of stormwater management districts - stormwater management districts are broadly defined by the watershed boundaries identified in the York County Comprehensive Plan, Water Resource Section, Map 2. Further regulation within these districts is justified by the Act 167 Study for each watershed, when completed.

(c) When a project or land disturbance activity is located in more than one stormwater management district, stormwater may not be transferred from a district with stricter stormwater management criteria to a district with less strict criteria, unless the need for such a transfer is identified in the County stormwater management plan, the regional water quality management plan or the State water plan. In any district, infiltration and volume regulations dictated in Sections 936.06 and 936.07 will be required.

<u>District ID</u>	<u>Regulated Storm Frequency</u>	<u>Percentage of Pre-Developed Peak Flow Rate to Determine Allowable Post-Developed Release Rate</u>
Codorus	5 - 50 Year	100%
Codorus	2 Year	100% of 1 Year Pre

In all cases, the 100-year storm frequency will be routed to show no significant change to existing flow patterns nor any negative impact from this flow to proposed improvements.
(Ord. 25-2006. Passed 4-18-06.)

936.03 DESIGN CRITERIA.

(a) Post-development rates of runoff from any regulated activity shall not exceed the peak release rates of runoff specified in Section 936.02.

- (1) If it is shown, by applications of water quality and ground water recharge requirements pursuant to Sections 936.06 and 936.07, that the post-development hydrographs are equal to the pre-development hydrographs to assure the rate and volume of runoff leaving the site is unchanged for 2-, 5-, 10-, 25-, 50-, and 100-year frequency storms, then the requirements of this section will be considered met. Otherwise, the Developer shall control the rate and volume for the balance of uncontrolled runoff subsequent to the credits obtained by satisfying Sections 936.06 and 936.07. If an extended detention or a permanent pool type facility is selected for the treatment of water quality volume, the outlet shall be designed such that one year 24 hour post-development runoff volume is released over a 24 hour period. This will also help channel protection. The release of water begins at the start of the storm (i.e., the invert of the water quality orifice is at the invert of the facility). The design of the facility shall consider and minimize the chances of clogging and sedimentation potential. Orifices smaller than three inches diameter are not recommended. However, if the Design Engineer can provide proof that the smaller orifices are protected from clogging by use of trash racks, etc., smaller orifices may be permitted.
- (2) The Developer may, subject to approval of the municipal engineer, use the stormwater credits, described below, in computing post-development hydrograph:
- (3) Natural Area Conservation Credit is the conservation of natural areas such as forest, wetlands, or other sensitive areas in a protected easement thereby retaining their pre-development hydrologic and water quality characteristics. Using this credit, a designer may subtract conservation areas from total site area when computing the required water quality volume. Additionally, the post-development curve number (CN) for these areas may be assumed to be forest in good condition.
- (4) Disconnection of Rooftop Runoff Credit is given when rooftop runoff is disconnected and then directed over a pervious area where it may either infiltrate into the soil or filter over it. Credit is typically obtained by grading the site to promote overland flow or by providing bioretention on single-family residential lots. If a rooftop area is adequately disconnected, the impervious area may be deducted from the total impervious cover. Additionally, the post development CNs for disconnected rooftop areas may be assumed to be forest in good condition.
- (5) Disconnection of Non-Rooftop Runoff Credit is given for practices that disconnect surface impervious cover by directing it to pervious areas where it is either infiltrated or filtered through the soil. As with rooftop runoff, the impervious area may be deducted from the total impervious cover thereby reducing the required water quality volume.

- (6) Stream Buffer Credit is given when a stream buffer effectively treats stormwater runoff. Effective treatment constitutes capturing runoff from pervious and impervious areas adjacent to the buffer and treating the runoff through overland flow across a grass or forested area. Areas treated in this manner may be deducted from total site area in calculating and may contribute to meeting requirements for groundwater recharge.
- (7) Grass Channel (Open Section Roads) Credit may be given when open grass channels are used to reduce the volume of runoff and pollutants during smaller storms. Use of grass channels will automatically meet the minimum groundwater recharge requirement. If designed according to appropriate criteria, these channels may meet water quality criteria for certain types of residential development.
- (8) Environmentally Sensitive Rural Development Credit is given when a group of environmental site design techniques are applied to low density or rural residential development. This credit eliminates the need for structural practices to treat both the required recharge volume and water quality volume. The designer must still address the channel protection volume, the overbank protection and overbank /extreme flood event requirements for all roadway and connected impervious surfaces.

(b) Infiltration BMPs must be provided for all development to capture all volume from impervious area associated with development for a 2.4" 24-hour Type II SCS rainfall distribution. See requirements specified in Section 936.06.

(c) Site Located in More than 1 District. For a proposed development site located within two or more stormwater management district category subareas, the peak discharge rate from any subarea shall be the pre-development peak discharge for that subarea as indicated in Section 936.02. The calculated peak discharges shall apply regardless of whether the grading plan changes the drainage area by subarea.

(d) Off-Site Areas. Off-site areas which drain through a proposed development site are not subject to release rate criteria when determining allowable peak runoff rates. However, onsite drainage facilities shall be designed to safely convey off-site flows through the development site.

(e) Site Areas. Where the site area to be impacted by a proposed development activity differs significantly from the total site area, only the proposed impact area requiring stormwater management measures shall be subject to the Management District Criteria. Undisturbed areas shall be considered as existing conditions. In other words, unimpacted areas bypassing the stormwater management facilities would not be subject to the Management District Criteria.

(f) "Downstream Hydraulic Capacity Analysis". Any downstream capacity hydraulic analysis conducted in accordance with this Ordinance shall use the following criteria for determining adequacy for accepting increased peak flow rates:

- (1) Natural or man-made channels or swales must be able to convey the increased runoff associated with a 25-year return period event within their banks at velocities consistent with protection of the channels from erosion. Acceptable velocities shall be based upon criteria included in the PA DEP *Erosion and Sediment Pollution Control Program Manual*.

- (2) Natural or man-made channels or swales must be able to convey increased 50-year return period runoff without creating any hazard to persons or property.
- (3) Culverts, bridges, storm sewers or any other facilities which must pass or convey flows from the tributary area must be designed in accordance with PA DEP Chapter 105 and PennDOT regulations (if applicable) and, at minimum, pass the increased 25-year return period runoff.

(g) Regional Detention Alternatives. For certain areas within the study area, it may be more cost-effective to provide one control facility for more than one development site than to provide an individual control facility for each development site. The initiative and funding for any regional runoff control alternatives are the responsibility of prospective Developers. The design of any regional control basins must incorporate reasonable development of the entire upstream watershed. The peak outflow of a regional basin would be determined on a case-by-case basis using the hydrologic model of the watershed consistent with protection of the downstream watershed areas. "Hydrologic model" refers to the calibrated model as developed for the Stormwater Management Plan.

(h) Capacity Improvements. In certain instances, primarily within provisional no detention areas, local drainage conditions may dictate more stringent levels of runoff control than those based upon protection of the entire watershed. In these instances, if the Developer could prove that it would be feasible to provide capacity improvements to relieve the capacity deficiency in the local drainage network, then the capacity improvements could be provided by the Developer in lieu of runoff controls on the development site. Any capacity improvements would be designed based upon development of all areas tributary to the proposed improvement and the capacity criteria specified in Section 936.03. In addition, all new development upstream of a proposed capacity improvement shall be assumed to implement the applicable runoff controls consistent with this Title Four except that all new development within the entire subarea(s) within which the proposed development site is located shall be assumed to implement the Developer's proposed discharge control, if any. Capacity improvements may also be provided as necessary to implement any regional or subregional detention alternatives. (Ord. 25-2006. Passed 4-18-06.)

936.04 REGULATION GOVERNING STORMWATER MANAGEMENT FACILITIES.

(a) Any stormwater facility located on State highway rights-of-way shall be subject to approval by the Pennsylvania Department of Transportation (PennDOT).

(b) Any stormwater management facility (i.e., detention basin) designed to store runoff and requiring a berm or earthen embankment required or regulated by this Ordinance shall be designed to provide an emergency spillway to handle flow up to and including the 100-year post-development conditions. The height of embankment must be set as to provide a minimum 1.0 foot of freeboard above the maximum pool elevation computed when the facility functions for the 100-year post-development inflow. Should any stormwater management facility require a dam safety permit under PA DEP Chapter 105, the facility shall be designed in accordance with chapter 105 and meet the regulations of Chapter 105 concerning dam safety which may be required to pass storms larger than 100-year event.

(c) Any stormwater management facilities regulated by this Title Four that would be located in or adjacent to waters of the Commonwealth or wetlands shall be subject to approval by PA DEP through the Joint Permit Application process, or, where deemed appropriate by PA DEP, the General Permit process. When there is a question whether wetlands may be involved, it is the responsibility of the Developer or his agent to show that the land in question cannot be classified as wetlands, otherwise approval to work in the area must be obtained from PA DEP.

(d) Any drainage conveyance facility and/or channel that does not fall under Chapter 105 Regulations, must be able to convey, without damage to the drainage structure or roadway, runoff from the 25-year design storm. Conveyance facilities to or exiting from stormwater management facilities (i.e., detention basins) shall be designed to convey the design flow to or from that structure. Roadway crossings located within designated floodplain areas must be able to convey runoff from a 100-year design storm. Any facility located within a PENNDOT right-of-way must meet PENNDOT minimum design standards and permit submission requirements.

(e) Storm sewers must be able to convey post-development runoff from a 10-year design storm without surcharging inlets, where appropriate. Any post-development drainage area that does not naturally convey stormwater runoff to a management facility shall incorporate a storm sewer system capable of collecting and conveying the stormwater runoff during a 100-year storm to said facilities. A combination of aboveground and overland conveyance will be accepted without creation of hazardous conditions to any person or property.

(f) All earthmoving activities must be reviewed and approved by the York County Conservation District prior to commencing work.

(g) The design of all stormwater management facilities shall incorporate good engineering principles and practices. The Municipality shall reserve the right to disapprove any design that would result in the occupancy or continuation of adverse hydrologic or hydraulic conditions within the watershed.

(h) The existing points of concentrated drainage that discharge onto adjacent property shall not be altered without permission of the adjacent property owner(s) and shall be subject to any applicable discharge criteria specified in this Title Four. The peak rate of stormwater runoff may not be increased onto downstream properties unless an analysis is completed that shows adequate facilities are in place to adequately convey post-development flows. The owner's signature must be included on the stormwater plan granting approval to alter the concentrated drainage. Adequate downstream conveyance facilities are hereby defined as existing natural conveyance channels, manmade conveyance channels or pipe conveyance systems. Discharge of stormwater to areas without existing defined conveyance facilities must be prevented. Should the owner refuse to accept the altered stormwater discharge, the Developer must modify the post-development stormwater plan in a manner that will not increase the drainage area or peak rate of discharge.

(i) Areas of existing diffused drainage discharge shall be subject to any applicable discharge criteria in the general direction of existing discharge, whether proposed to be concentrated or maintained as diffused drainage areas, except as otherwise provided by this Title Four. If diffused flow is proposed to be concentrated and discharged onto adjacent property, the Developer must document that adequate downstream conveyance facilities exist to safely transport the concentrated discharge, or otherwise prove that no erosion, sedimentation, flooding or other harm will result from the concentrated discharge. The affected adjacent property owner's signature must be provided on the stormwater plan granting approval of the altered discharge. Adequate downstream conveyance facilities are hereby defined as existing natural conveyance channels, manmade conveyance channels or pipe conveyance systems. Discharge of stormwater to areas without existing defined conveyance facilities must be prevented. Should the owner refuse to accept the altered stormwater discharge, the Developer must modify the post-development stormwater plan in a manner that will not increase the drainage area or volume of discharge.

(j) Where a development site is traversed by watercourses, drainage easements shall be provided conforming to the line of such watercourses. The terms of the easement shall prohibit excavation, the placing of fill or structures, and any alterations that may adversely affect the flow of stormwater within any portion of the easement. Also, maintenance, including mowing of vegetation within the easement shall be required, except as approved by the appropriate governing authority.

(k) When it can be shown that, due to topographic conditions, natural drainageways on the site cannot adequately provide for drainage, open channels may be constructed conforming substantially to the line and grade of such natural drainageways. Work within natural drainageways shall be subject to approval by PA DEP through the Joint Permit Application process, or, where deemed appropriate by PA DEP, through the General Permit process.

(l) Roof drains must not be connected to streets, sanitary or storm sewers or roadside ditches to promote overland flow and infiltration/percolation of stormwater where advantageous to do so. When it is more advantageous to connect directly to streets or storm sewers, then it shall be permitted on a case by case basis by the Municipality. In no case shall roof drains be positioned in a manner that promotes drainage to adjacent structures or onto adjacent properties.

(m) Special requirements for areas falling within defined Exceptional Value and High Quality Subwatersheds: The temperature and quality of water and streams that have been declared as exceptional value and high quality is to be maintained as defined in Chapter 93, Water Quality Standards, Title 25 of Pennsylvania Department of Environmental Protection Rules and Regulations. Temperature sensitive BMP's and stormwater conveyance systems are to be used and designed with storage pool areas and supply outflow channels and should be shaded with trees. This will require modification of berms for permanent ponds and the relaxation of restrictions on planting vegetation within the facilities, provided that capacity for volumes and rate control is maintained. At a minimum, the southern half on pond shorelines shall be planted with shade or canopy trees within ten (10) feet of the pond shoreline. In conjunction with this requirement, the maximum slope allowed on the berm area to be planted is 10 to 1. This will lessen the destabilization of berm soils due to root growth. A long term maintenance schedule and management plan for the thermal control BMP's is to be established and recorded for all development sites within defined Exceptional Value and/or High Quality Subwatersheds.

(n) Outlet Control Structures. Outlet control shall be accomplished utilizing (6" diameter or 6" width maximum) perforations arranged vertically to provide for positive control of stormwater runoff. Outlet controls shall also provide for modification of the orifice to a smaller diameter through the use of removable plates.

(o) Discharge Dispersion. Discharges from piping outlets of management facilities shall be provided with a concrete "level spreader" to convert point discharge back to simulated sheet flow. The length of the level spreader shall be equal to 10 times the outlet pipe diameter (e.g., an 18" discharge pipe would require a 15' wide level spreader).

(p) Minimum Bottom Slope. All detention basins shall have a minimum bottom slope of two percent (2%) unless infiltration facilities are provided.

(q) Maximum Depth. The permitted depth for detention or retention basins shall be six (6) feet, measured from the bottom of the emergency spillway to the lowest point in the basin.

(r) Side Slopes. The maximum permitted side slopes for detention or retention basins shall be 4 horizontal to 1 vertical.

(s) Location. No part of a stormwater management facility, discharge structure, or piping shall be located within 20 feet of a property line or street right-of-way line.

(t) No stormwater management facilities shall be installed over existing utility mains or services.

(u) Easement. Plans showing outlet control structures shall contain an easement dedication as follows: "An easement is hereby granted to The City of York to access and modify the basin outlet control device at the expense of the Developer so as to function within design parameters."

(v) Inlet Placement. In general, inlets shall be spaced such that, based upon the Rational Method, Time-of-Concentration (T_c) = 5 minutes and 10-year rainfall intensity, the area contributing to the inlet shall not produce a peak runoff of greater than four (4) cubic feet per second (cfs). Also, inlets shall be spaced so that their efficiency, based upon efficiency curves published by the Pennsylvania Department of Transportation, is not less than sixty-five percent (65%). Additional inlets shall be placed at the upper side of driveway/street intersections to prevent stormwater from discharging onto the roadway. Other devices such as high efficiency grates or perforated pipe may be required if conditions warrant.

(w) Culverts. In all cases where drainage is picked up by means of a head wall, and inlet or outlet conditions control, the pipe shall be designed as a culvert. The minimum diameter of culvert shall be eighteen (18) inches. The procedure contained in Hydraulic Engineer Circulars No. 5 and No. 13, as prepared by the U. S. Department of Transportation, Federal Highway Administration, Washington, D.C., shall be used for the design of culverts. When a pipe or culvert is intended to convey the discharge from a stormwater management facility, its required capacity shall be computed by the Rational Method and compared to the peak outflow from the stormwater management facility for the 50-year storm. The greater flow shall govern the design of the pipe or culvert.
(Ord. 25-2006. Passed 4-18-06.)

936.05 CALCULATION METHODOLOGY.

Stormwater runoff from all development sites shall be calculated using either the Rational Method or a Soil Cover Complex methodology.

- (a) Any stormwater runoff calculations involving drainage areas greater than 200 acres, including on- and off-site areas, shall use generally accepted calculation technique that is based on the NRCS Soil Cover Complex method. It is assumed that all methods will be selected by the design professional based on the individual limitations and suitability of each method for a particular site. The Municipality may allow the use of the Rational Method to estimate peak discharges from drainage areas that contain less than 200 acres.
- (b) All calculations consistent with this Title Four using the Soil Cover Complex method shall use the appropriate design rainfall depths for the various return period storms presented in Table 6-1. If a hydrologic computer model such as PSRM or HEC-RAS is used for stormwater runoff calculations, then the duration of rainfall shall be 24 hours. The SCS Rainfall Type II curve shall be used for the rainfall distribution.
- (c) For the purposes of pre-development flow rate determination, undeveloped land, including disturbed areas, shall be considered as “meadow” in good condition, unless the natural ground cover generates a lower curve number or Rational “C” value (i.e., forest), as listed in Table 6-6.
- (d) All calculations using the Rational Method shall use rainfall intensities consistent with appropriate times-of-concentration for overland flow and return periods from the Design Storm Curves for Pennsylvania Department of Transportation Design Rainfall Curves. Region 4 curves will apply to this watershed.

Peak discharge computed using the Rational Method should follow the formula, $Q = CIA$ where:

Q = Peak discharge in cubic feet per second

C = Runoff factor expressed as a percent of the total rainfall

I = Rainfall intensity in inches per hour

A = The drainage area expressed in acres

- (e) Times-of-concentration for overland flow shall be calculated using the methodology presented in Chapter 3 of Urban Hydrology for Small Watersheds, NRCS, TR-55 (as amended or replaced from time to time by NRCS). Time-of-concentration for channel and pipe flow shall be computed using Manning's equation.

- (f) Runoff Curve Numbers (CN) for both existing and proposed conditions to be used in the Soil Cover Complex method shall be obtained from Table 6-5.
- (g) Runoff coefficients (c) for both existing and proposed conditions for use in the Rational Method shall be obtained from Table 6-6.
- (h) Where uniform flow is anticipated, the Manning equation shall be used for hydraulic computations such as the capacity of open channels, pipes, and storm sewers. Values for Manning's roughness coefficient (n) shall be consistent with Table 6-7.
- (i) Outlet structures for stormwater management facilities shall be designed to meet the performance standards of this Title Four using any generally accepted hydraulic analysis technique or method.
- (j) The design of any stormwater detention facilities intended to meet the performance standards of this Title Four shall be verified by routing the design storm hydrograph through these facilities.
(Ord. 25-2006. Passed 4-18-06.)

936.06 GROUNDWATER RECHARGE (INFILTRATION/RECHARGE/RETENTION).

(a) Maintaining runoff volumes of pre-developed conditions requires groundwater recharge of the areas being developed. Design of the infiltration/recharge stormwater management facilities shall incorporate groundwater recharge to compensate for the reduction in the percolation that occurs when the ground surface is converted to an impervious surface. These measures are required unless the applicant can prove the development site is physically incapable of recharge. If physical limitations exist preventing groundwater recharge runoff volumes must be reduced through another acceptable BMP proposed by the Developer's engineer.

- (b) Infiltration BMPs shall meet the following minimum requirements:
 - (1) Infiltration BMPs intended to receive runoff from developed areas shall be selected based on suitability of soils and site conditions and shall be constructed on soils that have the following characteristics:
 - A. A minimum depth of 12 inches between the bottom of the facility and the seasonal high water table and/or bedrock (limiting zones). Limiting zones to be determined by probe hole excavation.
 - B. An infiltration and/or percolation rate sufficient to accept the additional stormwater load and drain completely as determined by field tests conducted by the Owner's professional designer.
 - (2) The size of the recharge facility shall be based upon the following calculation:
 - (3) The recharge volume provided at the site shall be directed to the most permeable soils available.
 - (4) The recharge facility shall be capable of completely infiltrating the impounded water within 48 hours.

Infiltration design structure worksheet

A. Total storm rainfall	2.40 Inches	
B. Weighted drainage area CN	98	
C. Potential abstractions (S) = (1000/CN)-10	0.204	
D. Drainage area in square feet	1500	Input requirements
E. Perc Rate in ft/hr.	0.1667	
F. Seepage bed (horz. area in square feet)	200	

(1) Storm in Hours	(2) Type II Storm Distributi on	(3) Rainfall in inches	(4) Runoff in inches	(5) Runoff in cubic feet	(6) Potential perc rate	(7) Actual perc rate	(8) Volume storage required	(9) Depth of bed
0	0.000	0.000	0.000	0.00	0.00	0.00	0.00	0.00
1	0.012	0.029	0.000	0.00	33.34	0.00	0.00	0.00
2	0.022	0.053	0.001	0.08	33.34	0.08	0.00	0.00
3	0.035	0.084	0.008	0.94	33.42	0.94	0.00	0.00
4	0.048	0.115	0.020	2.48	34.28	2.48	0.00	0.00
5	0.065	0.156	0.042	5.19	35.82	5.19	0.00	0.00
6	0.080	0.192	0.064	8.04	38.53	8.04	0.00	0.00
7	0.100	0.240	0.098	12.30	41.38	12.30	0.00	0.00
8	0.120	0.288	0.135	16.92	45.64	16.92	0.00	0.00
9	0.148	0.355	0.191	23.83	50.26	23.83	0.00	0.00
10	0.181	0.434	0.259	32.40	57.17	32.40	0.00	0.00
11	0.235	0.564	0.376	47.05	65.74	47.05	0.00	0.00
12	0.663	1.591	1.370	171.26	80.39	80.39	90.87	1.14
13	0.772	1.853	1.629	203.57	113.73	113.73	89.84	1.12
14	0.820	1.968	1.743	217.83	147.07	147.07	70.76	0.88
15	0.855	2.052	1.826	228.24	180.41	180.41	47.83	0.60
16	0.880	2.112	1.885	235.68	213.75	213.75	21.93	0.27
17	0.903	2.167	1.940	242.52	247.09	242.52	0.00	0.00
18	0.920	2.208	1.981	247.58	275.86	247.58	0.00	0.00
19	0.940	2.256	2.028	253.54	280.92	253.54	0.00	0.00
20	0.952	2.285	2.057	257.11	286.88	257.11	0.00	0.00
21	0.968	2.323	2.095	261.88	290.45	261.88	0.00	0.00
22	0.980	2.352	2.124	265.46	295.22	265.46	0.00	0.00
23	0.990	2.376	2.148	268.44	298.80	268.44	0.00	0.00
24	1.000	2.400	2.171	271.42	301.78	271.42	0.00	0.00

Description of column calculation

- (5) Calculated by multiplying the drainage area (D) by the runoff in inches converted to feet.
- (6) Calculated by multiplying the seepage area (F) by the perc rate and adding the preceding actual perc
- (7) Listing the lesser of the potential perc vs. the runoff in CF
- (8) Listing the difference between the runoff and the actual perc=amount to be stored (awaiting infiltration)
- (9) Volume of storage divided by the seepage bed horizontal area = depth of bed

Depth of Seepage Bed Design Table

Area of seepage bed = 100 sf						
Drainage area to bed	Perc Rate (in/hr.)					
	1	3	5	7	9	11
500	0.9	0.4	0.0	0.0	0.0	0.0
1000	2.3	1.5	1.0	0.6	0.2	0.0
1500	3.9	2.7	2.1	1.7	1.2	0.8
2000	5.7	4.0	3.1	2.7	2.3	1.9
2500	7.6	5.3	4.4	3.7	3.3	2.9
3000	9.6	6.8	5.7	4.9	4.3	3.9
3500	11.7	8.3	7.1	6.2	5.4	5.0
4000	13.8	9.9	8.4	7.5	6.7	6.0
5000	18.2	13.3	11.3	10.1	9.3	8.5
6000	22.7	16.9	14.4	12.7	11.9	11.1
7000	27.2	20.7	17.6	15.8	14.5	13.7
8000	31.7	24.7	21.0	18.9	17.2	16.3

Area of seepage bed = 250 sf						
Drainage area to bed	Perc Rate (in/hr.)					
	1	3	5	7	9	11
500	0.2	0.0	0.0	0.0	0.0	0.0
1000	0.6	0.2	0.0	0.0	0.0	0.0
1500	1.2	0.6	0.2	0.0	0.0	0.0
2000	1.7	1.0	0.6	0.2	0.0	0.0
2500	2.3	1.5	1.0	0.6	0.2	0.0
3000	2.9	1.9	1.4	1.0	0.6	0.2
3500	3.5	2.4	1.9	1.4	1.0	0.6
4000	4.2	2.9	2.3	1.9	1.4	1.0
5000	5.7	4.0	3.1	2.7	2.3	1.9
6000	7.2	5.0	4.2	3.5	3.1	2.7
7000	8.8	6.2	5.2	4.4	3.9	3.5
8000	10.4	7.4	6.3	5.4	4.7	4.3

Area of seepage bed = 500 sf						
Drainage area to bed	Perc Rate (in/hr.)					
	1	3	5	7	9	11
500	0.0	0.0	0.0	0.0	0.0	0.0
1000	0.2	0.0	0.0	0.0	0.0	0.0
1500	0.4	0.0	0.0	0.0	0.0	0.0
2000	0.6	0.2	0.0	0.0	0.0	0.0
2500	0.9	0.4	0.0	0.0	0.0	0.0
3000	1.2	0.6	0.2	0.0	0.0	0.0
3500	1.4	0.8	0.4	0.0	0.0	0.0
4000	1.7	1.0	0.6	0.2	0.0	0.0
5000	2.3	1.5	1.0	0.6	0.2	0.0
6000	2.9	1.9	1.5	1.0	0.6	0.2
7000	3.5	2.4	1.9	1.4	1.0	0.6
8000	4.2	2.9	2.3	1.9	1.4	1.0

(c) A detailed soils evaluation of the project site shall be performed to determine the suitability of recharge facilities. The evaluation shall be performed by a qualified professional, and at a minimum, address soil permeability, depth to bedrock, susceptibility to sinkhole formation, and subgrade stability. The general process for designing the infiltration BMP shall be:

- (1) Site evaluation to determine general areas of suitability for infiltration practices.
- (2) Provide field test to determine appropriate percolation rate and/or hydraulic conductivity.
- (3) Design infiltration structure for required storm volume based on all available data.

(d) Extreme caution shall be exercised where infiltration is proposed in geologically susceptible areas such as strip mine or limestone areas. Extreme caution shall also be exercised where salt or chloride would be a pollutant since soils do little to filter this pollutant and it may contaminate the groundwater. It is also extremely important that the design professional evaluate the possibility of groundwater contamination from the proposed infiltration/recharge facility and recommend a hydrogeologic justification study be performed if necessary. Whenever a basin will be located in an area underlain by limestone, a geological evaluation of the proposed location shall be conducted to determine susceptibility to sinkhole formations. The design of all facilities over limestone formations shall include measures to prevent ground water contamination and, where necessary, sinkhole formation. The infiltration requirement in the High Quality/Exceptional Waters shall be subject to the Department's Chapter 93 and Antidegradation Regulations. The Municipality may require the installation of an impermeable liner in detention basins. A detailed hydrogeologic investigations may be required by the Municipality.

(e) The Municipality may require the Developer to provide safeguards against groundwater contamination for uses which may cause groundwater contamination, should there be a mishap or spill. It shall be the Developer's responsibility to verify if the site is underlain by limestone. The following note shall be attached to all Drainage Plans and signed and sealed by the Developer's engineer/surveyor/landscape architect/geologist:

I, _____ certify that the proposed detention basin (circle one) is / is not underlain by limestone.

(f) Where pervious pavement is permitted for parking lots, recreational facilities, non-dedicated streets, or other areas, pavement construction specifications shall be noted on the plan.

(g) Recharge/infiltration facilities may be used in conjunction with other innovative or traditional BMPs, stormwater control facilities, and non-structural stormwater management alternatives. (Ord. 25-2006. Passed 4-18-06.)

936.07 WATER QUALITY AND STREAM PROTECTION.

(a) Developed areas will provide adequate storage and treatment facilities necessary to capture and treat stormwater runoff. The Recharge Volume computed under Section 936.06 may be a component of the Water Quality Volume. If the Recharge Volume is less than the Water Quality Volume, the remaining Water Quality Volume may be captured and treated by methods other than recharge/infiltration BMP's. The Water Quality Volume (WQv) is the storage capacity needed to treat stormwater runoff produced by "P" inch of rainfall (90% Rule) from the developed areas of the site. The following calculation formula is used to determine the storage volume, WQv, in acre-feet of storage:

$$WQv = [(P)(Rv)(A)]/12$$

WQv = Water Quality Volume

P = Rainfall Amount (2.4")

A = Disturbed Project Area

$$Rv = 0.05 + 0.009(I)$$

$$I = (\text{Impervious Area} \div \text{Total Project Area}) \times 100$$

WQv shall be designed as part of a stormwater management facility which incorporates water quality BMP's as a primary benefit of using that facility, in accordance with design specifications contained in "Pennsylvania Handbook of Best Management Practices for Developing Areas". The following factors shall be considered when evaluating the suitability of BMPs used to control water quality at a given development site:

- (1) Total contributing area
- (2) Permeability and infiltration rate of the site soils
- (3) Slope and depth to bedrock
- (4) Seasonal high water table
- (5) Proximity to building foundations and well heads
- (6) Erodibility of soils
- (7) Land availability and configuration of the topography
- (8) Peak discharge and required volume control
- (9) The nature of the pollutant being removed
- (10) Maintenance requirements
- (11) Creation/protection of aquatic and wildlife habitat
- (12) Recreational value
- (13) Enhancement of aesthetic and property value

Release of water can begin at the start of the storm (i.e., the invert of the water quality orifice is at the invert of the facility). The design of the facility shall consider and minimize the chances of clogging and sedimentation potential. Orifices smaller than 3 inches in diameter are not recommended.

(b) The land Developer MAY submit original and innovative designs to the Municipal engineer for review and approval. Such designs may achieve the water quality objectives through a combination of BMPs (Best Management Practices). Infiltration required in Section 936.06 should be accounted for in meeting the requirements of Section 936.07(a). (Ord. 25-2006. Passed 4-18-06.)

936.08 EROSION AND SEDIMENTATION REQUIREMENTS.

(a) As required in Section 936.04(f), whenever the vegetation and topography are to be disturbed, such activity must be in conformance with Chapter 102, Title 25, Rules and Regulations, Part I, Commonwealth of Pennsylvania, Department of Environmental Protection, Subpart C, protection of natural Resources, Article II, Water Resources, Chapter 102, "Erosion Control", and in accordance with the York County Conservation District.

(b) It is extremely important that strict erosion and sedimentation control measures be applied surrounding infiltration structure during installation to prevent the infiltrative surfaces from becoming clogged. Additional erosion and sedimentation control design standards and criteria that must be or are recommended to be applied where infiltration BMPs are proposed shall include the following:

- (1) Areas proposed for infiltration BMPs shall be protected from sedimentation and compaction during the construction phase, so as to maintain their maximum infiltration capacity.
- (2) Infiltration BMPs shall not be constructed nor receive runoff until the entire contributory drainage area to the infiltration BMP has received final stabilization.

(c) In accordance with the Memorandum of Understanding between the York County Conservation District and The City of York (Appendix B), final City approval of the postconstruction stormwater management plan will not be granted until a letter has been issued by York County Conservation District indicating the erosion control plan to be "Adequate". (Ord. 25-2006. Passed 4-18-06.)

ARTICLE 937
Plan Requirements

937.01	General requirements.	937.04	Plan submission.
937.02	Payments in lieu of stormwater management facilities.	937.05	Drainage plan review.
937.03	Drainage plan contents.	937.06	Modification of plans.

937.01 GENERAL REQUIREMENTS.

For any of the activities regulated by this Title Four, the subdivision or land development, the issuance of any building permit, or the commencement of any land disturbance activity may not proceed until the Property Owner or Developer or his/their agent has received written approval of a Stormwater Management Plan from the Municipality.
(Ord. 25-2006. Passed 4-18-06.)

937.02 PAYMENTS IN LIEU OF STORMWATER MANAGEMENT FACILITIES.

(a) Where the applications of the standards and requirements of this Title Four would result in unique and undue hardship to a particular person or particular site, the City may, in its sole discretion, require the payment of a fee in lieu of compliance with the provisions of this Title Four. In determining whether a fee may be imposed by the City in lieu of compliance with the provisions of this Title Four, the City shall consider, where relevant, the following criteria:

- (1) The amount of impervious area to be added to the site;
- (2) The relationship of such impervious areas to property lines;
- (3) The area available for on-lot stormwater management facilities;
- (4) The capacity and condition of receiving channels;
- (5) The location of existing or proposed stormwater management facilities which would affect, or be affected by development of the site;
- (6) Such other information as the person proposing development or the City may deem relevant.

(b) Where it has been determined by the City that a fee may be paid in lieu of compliance with the provisions of this Title Four, the following procedures shall be followed:

- (1) The amount of the fee, as established by resolution of the City Council, shall be for each square foot of impervious material to be added to the site.
- (2) The fee must be paid to the City prior to issuance of any permits.
- (3) All money paid to the City in this manner shall be kept in a capital reserve fund established as provided by law. Money in such capital reserve fund must be used only for the acquisition of land, construction of facilities, or maintenance of facilities for stormwater management purposes.
- (4) Funds collected pursuant to this Section shall be designated as collected from the Water Shed District in which the proposed development is to occur. Thereafter, moneys expended from the fund for stormwater management facilities in any one district may not exceed moneys collected from that district.
- (5) The provisions of these regulations governing the setting and collection of fees in lieu of construction of facilities shall not be utilized until the City has established a capital reserve fund.
(Ord. 25-2006. Passed 4-18-06.)

937.03 DRAINAGE PLAN CONTENTS.

The Drainage Plan shall consist of all applicable calculations, maps, and plans. A note on the maps shall refer to the associated computations and erosion and sedimentation control plan by title and date. The cover sheet of the computations and erosion and sedimentation control plan shall refer to the associated maps by title and date. All Drainage Plan materials shall be submitted to the Municipality in a format that is clear, concise, legible, neat, and well organized; otherwise, the Drainage Plan shall be disapproved and returned to the Applicant. The following items shall be included in the Drainage Plan:

- (a) General.
 - (1) General description of project.
 - (2) General description of permanent stormwater management techniques, including construction specifications of the materials to be used for stormwater management facilities.
 - (3) Complete hydrologic, hydraulic, and structural computations for all stormwater management facilities.
- (b) Map(s) of the project area shall be submitted on 24-inch x 36-inch or 30-inch x 42-inch sheets. The contents of the maps(s) shall include, but not be limited to:
 - (1) The location of the project relative to highways, municipalities or other identifiable landmarks.
 - (2) Existing contours at intervals of two feet. In areas of steep slopes (greater than 15 percent), five (5) feet contour intervals may be used.
 - (3) Existing streams, lakes, ponds, or other bodies of water within the project area.
 - (4) Other physical features including flood hazard boundaries, sinkholes, streams, existing drainage courses, areas of natural vegetation to be preserved, and the total extent of the upstream area draining through the site.

- (5) The locations of all existing and proposed utilities, sanitary sewers, and water lines within 50 feet of property lines.
 - (6) An overlay showing soil names and boundaries.
 - (7) Proposed changes to the land surface and vegetative cover, including the type and amount of impervious area that would be added.
 - (8) Proposed structures, roads, paved areas, and buildings.
 - (9) Final contours at intervals at two feet. In areas of steep slopes (greater than 15 percent), five (5) foot contour intervals may be used.
 - (10) The name of the development, the name and address of the owner of the property, and the name of the individual or firm preparing the plan.
 - (11) The date of submission.
 - (12) A graphic and written scale of one (1) inch equals no more than fifty (50) feet; for tracts of twenty (20) acres or more, the scale shall be one (1) inch equals no more than one hundred (100) feet.
 - (13) A North arrow.
 - (14) The total tract boundary and size with distances marked to the nearest foot and bearings to the nearest degree.
 - (15) Existing and proposed land use(s).
 - (16) A key map showing all existing man-made features beyond the property boundary that would be affected by the project.
 - (17) Horizontal and vertical profiles of all open channels, including hydraulic capacity.
 - (18) Overland drainage paths.
 - (19) A note on the plan indicating the location and responsibility for maintenance of stormwater management facilities that would be located off-site. All off-site facilities shall meet the performance standards and design criteria specified in this Title Four.
 - (20) A statement, signed by the landowner, acknowledging the stormwater management system to be a permanent fixture that can be altered or removed only after approval of a revised plan by the Municipality.
 - (21) The location of all erosion and sedimentation control facilities.
 - (22) The location of all groundwater recharge facilities.
- (c) Supplemental Information.
- (1) A written description of the following information shall be submitted.
 - A. The overall stormwater management concept for the project.
 - B. Stormwater runoff computations as specified in this Title Four.
 - C. Stormwater management techniques to be applied both during and after development.
 - (2) A soil erosion and sedimentation control plan, where applicable, including all reviews and approvals, as required by PA DEP.
 - (3) A geologic assessment of the effects of runoff on sinkholes as specified in this Title Four.
 - (4) The effect of the project (in terms of runoff volumes and peak flows) on adjacent properties and on any existing municipal stormwater collection system that may receive runoff from the project site.
 - (5) Soil evaluation to justify infiltration site location and results of on-site testing to establish infiltration rates used for design.

(d) Stormwater Management Facilities.

- (1) All stormwater management facilities must be located on a plan and described in detail.
- (2) When groundwater recharge methods such as seepage pits, beds or trenches are used, the locations of existing and proposed septic tank infiltration areas and wells must be shown.
- (3) All calculations, assumptions, and criteria used in the design of the stormwater management facilities must be shown.
(Ord. 25-2006. Passed 4-18-06.)

937.04 PLAN SUBMISSION.

For all activities regulated by this Title Four, the steps below shall be followed for submission. For any activities that require a PA DEP Joint Permit Application and regulated under Chapter 105 (Dam Safety and Waterway Management) or Chapter 106 (Floodplain Management) of PA DEP's Rules and Regulations, require a PennDOT Highway Occupancy Permit, or require any other permit under applicable state or federal regulations, the proof of application for that permit(s) shall be part of the plan. The plan shall be coordinated with the state and federal permit process.

- (a) The Drainage Plan shall be submitted by the Developer or owner as part of any Regulated Activity defined in Section 935.04.
- (b) Three (3) copies of the Drainage Plan shall be submitted.
- (c) Distribution of the Drainage Plan will be as follows:
 - (1) One (1) copy to the Municipality.
 - (2) One (1) copy to the Municipal engineers.
 - (3) One (1) copy to a delegated agent of the York County Planning Commission. (Ord. 25-2006. Passed 4-18-06.)

937.05 DRAINAGE PLAN REVIEW.

(a) The Municipal engineer shall review the Drainage Plan for consistency with any adopted Watershed Act 167 Stormwater Management Plans. The Municipality shall require receipt of a complete plan, as specified in this Title Four.

(b) The Municipal engineer shall review the Drainage Plan for any submission or land development against the municipal subdivision and land development ordinance provisions not superseded by this Title Four. A written review will be provided to the Municipality outlining the results of the review.

(c) The Municipality shall not approve any subdivision or land development for Regulated Activities specified in Section 935.04 if the Drainage Plan has been found to be inconsistent with the Stormwater Management Plan, as determined by the Municipal engineer. All required permits from PA DEP must be obtained prior to approval of any subdivision or land development.

(d) The Municipal Building Permit Office shall not issue a building permit for any Regulated Activity specified in Section 935.04 if the Drainage Plan has been found to be inconsistent with the Stormwater Management Plan, as determined by the Municipal engineer, or without considering the comments of the Municipal engineer. All required permits from PA DEP must be obtained prior to issuance of a building permit.

(e) The Developer shall be responsible for completing record drawings of all stormwater management facilities included in the approved Drainage Plan. The record drawings and an explanation of any discrepancies with the design plans shall be submitted to the Municipal engineer for final approval. In no case shall the Municipality approve the record drawings until the Municipality receives a copy of the Highway Occupancy Permit from the PennDOT District Office, and any applicable permits from PA DEP.
(Ord. 25-2006. Passed 4-18-06.)

937.06 MODIFICATION OF PLANS.

A modification to a submitted Drainage Plan for a development site that involves a change in stormwater management facilities or techniques, or that involves the relocation or redesign of stormwater management facilities, or that is necessary because soil or other conditions are not as stated on the Drainage Plan as determined by the Municipal engineer, shall require a re-submission of the modified Drainage Plan consistent with Section 937.04 and be subject to review as specified in Section 937.05. A modification to an already approved or disapproved Drainage Plan shall be submitted to the Municipality, accompanied by the applicable review. A modification to a Drainage Plan for which a formal action has not been taken by the Municipality shall be submitted to the Municipality, accompanied by the applicable Municipality Review Fee.
(Ord. 25-2006. Passed 4-18-06.)

50EE

ARTICLE 938
Inspections

938.01 Schedule of inspections.

938.01 SCHEDULE OF INSPECTIONS.

(a) The Municipal engineer or his municipal assignee shall inspect phases of the installation of the permanent stormwater management facilities as deemed appropriate by the Municipal engineer.

(b) During any stage of the work, if the Municipal engineer determines that the permanent stormwater management facilities are not being installed in accordance with the approved Stormwater Management Plan, the Municipality shall revoke any existing permits until a revised Drainage Plan is submitted and approved, as specified in this Title Four.
(Ord. 25-2006. Passed 4-18-06.)

ARTICLE 939
Fees and Expenses

939.01 General.
939.02 Municipality drainage plan
review fee.

939.03 Expenses covered by fees.

939.01 GENERAL.

The fee required by this Title Four is the Municipal Review Fee. The Municipal Review fee shall be established by the Municipality to defray review costs incurred by the Municipality and the Municipal engineer. All fees shall be paid by the Applicant.
(Ord. 25-2006. Passed 4-18-06.)

939.02 MUNICIPALITY DRAINAGE PLAN REVIEW FEE.

The Municipality shall establish a Fee Schedule by resolution of the municipal governing body based on the Municipality's costs for reviewing Drainage Plans. The Municipality shall periodically update the Review Fee Schedule to ensure that review costs are adequately reimbursed. (Ord. 25-2006. Passed 4-18-06.)

939.03 EXPENSES COVERED BY FEES.

The fees required by this Title Four shall at a minimum cover:

- (a) Administrative Costs.
- (b) The review of the Drainage Plan by the Municipality and the Municipal engineer.
- (c) The site inspections.
- (d) The inspection of stormwater management facilities and drainage improvements during construction.
- (e) The final inspection upon completion of the stormwater management facilities and drainage improvements presented in the Drainage Plan.
- (f) Any additional work required to enforce any permit provisions regulated by this Title Four, correct violations, and assure proper completion of stipulated remedial actions.
- (g) Where appropriate, a fee in lieu of compliance with the provisions of this Title Four.

(Ord. 25-2006. Passed 4-18-06.)

ARTICLE 940
Maintenance Responsibilities

940.01	Performance guarantee.	940.04	Municipal stormwater maintenance fund.
940.02	Maintenance responsibilities.	940.05	Post-construction maintenance inspections.
940.03	Maintenance agreement for privately owned stormwater facilities.		

940.01 PERFORMANCE GUARANTEE.

The applicant shall provide a financial guarantee to the Municipality for the timely installation and proper construction of all stormwater management controls as required by the approved stormwater plan and this Title Four in accordance with the Pennsylvania Municipalities Code. (Ord. 25-2006. Passed 4-18-06.)

940.02 MAINTENANCE RESPONSIBILITIES.

(a) The Drainage Plan for the development site shall contain an operation and maintenance plan prepared by the Developer and approved by the municipal engineer. The operation and maintenance plan shall outline required routine maintenance actions and schedules necessary to insure proper operation of the facility(ies).

(b) The Drainage Plan for the development site shall establish responsibilities for the continuing operation and maintenance of all proposed stormwater facilities, consistent with the following principals:

- (1) If a development consists of structures or lots which are to be separately owned and in which streets, sewers and other public improvements are to be dedicated to the Municipality, stormwater facilities within a dedicated easement or street right-of way may also be offered for dedication to the Municipality. Such offer does not obligate the Municipality to accept said offer.

- (2) If a development site is to be maintained in a single ownership or if sewers and other public improvements are to be privately owned and maintained, then the ownership and maintenance of stormwater control facilities shall be the responsibility of the owner or private management entity.

(c) The governing body, upon recommendation of the municipal engineer, shall make the final determination on the continuing maintenance responsibilities prior to final approval of the stormwater management plan. The governing body reserves the right to accept the ownership and operating responsibility for any or all of the stormwater management controls. (Ord. 25-2006. Passed 4-18-06.)

940.03 MAINTENANCE AGREEMENT FOR PRIVATELY OWNED STORMWATER FACILITIES.

Prior to final approval of the site's stormwater management plan, the property owner shall sign and record a maintenance agreement (see Appendix A) covering all stormwater control facilities which are to be privately owned. (Ord. 25-2006. Passed 4-18-06.)

940.04 MUNICIPAL STORMWATER MAINTENANCE FUND.

Persons installing stormwater basins shall be required to pay a specified amount to the Municipal Stormwater Maintenance Fund to help defray costs of periodic inspections and maintenance expenses. The amount of the deposit shall be determined as follows:

- (a) If the basin is to be privately owned and maintained, the deposit shall cover the cost of periodic inspections performed by the Municipality for a period of ten (10) years, as estimated by the municipal engineer. After that period of time, inspections will be performed at the expense of the Municipality.
- (b) If the basin is to be owned and maintained by the Municipality, the deposit shall cover the estimated costs for maintenance and inspections for ten (10) years. The municipal engineer will establish the estimated costs utilizing information submitted by the applicant.
- (c) The amount of the deposit to the fund shall be converted to present worth of the annual series values. The municipal engineer shall determine the present worth equivalents which shall be subject to the approval of the governing body. (Ord. 25-2006. Passed 4-18-06.)

940.05 POST-CONSTRUCTION MAINTENANCE INSPECTIONS.

- (a) Basins shall be inspected by the Municipality or its agent on the following bases:
 - (1) Annually for ten (10) years.
 - (2) During and immediately after the cessation of a significant storm event.
- (b) The entity conducting the inspection shall be required to submit a report to the Municipality regarding the condition of the facility and recommending necessary repairs, if needed. (Ord. 25-2006. Passed 4-18-06.)

ARTICLE 941
Enforcement and Penalties

941.01	Right-of-entry.	941.04	Public nuisance.
941.02	Notification.	941.05	Appeals.
941.03	Enforcement.	941.99	Penalties.

941.01 RIGHT-OF-ENTRY.

Upon presentation of proper credentials, duly authorized representatives of the Municipality may enter at reasonable times upon any property within the Municipality to inspect the condition of the stormwater structures and facilities in regard to any aspect regulated by this Title Four. (Ord. 25-2006. Passed 4-18-06.)

941.02 NOTIFICATION.

In the event that a person fails to comply with the requirements of this Title Four, or fails to conform to the requirements of any permit issued hereunder, the Municipality shall provide written notification of the violation. Such notification shall set forth the nature of the violations and establish a time limit for correction of these violation(s). Failure to comply within the time specified shall subject such person to the penalty provisions of this Title Four. All such penalties shall be deemed cumulative and does not prevent the Municipality from pursuing any and all remedies. It shall be the responsibility of the Owner of the real property on which any Regulated Activity is proposed to occur, is occurring, or has occurred, to comply with the terms and conditions of this Title Four. (Ord. 25-2006. Passed 4-18-06.)

941.03 ENFORCEMENT.

The municipal governing body is hereby authorized and directed to enforce all of the provisions of this Title Four. All inspections regarding compliance with the Drainage Plan shall be the responsibility of the municipal engineer or other qualified persons designated by the Municipality.

- (a) A set of design plans approved by the Municipality shall be on file at the site throughout the duration of the construction activity. Periodic inspections may be made by the Municipality or designee during construction.

- (b) Adherence to Approved Plan. It shall be unlawful for any person, firm or corporation to undertake any regulated activity under Section 935.04 on any property except as provided for in the approved Drainage Plan and pursuant to the requirements of this ordinance. It shall be unlawful to alter or remove any control structure required by the Drainage Plan pursuant to this ordinance or to allow the property to remain in a condition which does not conform to the approved Drainage Plan.
- (c) At the completion of the project, and as a prerequisite for the release of the performance guarantee, the owner or his representatives shall:
 - (1) Provide a certification of completion from an engineer, architect, surveyor or other qualified person verifying that all permanent facilities have been constructed according to the plans and specifications and approved revisions thereto.
 - (2) Provide a set of as-built (record) drawings.
- (d) After receipt of the certification by the Municipality, a final inspection shall be conducted by the governing body or its designee to certify compliance with this ordinance.
- (e) Prior to revocation or suspension of a permit, the governing body will schedule a hearing to discuss the non-compliance if there is no immediate danger to life, public health or property.
- (f) Suspension and revocation of Permits
 - (1) Any permit issued under this ordinance may be suspended or revoked by the governing body for:
 - A. Non-compliance with or failure to implement any provision of the permit.
 - B. A violation of any provision of this ordinance or any other applicable law, ordinance, rule or regulation relating to the project.
 - C. The creation of any condition or the commission of any act during construction or development which constitutes or creates a hazard or nuisance, pollution or which endangers the life or property of others.
 - (2) A suspended permit shall be reinstated by the governing body when:
 - A. The municipal engineer or his designee has inspected and approved the corrections to the stormwater management and erosion and sediment pollution control measure(s), or the elimination of the hazard or nuisance, and/or;
 - B. The governing body is satisfied that the violation of the ordinance, law, or rule and regulation has been corrected.
 - C. A permit which has been revoked by the governing body cannot be reinstated. The applicant may apply for a new permit under the procedures outlined in this Title Four.

(Ord. 25-2006. Passed 4-18-06.)

941.04 PUBLIC NUISANCE.

(a) The violation of any provision of this Title Four is hereby deemed a Public Nuisance.

(b) Each day that a violation continues shall constitute a separate violation.
(Ord. 25-2006. Passed 4-18-06.)

941.05 APPEALS.

(a) Any person aggrieved by any action of the Municipality or its designee may appeal to the Municipality's governing body within thirty (30) days of that action.

(b) Any person aggrieved by any decision of the Municipality's governing body may appeal to the County Court of Common Pleas in the County where the activity has taken place within thirty (30) days of the municipal decision.
(Ord. 25-2006. Passed 4-18-06.)

941.99 PENALTIES.

(a) Anyone violating the provisions of this Title Four shall be guilty of a summary offense, and upon conviction shall be subject to a fine of not more than one thousand dollars (\$1,000) for each violation, recoverable with costs. Each day that the violation continues shall be a separate offense.


(b) In addition, the Municipality, through its solicitor may institute injunctive, mandamus or any other appropriate action or proceeding at law or in equity for the enforcement of this Title Four. Any court of competent jurisdiction shall have the right to issue restraining orders, temporary or permanent injunctions, mandamus or other appropriate forms of remedy or relief.
(Ord. 25-2006. Passed 4-18-06.)

TABLES, MAPS & APPENDICES

TABLE 6-1
DESIGN STORM RAINFALL AMOUNT (INCHES)

Design Storm Frequency (Years)	24-Hours Rainfall Amount (Inches)
1	2.4
2	3.1
5	3.9
10	4.9
25	5.5
50	6.2
100	6.9

TABLE 6-2
(SCS) TYPE II RAINFALL DISTRIBUTION



Px / P24 equals cumulative percentage of rainfall as a fraction of the total 24 hour rainfall.

Source: U.S. Department of Agriculture, Soil Conservation Service, Engineering Division, 1986, Urban Hydrology for Small Watersheds, Technical Release 55, Washington, DC

TABLE 6-3
NRCS (SCS) TYPE II RAINFALL DISTRIBUTION - S CURVE
TABULAR FORMAT

<u>Time (hrs)</u>	<u>Increment</u>	<u>Time (Hours)</u>	<u>Increment</u>	<u>Time (Hours)</u>	<u>Increment</u>
0.00	0.0000	10.00	0.1810	20.00	0.9530
0.25	0.0020	10.25	0.1910	20.25	0.9560
0.50	0.0020	10.50	0.2030	20.50	0.9590
0.75	0.0080	10.75	0.2180	20.75	0.9620
1.00	0.0111	11.00	0.2360	21.00	0.9650
1.25	0.0140	11.25	0.2570	21.25	0.9680
1.50	0.0170	11.50	0.2830	21.50	0.9710
1.75	0.0200	11.75	0.3870	21.75	0.9740
2.00	0.0230	12.00	0.6630	22.00	0.9777
2.25	0.0260	12.25	0.7070	22.25	0.9800
2.50	0.0290	12.50	0.7350	22.50	0.9830
2.75	0.0320	12.75	0.7580	22.75	0.9860
3.00	0.0350	13.00	0.7760	23.00	0.9890
3.25	0.0380	13.25	0.7910	23.25	0.9920
3.50	0.0410	13.50	0.8040	23.50	0.9950
3.75	0.0440	13.75	0.8150	23.75	0.9980
4.00	0.0480	14.00	0.8250	24.00	1.0000
4.25	0.0520	14.25	0.8340		
4.50	0.0560	14.50	0.8420		
4.75	0.0600	14.75	0.8490		
5.00	0.0640	15.00	0.8560		
5.25	0.0680	15.25	0.8630		
5.50	0.0720	15.50	0.8690		
5.75	0.0760	15.75	0.8750		
6.00	0.0800	16.00	0.8810		
6.25	0.0850	16.25	0.8870		
6.50	0.0900	16.50	0.8930		
6.75	0.0950	16.75	0.8980		
7.00	0.1000	17.00	0.9030		
7.25	0.1050	17.25	0.9080		
7.50	0.1100	17.50	0.9130		
7.75	0.1150	17.75	0.9180		
8.00	0.1200	18.00	0.9220		
8.25	0.1260	18.25	0.9260		
8.50	0.1330	18.50	0.9300		
8.75	0.1400	18.75	0.9340		
9.00	0.1470	19.00	0.9380		
9.25	0.1550	19.25	0.9420		
9.50	0.1630	19.50	0.9460		
9.75	0.1720	19.75	0.9500		

TABLE 6-4
PENNDOT STORM INTENSITY-DURATION-FREQUENCY CURVES (REGION 4)




Figure 2.10.4.2(D) Storm intensity-duration-frequency curves for Region 4

TABLE 6-5
Runoff Curve Numbers
[From NRCS (SCS) TR-55]

		HYDROLOGIC SOIL GROUP			
LAND USE DESCRIPTION		A	B	C	D
Open Space		44	65	77	82
Meadow		30**	58	71	78
Agricultural		59	71	79	83
Forest		36**	60	73	79
Commercial	(85% Impervious)	89	92	94	95
Industrial	(72% Impervious)	81	88	91	93
Institutional	(50% Impervious)	71	82	88	90
Residential					
Average Lot Size	% impervious				
1/8 acre or less*	65	77	85	90	92
1/8 - 1/3 acre	34	59	74	82	87
1/3 - 1 acre	23	53	69	80	85
1 - 4 acres	12	46	66	78	82
Farmstead		59	74	82	86
Smooth Surfaces (Concrete, Asphalt, Gravel or Bare Compacted Soil)		98	98	98	98
Water		98	98	98	98
Mining Newly Graded Areas (Pervious Areas Only)		77	86	91	94

* Includes Multi-Family Housing unless justified lower density can be provided.

** Caution - CN values under 40 may produce erroneous modeling results.

NOTE: Site conditions of bare earth or fallow shall be considered as meadow when choosing a CN value for existing undeveloped conditions.

TABLE 6-6
RATIONAL RUNOFF COEFFICIENTS

Land Use	TABLE 6-6 RATIONAL RUNOFF COEFFICIENTS By Hydrologic Soils Group and Overland Slope (%)											
	A			B			C			D		
	0-2%	2-6%	6%+	0-2%	2-6%	6%+	0-2%	2-6%	6%+	0-2%	2-6%	6%+
Cultivated Land	0.08*	0.13	0.16	0.11	0.15	0.21	0.14	0.19	0.26	0.18	0.23	0.31
	0.14 ^b	0.18	0.22	0.16	0.21	0.28	0.20	0.25	0.34	0.24	0.29	0.41
Pasture	0.12	0.20	0.30	0.18	0.28	0.37	0.34	0.44	0.44	0.30	0.40	0.50
	0.15	0.25	0.37	0.23	0.34	0.45	0.30	0.42	0.52	0.37	0.50	0.62
Meadow	0.10	0.16	0.25	0.14	0.22	0.30	0.20	0.28	0.36	0.24	0.30	0.40
	0.14	0.22	0.30	0.20	0.28	0.37	0.26	0.35	0.44	0.30	0.40	0.50
Forest	0.05	0.08	0.11	0.08	0.11	0.14	0.10	0.13	0.16	0.12	0.16	0.20
	0.08	0.11	0.14	0.10	0.14	0.18	0.12	0.16	0.20	0.15	0.20	0.25
Residential												
Lot Size 1/8 Acre	0.25	0.28	0.31	0.27	0.30	0.25	0.30	0.33	0.38	0.33	0.36	0.42
	0.33	0.37	0.40	0.35	0.39	0.44	0.38	0.42	0.49	0.41	0.45	0.54
Lot Size 1/4 Acre	0.22	0.26	0.29	0.24	0.29	0.33	0.27	0.31	0.36	0.30	0.34	0.40
	0.30	0.34	0.37	0.33	0.37	0.42	0.36	0.40	0.47	0.38	0.42	0.52
Lot Size 1/2 Acre	0.19	0.23	0.26	0.22	0.26	0.30	0.25	0.29	0.34	0.28	0.32	0.39
	0.28	0.32	0.35	0.30	0.35	0.39	0.33	0.38	0.45	0.36	0.40	0.50
Lot Size 3/4 Acre	0.16	0.20	0.24	0.19	0.23	0.28	0.22	0.27	0.32	0.26	0.30	0.37
	0.25	0.29	0.32	0.28	0.32	0.36	0.31	0.35	0.42	0.34	0.38	0.48
Lot Size 1 Acre	0.14	0.19	0.22	0.17	0.21	0.26	0.20	0.25	0.31	0.24	0.29	0.35
	0.22	0.26	0.29	0.24	0.28	0.34	0.28	0.32	0.40	0.31	0.35	0.46
Industrial	0.67	0.68	0.68	0.68	0.68	0.69	0.68	0.69	0.69	0.69	0.69	0.70
	0.85	0.85	0.86	0.85	0.86	0.86	0.86	0.86	0.87	0.86	0.86	0.88
Commercial	0.71	0.71	0.72	0.71	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72
	0.88	0.88	0.89	0.89	0.89	0.89	0.89	0.89	0.90	0.89	0.89	0.90
Streets	0.70	0.71	0.71	0.71	0.72	0.74	0.72	0.73	0.76	0.73	0.75	0.78
	0.76	0.77	0.79	0.80	0.82	0.84	0.84	0.85	0.89	0.89	0.91	0.95
Open Space	0.05	0.10	0.14	0.08	0.13	0.19	0.12	0.17	0.24	0.16	0.21	0.28
	0.11	0.16	0.20	0.14	0.19	0.26	0.18	0.23	0.32	0.22	0.27	0.39
Parking	0.85	0.86	0.87	0.85	0.86	0.87	0.85	0.86	0.87	0.85	0.86	0.87
	0.95	0.96	0.97	0.95	0.96	0.97	0.95	0.96	0.97	0.95	0.96	0.97

* Runoff coefficients for storm recurrence intervals less than 25 years.

^b Runoff coefficients for storm recurrence intervals 25 years or more.

Source: Rawls, W.J., S.L. Wong and R.H. McCuen, 1981, "Comparison of Urban Flood Frequency Procedures", Preliminary Draft, U. S. Department of Agriculture, Soil Conservation Service, Baltimore, MD.

TABLE 6-7

Roughness Coefficients (Manning's "n") for Overland Flow
(U.S. Army Corps of Engineers, HEC-1 Users Manual)

<u>Surface Description</u>	<u>n</u>		
Dense Growth	0.4	-	0.5
Pasture	0.3	-	0.4
Lawns	0.2	-	0.3
Bluegrass Sod	0.2	-	0.5
Short Grass Prairie	0.1	-	0.2
Sparse Vegetation	0.05	-	0.13
Bare Clay-Loam Soil (eroded)	0.01	-	0.03
Concrete/Asphalt - very shallow depths (less than 1/4 inch)	0.10	-	0.15
- small depths (1/4 inch to several inches)	0.05	-	0.10

Roughness Coefficients (Manning's "n") for Sheet Flow
(U.S. Soil Conservation Service Technical Release 55)

<u>Surface Description</u>	<u>n</u>
Smooth Surfaces (concrete, asphalt, gravel, or bare soil)	0.011
Fallow (no residue)	0.05
Cultivated Soils:	
Residue Cover Less Than or 20%	0.06
Residue Cover Greater Than 20%	0.17
Grass:	
Short Grass Prairie	0.15
Dense Grasses	0.24
Bermuda Grass	0.41
Range (natural)	0.13
Woods:	
Light Underbrush	0.40
Dense Underbrush	0.80

APPENDIX A

STANDARD STORM WATER FACILITIES MAINTENANCE AND MONITORING AGREEMENT

THIS AGREEMENT, made and entered into this _____ day of _____, 20____, by and between _____, (hereinafter the "Landowner"), and _____ County, Pennsylvania, (hereinafter "Municipality");

WITNESSETH

WHEREAS, the Landowner is the owner of certain real property as recorded by deed in the land records of _____ County, Pennsylvania, Deed Book _____ at Page _____, (hereinafter "Property").

WHEREAS, the Landowner is proceeding to build and develop the Property; and

WHEREAS, the Subdivision/Land Management Plan (hereinafter "Plan") for the _____ Subdivision which is expressly made a part hereof, as approved or to be approved by the Municipality, provides for detention or retention of stormwater within the confines of the Property; and

WHEREAS, the Municipality and the Landowner, his successors and assigns agree that the health, safety, and welfare of the residents of the Municipality require that on-site stormwater management facilities be constructed and maintained on the Property; and

WHEREAS, the Municipality requires, through the implementation of the _____ Watershed Stormwater Management Plan, that stormwater management facilities as shown on the Plan be constructed and adequately maintained by the Landowner, his successors and assigns.

NOW, THEREFORE, in consideration of the foregoing premises, the mutual covenants contained herein, and the following terms and conditions, the parties hereto agree as follows:

1. The on-site stormwater management facilities shall be constructed by the Landowner, his successors and assigns, in accordance with the terms, conditions and specifications identified in the Plan.
2. The Landowner, his successors and assigns, shall maintain the stormwater management facilities in good working condition, acceptable to the Municipality so that they are performing their design functions
3. The Landowner, his successors and assigns, hereby grants permission to the Municipality, his authorized agents and employees, upon presentation of proper identification, to enter upon the Property at reasonable times, and to inspect the stormwater management facilities whenever the Municipality deems necessary. The purpose of the inspection is to assure safe and proper functioning of the facilities. The inspection shall cover the entire facilities, berms, outlet structures, pond areas, access roads, etc. When inspections are conducted, the Municipality shall give the Landowner, his successors and assigns, copies of the inspection report with findings and evaluations. At a minimum, maintenance inspections shall be performed in accordance with the following schedule:
 - A. Basins shall be inspected by the land owner/Developer or responsible entity (including the municipal engineer for dedicated facilities) on the following bases:

1. Annually for ten (10) years.
2. During and immediately after the cessation of a significant storm event.
4. All reasonable costs for said inspections shall be born by the Landowner and payable to the Municipality.
5. The owner shall convey to the Municipality easements and/or rights-of-way to assure access for periodic inspections by the Municipality and maintenance, if required.
6. In the event the Landowner, his successors and assigns, fails to maintain the stormwater management facilities in good working condition acceptable to the Municipality, the Municipality may enter upon the Property and take such necessary and prudent action to maintain said stormwater management facilities and to charge the costs of the maintenance and/or repairs to the Landowner, his successors and assigns. This provision shall not be construed as to allow the Municipality to erect any structure of a permanent nature on the land of the Landowner, outside of any easement belonging to the Municipality. It is expressly understood and agreed that the Municipality is under no obligation to maintain or repair said facilities, and in no event shall this Agreement be construed to impose any such obligation on the Municipality.
7. The Landowner, his successors and assigns, will perform maintenance in accordance with the maintenance schedule for the stormwater management facilities including sediment removal as outlined on the approved schedule and/or Subdivision/Land Management Plan.
8. In the event the Municipality, pursuant to this Agreement, performs work of any nature, or expends any funds in performance of said work for labor, use of equipment, supplies, materials, and the like on account of the Landowner's or his successors' and assigns' failure to perform such work, the Landowner, his successors and assigns, shall reimburse the Municipality upon demand, within 30 days of receipt of invoice thereof, for all costs incurred by the Municipality hereunder. If not paid within said 30-day period, the Municipality may enter a lien against the property in the amount of such costs, or may proceed to recover his costs through proceedings in equity or at law as authorized under the provisions of the _____ Code.
9. The Landowner, his successors and assigns, shall indemnify the Municipality and his agents and employees against any and all damages, accidents, casualties, occurrences or claims which might arise or be asserted against the Municipality for the construction, presence, existence or maintenance of the stormwater management facilities by the Landowner, his successors and assigns.
10. In the event a claim is asserted against the Municipality, his agents or employees, the Municipality shall promptly notify the Landowner, his successors and assigns, and they shall defend, at their own expense, any suit based on such claim. If any judgment or claims against the Municipality, his agents or employees shall be allowed, the Landowner, his successors and assigns shall pay all costs and expenses in connection therewith.
11. In the advent of an emergency or the occurrence of special or unusual circumstances or situations, the Municipality may enter the Property, if the Landowner is not immediately available, without notification or identification, to inspect and perform necessary maintenance and repairs, if needed, when the health, safety or welfare of the citizens is at jeopardy. However, the Municipality shall notify the landowner of any inspection, maintenance, or repair undertaken within 5 days of the activity. The Landowner shall reimburse the Municipality for its costs.

This Agreement shall be recorded among the land records of _____ County, Pennsylvania and shall constitute a covenant running with the Property and/or equitable servitude, and shall be binding on the Landowner, his administrators, executors, assigns, heirs and any other successors in interests, in perpetuity.

ATTEST:

WITNESS the following signatures and seals:

(SEAL)

For the Municipality:

(SEAL)

For the Landowner:

ATTEST:

_____ (City, Borough, Township)

County of _____, Pennsylvania

I, _____, a Notary Public in and for the County and State aforesaid, whose commission expires on the _____ day of _____, 20____, do hereby certify that


_____ whose name(s) is/are signed to the foregoing Agreement bearing date of the _____ day of _____, 20____, has acknowledged the same before me in my said County and State.

GIVEN UNDER MY HAND THIS _____ day of _____, 20____.

(SEAL)

NOTARY PUBLIC

APPENDIX B CITY OF YORK WATERSHED MAP



ARTICLE 942
Detection and Elimination of Illicit Discharges

942.01	Definitions.	942.12	Water course protection.
942.02	Applicability.	942.13	Notification of spills.
942.03	Responsibility for administration.	942.14	Enforcement.
942.04	Severability.	942.15	Appeal of notice of violation.
942.05	Ultimate responsibility.	942.16	Enforcement measures after appeal.
942.06	Prohibition of illicit discharges.	942.17	Cost of abatement of the violation.
942.07	Prohibition of illicit connections.	942.18	Injunctive relief.
942.08	Suspension of MS4 access.	942.19	Compensatory action.
942.09	Industrial or construction activity discharges.	942.20	Violations deemed a public nuisance.
942.10	Monitoring of discharges.	942.21	Criminal prosecution.
942.11	Requirement to prevent, control, and reduce storm water pollutants by the use of Best Management Practices.	942.22	Attorney fees and costs.
		942.23	Remedies not exclusive.

942.01 DEFINITIONS.

(a) *Best Management Practices (BMPs)*: schedule of activities, prohibitions of practices, general good house keeping practices, pollution prevention and educational practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants directly or indirectly to stormwater, receiving waters, or stormwater conveyance systems. BMPs also include treatment practices, operating procedures, and practices to control site runoff, spillage or leaks, sludge or water disposal, or drainage from raw materials storage.

(b) *Clean Water Act*: The Federal Water Pollution Control Act (33 U.S.C. } 1251 et seq.), and any subsequent amendments thereto.

(c) *Construction Activity*: Activities subject to NPDES Construction Permits. Beginning in March 2003, NPDES Storm Water Phase II permits will be required for construction projects resulting in land disturbances of 1 acre or more. Such activities include but are not limited to clearing and grubbing, grading, excavating, and demolition.

(d) *DEP*: Pennsylvania Department of Environmental Protection.

(e) *Hazardous Materials*: Any material, including any substance, waste, or combination thereof, which because of its quantity, concentration, or physical, chemical, or infectious characteristics may cause, or significantly contribute to, a substantial present or potential hazard to human health, safety, property, or the environment when improperly treated, stored, transported, disposed of, or otherwise managed.

- (f) *Illicit Connections*: An illicit connection is defined as either of the following:
- (1) Any drain or conveyance, whether on the surface or subsurface, which allows an illegal discharge to enter the storm drain system including but not limited to any conveyances which allow any non-storm water discharge including sewage, process wastewater, and wash water to enter the storm drain system and any connections to the storm drain system from indoor drains and sinks, regardless of whether said drain or connection had been previously allowed, permitted, or approved by an authorized enforcement agency or,
 - (2) Any drain or conveyance connected from a commercial or industrial land use to the storm drain system which has not been documented in plans, maps, or equivalent records and approved by an authorized enforcement agency.

(g) *Illicit Discharge*: As defined in Section 942.06.

(h) *Industrial Activity*: Activities subject to NPDES Industrial Permits as defined in 40 CFR, Section 122.26 (b)(14).

(i) *Municipality*: The City of York, Pennsylvania.

(j) *National Pollutant Discharge Elimination System (NPDES) Storm Water Discharge Permit*: means a permit issued by EPA (or by PA DEP under authority delegated pursuant to 33 USC 1342(b)) that authorizes the discharge of pollutants to waters of the United States, whether the permit is applicable on an individual, group, or general area-wide basis.

(k) *Non-Storm Water Discharge*: Any discharge to the storm drain system that is not composed entirely of storm water.

(l) *Person*: means any individual, association, organization, partnership, firm, corporation or other entity recognized by law and acting as either the owner or as the owner's agent.

(m) *Pollutant*: Anything which causes or contributes to pollution. Pollutants may include, but are not limited to: paints, varnishes, and solvents; oil and other automotive fluids; non-hazardous liquid and solid wastes and yard wastes; refuse, rubbish, garbage, litter, or other discarded or abandoned objects, ordinances, and accumulations, so that same may cause or contribute to pollution; floatables; pesticides, herbicides, and fertilizers; hazardous substances and wastes; sewage, fecal coliform and pathogens; dissolved and particulate metals; animal wastes; wastes and residues that result from constructing a building or structure; and noxious or offensive matter of any kind.

(n) *Premises*: Any building, lot, parcel of land, or portion of land whether improved or unimproved including adjacent sidewalks and parking strips.

(o) *Storm Drainage System*: Publicly-owned facilities by which storm water is collected and / or conveyed, including but not limited to any roads with drainage systems, municipal streets, gutters, curbs, inlets, piped storm drains, pumping facilities, retention and detention basins, natural and human-made or altered drainage channels, reservoirs, and other drainage structures.

(p) *Storm Water*: Any surface flow, runoff, and drainage consisting entirely of water from any form of natural precipitation, and resulting from such precipitation.

(q) *Stormwater Pollution Prevention Plan*: A document which describes the Best Management Practices and activities to be implemented by a person or business to identify sources of pollution or contamination at a site and the actions to eliminate or reduce pollutant discharges to Stormwater, Stormwater Conveyance Systems, and / or Receiving Waters to the Maximum Extent Practicable.

(r) *Wastewater*: means any water or other liquid, other than uncontaminated storm water, discharged from a facility. (Ord. 36-2007. Passed 11-20-07.)

942.02 APPLICABILITY.

This Article shall apply to all water entering the storm drain system of the Municipality generated on any developed and undeveloped lands unless explicitly exempted by the Municipality. (Ord. 36-2007. Passed 11-20-07.)

942.03 RESPONSIBILITY FOR ADMINISTRATION.

The Municipality shall administer, implement, and enforce the provisions of this Article. Any powers granted or duties imposed upon the Municipality may be delegated in writing by the governing body of the Municipality to employees, agents or designees of the Municipality. (Ord. 36-2007. Passed 11-20-07.)

942.04 SEVERABILITY.

The provisions of this Article are hereby declared to be severable. If any provision, clause, sentence, or paragraph of this Article or the application thereof to any person, establishment, or circumstances shall be held invalid, such invalidity shall not affect the other provisions or application of this Article. (Ord. 36-2007. Passed 11-20-07.)

942.05 ULTIMATE RESPONSIBILITY.

The standards set forth herein promulgated pursuant to this Article are minimum standards; therefore this Article does not intend nor imply that compliance by any person will ensure that there will be no contamination, pollution, nor unauthorized discharge of pollutants. (Ord. 36-2007. Passed 11-20-07.)

942.06 PROHIBITION OF ILLICIT DISCHARGES.

No person shall discharge or cause to be discharged into the Municipality's storm drain system or watercourses any materials, including but not limited to pollutants or waters containing any pollutants that cause or contribute to violation of applicable water quality standards, other than storm water. Any discharge in violation of this section shall be considered "Illicit Discharges", except as exempted below.

The commencement, conduct or continuance of any Illicit Discharge to the storm drain system is prohibited except as describe as follows:

- (a) The following discharges are exempt from discharge prohibitions by this article: water line flushing or other potable water sources, landscape irrigation or lawn watering, diverted stream flows, rising ground water, ground water infiltration to storm drains, uncontaminated pumped ground water, foundation or footing drains (not including active groundwater dewatering systems), crawl space pumps, air conditioning condensation, springs, non-commercial washing of vehicles, natural riparian habitat or wet-land flows, swimming pools (if dechlorinated – typically less than one PPM chlorine), fire fighting activities, and any other water source not containing Pollutants.
- (b) Discharge specified in writing by the Municipality as being necessary to protect public health and safety.
- (c) Dye testing is an allowable discharge, but requires a verbal notification to the Municipality prior to the time of the test.
- (d) The prohibition shall not apply to any non-storm water discharge permitted under an NPDES permit, waiver, or waste discharge order issued to the discharger and administered under the authority of DEP, provided that the discharger is in full compliance with all requirements of the permit, waiver or order and other applicable laws and regulations, and provided that written approval has been granted for any discharge to the storm drain system.
(Ord. 36-2007. Passed 11-20-07.)

942.07 PROHIBITION OF ILLICIT CONNECTIONS.

The construction, use, maintenance or continued existence of Illicit Connections to the storm drain system is prohibited.

- (a) This prohibition expressly includes, without limitation, Illicit Connections made in the past, regardless of whether the connection was permissible under law or practices applicable or prevailing at the time of connection.
- (b) A person is considered to be in violation of this Article if the person connects a line conveying sewage to the MS4, or allows such a connection to continue.
(Ord. 36-2007. Passed 11-20-07.)

942.08 SUSPENSION OF MS4 ACCESS.

(a) *Suspension due to Illicit Discharges in Emergency Situations.* The Municipality may, without prior notice, suspend MS4 discharge access to a person when such suspension is necessary to stop an actual or threatened discharge which presents or may present imminent and substantial danger to the environment, or to the health or welfare of persons, or to the MS4 or Waters of the Commonwealth of Pennsylvania or the United States. If the violator fails to comply with a suspension order issued in an emergency, the Municipality may take such steps as deemed necessary to prevent or minimize damage to the MS4 or Waters of the United States, or to minimize danger to persons, including, without limitation, entering onto property for the purpose of disconnecting and / or performing emergency maintenance or repairs to storm sewers. In the event the Municipality must disconnect or perform emergency maintenance and/or repairs, the Municipality may file and attach a municipal lien on the property which is causing the Illicit Discharge.

(b) *Suspension due to the Detection of Illicit Discharge or Illicit Connection.* Any person discharging to the MS4 in violation of this Article may have their MS4 access terminated if such termination would abate or reduce an Illicit Discharge or Illicit Connection. The Municipality will notify a violator of the proposed termination of its MS4 access. The violator may petition the Municipality for a reconsideration and hearing.

A person commits an offense if the person reinstates MS4 access to premises terminated pursuant to this Section, without prior approval of the Municipality.
(Ord. 36-2007. Passed 11-20-07.)

942.09 INDUSTRIAL OR CONSTRUCTION ACTIVITY DISCHARGES.

Any person subject to an industrial or construction activity NPDES storm water discharge permit shall comply with all provisions of such permit. Proof of compliance with said permit shall be required in a form acceptable to the Municipality prior to allowing of discharges to the MS4. (Ord. 36-2007. Passed 11-20-07.)

942.10 MONITORING OF DISCHARGES.

(a) Applicability. This section applies to all facilities that have storm water discharges associated with industrial activity, including construction activity.

(b) Access to Facilities.

- (1) The Municipality shall be permitted to enter and inspect facilities subject to regulation under this Article as often as may be necessary to determine compliance with this Article. If a discharger has security measures in force which require proper identification and clearance before entry into its premises, the discharger shall make the necessary arrangements to allow access to representatives of the Municipality.
- (2) Facility operators shall allow the Municipality ready access to all parts of the premises for the purposes of inspection, sampling, examination and copying of records that must be kept under the conditions of an NPDES permit to discharge storm water, and the performance of any additional duties as defined by state and federal law.
- (3) The Municipality shall have the right to set up on any permitted facility such devices as are necessary in the opinion of the authorized enforcement agency to conduct monitoring and / or sampling of the facility's storm water discharge.
- (4) The Municipality has the right to require the discharger to install monitoring equipment as necessary. The facility's sampling and monitoring equipment shall be maintained at all times in a safe and proper operating condition by the discharger at its own expense. All devices used to measure stormwater flow and quality shall be calibrated to ensure their accuracy.
- (5) Any temporary or permanent obstruction to safe and easy access to the facility is a violation of a storm water discharge permit and of this Article. A person who is the operator of a facility with a NPDES permit to discharge storm water associated with industrial activity commits an offense if the person denies the Municipality reasonable access to the permitted facility for the purpose of conducting any activity authorized or required by the Article.

- (6) Unreasonable delays in allowing Municipality access to a permitted facility is a violation of a storm water discharge permit and of this Article. A person who is the operator of a facility with a NPDES permit to discharge storm water associated with industrial activity commits an offense if the person denies the Municipality reasonable access to the permitted facility for the purpose of conducting any activity authorized or required by this Article.
- (7) If Municipality has been refused access to any part of the premises from which stormwater is discharged, and it is able to demonstrate probable cause to believe that there may be a violation of this Article, or that there is a need to inspect and / or sample as part of a routine inspection and sampling program designed to verify compliance with this article or any order issued hereunder, or to protect the overall public health, safety, and welfare of the community, then the Municipality may seek issuance of a search warrant from any court of competent jurisdiction.
(Ord. 36-2007. Passed 11-20-07.)

942.11 REQUIREMENT TO PREVENT, CONTROL, AND REDUCE STORM WATER POLLUTANTS BY THE USE OF BEST MANAGEMENT PRACTICES.

Municipality will adopt requirements identifying Best Management Practices for any activity, operation, or facility which may cause or contribute to pollution or contamination of storm water, the storm drain system, or waters of the U.S. The owner or operator of a commercial or industrial establishment shall provide, at their own expense, reasonable protection from accidental discharge of prohibited materials or other wastes into the municipal storm drain system or watercourses through the use of these structural and non-structural BMPs. Further, any person responsible for a property or premise, which is, or may be, the source of an Illicit Discharge, may be required to implement, at said person's expense, additional structural and non-structural BMPs to prevent the further discharge of pollutants to the municipal separate storm sewer system. Compliance with all terms and conditions of a valid NPDES permit authorizing the discharge of storm water associated with industrial activity, to the extent practicable, shall be deemed compliance with the provisions of this section. These BMPs shall be part of a stormwater pollution prevention plan (SWPP) as necessary for compliance with requirements of the NPDES permit.
(Ord. 36-2007. Passed 11-20-07.)

942.12 WATERCOURSE PROTECTION.

Every person owning property through which a watercourse passes, or such person's lessee, shall keep and maintain that part of the watercourse within the property free of trash, debris, excessive vegetation, and other obstacles that would pollute, contaminate, or significantly retard the flow of water through the watercourse. In addition, the owner or lessee shall maintain existing privately owned structures within or adjacent to a watercourse, so that such structures will not become a hazard to the use, function, or physical integrity of the watercourse. (Ord. 36-2007. Passed 11-20-07.)

942.13 NOTIFICATION OF SPILLS.

Notwithstanding other requirements of law, as soon as any person responsible for a facility or operation, or responsible for emergency response for a facility or operation has information of any know or suspected release of materials which are resulting or may result in an Illicit Discharges or pollutants discharging into storm water, the storm drain system, or water of the U.S. said person shall take all necessary steps to ensure the discovery, containment, and cleanup of such release. In the event of such a release of hazardous materials said person shall immediately notify emergency response agencies of the occurrence via emergency dispatch services. In the event of a release of non-hazardous materials, said person shall notify the Municipality in person or by phone or facsimile no later than the next business day. Notifications in person or by phone shall be confirmed by written notice addressed and mailed to the Municipality within three business days of the phone notice. If the discharge of prohibited materials emanates from a commercial or industrial establishment, the owner or operator of such establishment shall also retain an on-site written record of the discharge and the actions taken to prevent its recurrence. Such records shall be retained for at least three years. (Ord. 36-2007. Passed 11-20-07.)

942.14 ENFORCEMENT.

(a) Notice of Violation. Whenever the Municipality finds that a person has violated a prohibition or failed to meet a requirement of this Article, the Municipality may order compliance by written notice of violation to the responsible person. Such notice may require without limitation:

- (1) The performance of monitoring, analyses, and reporting;
 - (2) The elimination of Illicit Connections or Illicit Discharges;
 - (3) That violating discharges, practices, or operations shall cease and desist;
 - (4) The abatement or remediation of storm water pollution or contamination hazards and the restoration of any affected property;
 - (5) Payment of a fine to cover administrative and remediation costs; and
 - (6) The implementation of source control or treatment BMPs. If abatement of a violation and / or restoration of affected property is required, the notice shall set forth a deadline within which such remediation or restoration must be completed. Said notice shall further advise that, should the violator fail to remediate or restore within the established deadline, the work will be done by a designated governmental agency or a contractor and the expense thereof shall be charged to the violator or assessed as a municipal lien on the property.
- (Ord. 36-2007. Passed 11-20-07.)

942.15 APPEAL OF NOTICE OF VIOLATION.

Any person receiving a Notice of Violation may appeal the determination of the Municipality. The notice of appeal must be received within 30 days from the date of the Notice of Violation. Hearing on the appeal before a designated hearing representative of the Municipality shall take place within 15 days from the date of receipt of the notice of appeal. The decision of the Municipality or their designee shall be final. (Ord. 36-2007. Passed 11-20-07.)

942.16 ENFORCEMENT MEASURES AFTER APPEAL.

If the violation has not been corrected pursuant to the requirements set forth in the Notice of Violation, or, in the event of an appeal, within 15 days of the hearing representative's decision upholding the decision of the Municipality, then representatives of the Municipality shall enter upon the subject private property and are authorized to take any and all measures necessary to abate the violation and / or restore the property. It shall be unlawful for any person, owner, agent or person in possession of any premises to refuse to allow the Municipality or designated contractor to enter upon the premises for the purposes set forth above. (Ord. 36-2007. Passed 11-20-07.)

942.17 COST OF ABATEMENT OF THE VIOLATION.

(a) Within 30 days after abatement of the violation, the owner of the property will be notified of the cost of abatement, including administrative costs. The property owner may thereafter file a written protest objecting to the amount of the assessment within 30 days. If the amount due is not paid within a timely manner as determined by the decision of the municipal authority or by the expiration of the time in which to file an appeal, the charges shall become a special assessment against the property and shall constitute a municipal lien on the property for the amount of the assessment.

(b) Any person violating any of the provisions of this article shall become liable to the Municipality by reason of such violation. The liability shall be paid in not more than 12 equal payments. Interest at the rate of 12 percent per annum shall be assessed on the balance beginning on the 1st day following discovery of the violation.
(Ord. 36-2007. Passed 11-20-07.)

942.18 INJUNCTIVE RELIEF.

It shall be unlawful for any person to violate any provision or fail to comply with any of the requirements of this Article. If a person has violated or continues to violate the provisions of this Article, the Municipality may petition for a preliminary or permanent injunction restraining the person from activities which would create further violations or compelling the person to perform abatement or remediation of the violation.
(Ord. 36-2007. Passed 11-20-07.)

942.19 COMPENSATORY ACTION.

In lieu of enforcement proceedings, penalties, and remedies authorized by this Article, the authorized enforcement agency may impose upon a violator alternative compensatory actions, such as storm drain stenciling, attendance at compliance workshops, creek clean up, etc.
(Ord. 36-2007. Passed 11-20-07.)

942.20 VIOLATIONS DEEMED A PUBLIC NUISANCE.

In addition to the enforcement processes and penalties provided, any condition caused or permitted to exist in violation of any of the provisions of this Article is a threat to public health, safety, and welfare, and is declared and deemed a public nuisance, and may be summarily abated or restored at the violator's expense, and / or a civil action to abate, enjoin, or otherwise compel the cessation of such public nuisance may be taken.
(Ord. 36-2007. Passed 11-20-07.)

942.21 CRIMINAL PROSECUTION.

Any Person that has violated or continues to violate this article shall be liable to criminal prosecution to the fullest extent of the law, and shall be subject to a criminal penalty of up to \$5,000 dollars per violation per day and / or imprisonment for a period of time not to exceed 90 days. (Ord. 36-2007. Passed 11-20-07.)

942.22 ATTORNEY FEES AND COSTS.

The Municipality may recover all attorneys' fees, court costs and other expenses associated with enforcement of this article, either criminal or civil, including sampling and monitoring expenses or other costs of investigation. (Ord. 36-2007. Passed 11-20-07.)

942.23 REMEDIES NOT EXCLUSIVE.

The remedies listed in this Article are not exclusive of any other remedies available under any applicable federal, state or local law and it is within the discretion of the Municipality to seek cumulative remedies. (Ord. 36-2007. Passed 11-20-07.)

TITLE FIVE - Other Public Services
 Art. 951. Municipal Solid Waste Management Act.
 Art. 952. Waste Minimization and Recycling.
 Art. 953. Refuse Collection Service Fees.
 (Repealed)

Amended Bill No. 51, Ordinance No. 50 of 2008

ARTICLE 951
 Municipal Solid Waste Management Act

951.01	Purpose and goals.	951.12	Annual collection fee
951.02	Responsible agent.		schedule.
951.03	Definitions.	951.13	Time of payment and penalty
951.04	Prohibited acts.		for late payment.
951.05	Standards for storage.	951.14	Delinquent collection fees
951.06	Responsibilities of property		and liens.
	owners.	951.15	Adjustments and credits
951.07	Collection standards.		for change of refuse
951.08	Large item collection.		classification.
951.09	Trade wastes.	951.16	Minimum charges and
951.10	Disposal of refuse.		vacancy credits.
951.11	Annual reporting.	951.99	Penalty.

CROSS REFERENCES

Pennsylvania Solid Waste Management Act - see 35 P.S. Sec.
 6001 et seq.
 Power to regulate - see 3rd Class Sec. 2403(6) (53 P.S. Sec.
 37403(6))
 Accumulation of garbage - see 3rd Class Sec. 2403(16) (53 P.S.
 Sec. 37403(16))
 Solid waste management - see 25 Pa. Code Ch. 75
 Waste minimization and recycling - see S.U. & P.S. Art. 952

951.01 PURPOSE AND GOALS.

The City finds that the efficient management of solid waste is needed to protect the public health of its citizens as well as to protect the aesthetic qualities of this City. As a goal the City shall endeavor to protect public health and aesthetics including public education, management of solid waste collection and enforcement.
 (Ord. 30-2007. Passed 9-18-07.)

951.02 RESPONSIBLE AGENT.

(a) The Director of Public Works shall be responsible for all aspects of solid waste management in the City.

(b) The Director shall be responsible for the preparation of all necessary plans for solid waste management and the coordination of those plans with the local, State and Federal agencies. The Director shall prepare, in consultation with the City Solicitor and other City offices, the instructions to bidders, specifications and other contract documents necessary to enter into contracts with the refuse contractor.

(c) The Director shall have the power and duty to:

- (1) Provide a public refuse collection, storage, transportation and disposal service and/or approve and regulate the establishment, maintenance and operation of private solid waste collection, storage, transportation and disposal services and sites.
- (2) Adopt, issue and enforce such rules and standards as are necessary to implement and carry out the intent of this article.
- (3) Issue warning notices and initiate proceedings against violators of this article.
- (4) Investigate all complaints made by either customers or the refuse contractor.
- (5) Inspect all aspects of solid waste collection, storage and disposal, including but not limited to, equipment, containers, facilities, books and records.
- (6) Designate enforcement personnel.
(Ord. 30-2007. Passed 9-18-07.)

951.03 DEFINITIONS.

The following words, when used in this article, shall have the meanings ascribed to them in this section except in those instances where the context clearly indicates otherwise.

- (a) "Act 101" means the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act.
- (b) "Authority" means the York County Solid Waste and Refuse Authority.
- (c) "Authorized placement of municipal solid waste" means regular municipal solid waste shall be placed at the designated pick-up point no earlier than 5:00 p.m. the day before collection is scheduled, and no later than 6:00 a.m. the day of collection. Large items are to be placed at the designated pick-up point only after arrangements have been made with the City. The scheduled large items shall be set out for collection according to the same time limitations as above.
- (d) "Avenue", "alley" or "street" means a public or private way used for public travel or giving access to the rear of lots or buildings.
- (e) "Cans" shall mean containers comprised of aluminum, tin, steel, or a combination thereof, which formerly contained only non-aerosol edible substances or such other substances as have been approved for recycling by the City.
- (f) "Cardboard" means all corrugated cardboard normally used for packing, mailing, shipping or containerizing goods, merchandise or other material, but excluding plastic, foam, wax coated cardboard, soiled cardboard, pizza boxes and chip board.

- (g) "Christmas trees" shall mean discarded trees that were once "live" and were used for seasonal decoration. Trees shall be free from all ornaments, lights, tree stands and bags.
- (h) "City" means the City of York, Pennsylvania.
- (i) "Commercial customer unit" means a number assigned by the City or at the request of a customer that limits the total number of containers that can be collected and which is the basis for commercial refuse rates.
- (j) "Commercial establishment" means all customer facilities that are not used for residential dwelling. This includes, but is not limited to, offices, bars, restaurants, churches, schools and other educational institutions, garages, retail, health care and service organizations.
- (k) "Construction, remodeling and demolition refuse" includes roofing shingles, tile, plaster, drywall, sheet rock, metal or wood sheds, dirt, concrete, stones, bricks and similar materials from commercial repair of private properties or such activities. Small quantities of this material (excluding dirt, concrete, stones, bricks and similar materials) are permitted by residents only if they are contained to meet requirements of the ordinance unit requirements at their billing address and the contractor shall be responsible for collection of this material.
- (l) "Contractor, refuse or recycling contractor" means such contractor as may be engaged by the City to collect, transport, market recyclables and dispose of all types of large items or bulky waste or appliances and refuse, defined under the terms of the City contract.
- (m) "County" means the County of York, Commonwealth of Pennsylvania.
- (n) "County plan" means the solid waste management plan for York County as approved by the Pennsylvania Department of Environmental Protection and the City of York.
- (o) "Customer unit" means a billing unit where six ordinance units and designated recyclables may be placed for receipt by the refuse/recycling collection contractor. Customer units are determined by the City.
- (p) "Designated pick-up point" means the point designated at each property where refuse, large items (bulky waste/white goods) yard waste and recyclables are to be placed for collection by the refuse contractor at the curb, edge of alley or as designated by the Director of Public Works.
- (q) "Director" means the Director of Public Works of the City of York, Pennsylvania.
- (r) "Hazardous waste" means any waste which by virtue of its quantity or content presents a hazard to the individuals handling it, a hazard to public health, or potential pollution to the air or waters of the Commonwealth of Pennsylvania, or makes land unfit or undesirable for normal use; this includes, but is not limited to chemicals, explosives, pathological wastes, radioactive materials and any materials defined hazardous wastes by Federal or State law or regulation.
- (s) "Large items" includes, but is not limited to: refrigerators, stoves, dishwashers, hot water heaters, washing machines, dryers, freezers, televisions, chairs, rolled carpet, desks, bureaus, tables, mattresses, boxsprings, bed frames, sofas, passenger automobile tires on the rim, push lawn mowers, bath tubs, toilets, sinks, windows, window screens, doors and similar household items. Construction, remodeling and demolition refuse from customer units is excluded from regular curbside collections when the amount exceeds five ordinance units.

- (t) "Litter" means all municipal solid waste or recyclables which is not properly containerized or disposed of.
- (u) "Municipal solid waste" means, as set forth in Act 101, any garbage, refuse, industrial lunchroom or office waste and other material, including solid, liquid, semisolid or contained gaseous material, resulting from the operation of residential, municipal, commercial or institutional establishments and from community activities and any sludge not meeting the definition of residual or hazardous waste in Act 97 from a municipal, commercial or plant or air pollution control facility. The term does not include source-separated recyclable materials.
- (v) "Municipality" means the City of York located within the County of York, Commonwealth of Pennsylvania.
- (w) "Opt out" means when a commercial property or a residential property, with a minimum of fifty housing units, chooses to make private arrangements for collection of municipal solid waste (privately contracted services must include trash, yard waste, recyclables, large-items, etc.) instead of using services provided by the City's contract.
- (x) "Ordinance unit" means one refuse container or securely tied bundle of refuse, construction, remodeling and demolition debris of such size that the longest dimension shall not exceed three feet and that the volume shall not exceed thirty-two gallons and provided further that the total weight of any one ordinance unit shall not exceed forty pounds. This shall include, but not be limited to, bundles of wood and small household appliances like lamps, irons, toasters, small toys, passenger automobile tires (off rim), etc. In general, any small household appliance that fits into a 32 gallon trash bag or 32-gallon trash can shall be considered an ordinance unit for regular collection. Items that cannot fit into a 32 gallon bag or can will be considered large items as further defined above in definition "large-item".
- (y) "Owner" means any person, agent, operator, firm or corporation having a legal or equitable interest in the property; or recorded in the official records of the State, County or Municipality as holding title to the property; or otherwise having control of the property, including the guardian of the estate of any such person, and the executor or administrator of the estate of such person if ordered to take possession of real property by a court.
- (z) "Paint and paint products" shall mean latex and oil-based paints, turpentine, paint thinners, varnish and paint strippers or removers. These items can be placed in regular garbage. Containers must be sealed tightly to prevent spillage. The County's Resource Recovery Center uses an air pollution control system to safely process these items.
- (aa) "Person" means any individual, firm, partnership, corporation, association, cooperative enterprise, trust, municipal authority, Federal institution or agency, State institution or agency, municipality, public and private schools and educational facilities, other governmental agency or any other entity or any group of such persons which is recognized by law as the subject of rights and duties. In any provisions of this article prescribing a fine, penalty or imprisonment, the term "person" includes the officers and directors of a corporation or other legal entity having officers and directors.

- (bb) "Pick-up point" means the point designated at each property where refuse, large items (bulky waste/white goods), yard waste and recyclables are to be placed for collection by the refuse contractor at the curb, edge of alley or as designated by the Director of Public Works of the City of York, Pennsylvania. Each property is entitled to one designated pick-up point.
- (cc) "Public place" means sidewalks, curbs, alleys, streets or any area in the public right of way.
- (dd) "Refuse" means all regulated nonrecyclable municipal waste which is discarded as useless.
- (ee) "Refuse container" means a metal or plastic container sold for the purpose of storing refuse that is thirty-two gallons or less and, when filled, weighs less than forty pounds. Plastic bags up to thirty-two gallon capacity sold for the purpose of storing municipal waste may be substituted. Containers must have a handle and a tight fitting lid.
- (ff) "Residential customer unit" means a single-family dwelling or individual apartment or room where up to six ordinance units may be placed at the designated pick-up point for collection by the City's contracted haruler.
- (gg) "Solid waste" means garbage, refuse and other nonrecyclable discarded materials resulting from commercial, institutional, residential and community activities.
- (hh) "Source separated" means to separate recyclable materials from the solid waste stream at the point of waste generation.
- (ii) "Tires" means passenger vehicle tires from residential customer units.
- (jj) "Trade waste" means waste building materials from construction, demolition, remodeling or repair of buildings by a private contractor; scrap or waste materials from manufacturing, animal slaughter, motor vehicle maintenance or repair and agriculture production.

Trade waste as described above shall not be included for collection. Small quantities of wood, plaster or other material from small private home repairs are acceptable if they meet the ordinance unit requirement. (Ord. 30-2007. Passed 9-18-07.)

951.04 PROHIBITED ACTS.

- shall:
- (a) For reasons of public health and sanitation, no person, owner, occupant or lessee
 - (1) Place any municipal solid waste or other material subject to decay, anywhere in the City except in a suitable container;
 - (2) Permit to remain any municipal solid waste or other material subject to decay, anywhere in the City except in accordance with Section 951.05;
 - (3) Cause or permit to remain, on private property or the adjoining public places such as sidewalks, curbs or streets, the unauthorized accumulation of dust, litter, yard waste, refuse, recyclables or large items;
 - (4) Cause or permit to remain, any municipal solid waste on a street, alley or other public place, or upon any private property within the limits of the City, unless it complies with Section 951.05;
 - (5) Deposit municipal solid waste in any stream or other body of water;
 - (6) Deposit or permit to fall from their person or vehicle any municipal solid waste or litter on any public places, street or alley in the City. This section shall not be construed to prohibit placing of refuse in a container complying with the provisions of this article preparatory to having such material collected and disposed of in the manner provided herein;

- (7) Discharge wastes or waste waters other than storm or groundwater onto public streets or alleys;
- (8) Dispose of any municipal solid waste anywhere in the City except at a lawfully established solid waste disposal facility, in full compliance with all applicable Federal, State and local laws;
- (9) Allow municipal solid waste that has been scattered or spilled from refuse containers, bags or bundles from a cause or causes other than negligence of the contractor on any premises, private property or adjoining public places, such as curbs, sidewalks, streets and alleys. Failure by the owner of such property to remove any municipal solid waste promptly shall be deemed a violation of same;
- (10) Allow any unauthorized accumulation of municipal solid waste on any premises, private property or adjoining public places, such as curbs, sidewalks, streets and alleys. Unauthorized accumulation is hereby declared to be a nuisance and is prohibited. Failure by the owner of such property to remove any existing accumulation of municipal solid waste promptly shall be deemed a violation of same;
- (11) Permit refuse containers to remain on sidewalk between scheduled collections and fail to remove such containers within twenty-four hours after collection; or
- (12) Allow accumulated municipal solid waste and large items at the designated pick-up point for collection prior to 5:00 p.m. the day before collection is scheduled or placed later than 6:00 a.m. the day of collection.
- (13) Dispose of quantities, in excess of the average household, of cooking oil or grease from commercial food preparations other than by private arrangements with a waste oil vendor.
- (14) Use refuse containers in excess of 32 gallons or containers that are not specifically sold for the purpose of refuse storage. Such containers may be removed and disposed of as illegally placed municipal solid waste and no refunds will be given.

(b) For reasons of efficient solid waste management, no person, corporation, City contractor or private refuse hauler shall:

- (1) Bring municipal solid waste generated outside the City limits into the City for collection under any City contracts; or
 - (2) Mix municipal solid waste generated outside the City limits with any wastes collected under any City contracts.
- (Ord. 30-2007. Passed 9-18-07.)

951.05 STANDARDS FOR STORAGE.

All municipal solid waste storage shall conform to the following standards:

- (a) The storage of all municipal solid waste shall be practiced so as to prevent the attraction, harborage or breeding of insects and rodents and to eliminate conditions harmful to public health or which create safety hazards, odors, unsightliness and public nuisances. Specifically, wastes from game hunting and fishing and similar unsightly and malodorous wastes should be double-bagged and securely tied in trash bags that are sold for the purpose of municipal waste storage and the volume of each bag shall not exceed thirty-two gallons and the total weight shall not exceed forty pounds.

- (b) The property owner or occupant or lessee shall provide a sufficient number of containers to contain all waste materials generated during periods between regularly scheduled collection as may be necessary to meet the definition of "authorized placement of municipal solid waste".
- (c) Refuse containers shall have the following characteristics:
 - (1) Sheet metal or plastic containers, specifically sold for the purpose of storing refuse;
 - (2) Is watertight;
 - (3) Has a tight-fitting lid;
 - (4) Has a handle;
 - (5) Has a capacity not exceeding thirty-two gallons; and
 - (6) When filled, weighs not more than forty pounds.
- (d) Other storage requirements:
 - (1) Plastic bags sold as bags to be used for refuse may be used instead of the refuse containers described above, provided they do not exceed thirty-two gallons, are securely tied and further meet the requirements of subsection (a) hereof;
 - (2) Paper bags, plastic grocery and department store bags, laundry baskets, milk crates, plastic or metal drums, cardboard boxes and any containers which are not specifically sold for the purpose of refuse storage and any trash can, toter or bag in excess of 32 gallons shall not be used;
 - (3) Any nonrecyclable municipal solid waste, when stored outside of refuse containers, shall be tied securely in bundles such that the longest dimension does not exceed three feet in length and a thickness of two feet; and
 - (4) Large items shall be stored so that the collection of water and harborage of rodents is prevented. As a safety precaution, refrigerators which are placed for collection must first have the doors removed.
- (e) Refuse containers shall be placed at pick-up points only after 5:00 p.m. of the evening preceding the days when collection is to be made, and after collection is made refuse containers shall be removed back into the building or property to which same belong within 24 hours. It is hereby made the duty of each owner or occupant to replace promptly in such containers any contents of same as may have been spilled or scattered therefrom by any means or cause, other than the negligence of the refuse contractor.
- (f) Large items shall not remain in public places unless arrangements have been made through the City and shall be placed at the designated pick-up point no earlier than 5:00 p.m. the evening preceding scheduled collection. If scheduled items are not collected by the City's contracted hauler on the scheduled date, the customer shall notify the City the next business day.
(Ord. 30-2007. Passed 9-18-07.)

951.06 RESPONSIBILITIES OF PROPERTY OWNERS.

- (a) It shall be the responsibility of all property owners to maintain in a clean, sanitary condition the shared or public places of the dwelling, yard and sidewalk.
- (b) All owners of commercial and residential rental units are responsible for posting refuse/recycling rules and information inside each apartment unit and in each common doorway, where possible. Further, owners are required to inform tenants on collection requirements such as: refuse collection days, recycling and yard waste collection days, time of placement, designated pick-up points and how to schedule collection of large items. The City shall provide public information to landlords upon request for distribution to tenants.

(c) Private alleys, as identified by County real estate records, property deeds or City records shall be maintained in a clean and sanitary condition, free of debris, trash, litter, weeds and other vegetative growth by adjoining property owners. Each owner shall be responsible for their equal portion directly adjoining their property.

(d) The City reserves the right to bill property owners for any special collection and maintenance performed by the City.
(Ord. 30-2007. Passed 9-18-07.)

951.07 COLLECTION STANDARDS.

(a) All municipal solid waste shall be collected and transported so as to prevent health hazards, safety hazards and nuisances.

(b) Municipal solid waste shall be placed, except where prohibited herein, into one or more refuse containers or ordinance units, as applicable. Such containers or ordinance units shall be placed at the designated pick-up point.

(c) Not more than the number of containers and/or ordinance units permitted for the classification of each particular property shall be placed for any single collection.

Residential or commercial property owners or their tenants shall not place more than six refuse containers or ordinance units out for collection per customer unit assigned a property. Placement of more than permitted number of refuse containers or units may result in no collection being made. The City reserves the right to assign higher classifications to each property that exceeds their limits.

Single family residences shall be assigned one customer unit. Additional units may be assigned at the request of the customer or as designated by the City.

Multi-family residences shall be assigned one customer unit per dwelling unit. Additional units may be assigned at the request of the customer or as designated by the City.

Commercial users shall be assigned customer units based on the number of refuse containers or units required for collection. The number of units may be assigned at the request of the customer or as designated by the City.

<u>Property</u>	<u>Maximum Ordinance Units Per Collection</u>
Residential (including single-family dwellings and rental apartments):	
1 unit	6
2 units	12
3 units	18
(X) units	6 x (X)
Commercial:	
Commercial #1	6
Commercial #2	12
Commercial #3	18
Commercial #(X)	6 x (X)
Special Container(s)	According to arrangements made with the City.

(d) Collection of municipal solid waste from residential properties may be made between 6:00 a.m. and 9:00 p.m., with the following exceptions when no collections will be made: Sundays, New Years Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day.

In situations where the day of collection requires a change due to celebration of holidays, special events, acts of God, etc., the collections shall be made from the affected customer units according to the schedule outlined in the current refuse contracts.

(e) Collection and transportation equipment shall be designed and constructed so as to be leak-proof, easily loaded, readily emptied and easily cleanable. The waste shall be suitably enclosed or covered so as to prevent littering, attraction of insects or rodents, or creation of other nuisances.

(Ord. 30-2007. Passed 9-18-07.)

951.08 LARGE ITEM COLLECTION.

(a) Items to be collected under this section include, but are not limited to: refrigerators, stoves, dishwashers, hot water heaters, washing machines, dryers, freezers, televisions, chairs, rolled carpet, desks, bureaus, tables, mattresses, boxsprings, bedframes, sofas, bundled wood, passenger automobile tires (on the rim), push lawn mowers, bath tubs, toilets, sinks, windows, window screens, doors and similar household items. Construction, remodeling and demolition refuse from commercial home repair is excluded from City collection. Construction, remodeling and demolition refuse from customer units is excluded when the amount exceeds five ordinance units.

(b) The allowable large items scheduled from private residents and property owners are equal to a maximum of five items per dwelling unit, for each week scheduled. The City shall schedule large item requests from residents at the City Offices.

(Ord. 30-2007. Passed 9-18-07.)

951.09 TRADE WASTES.

The refuse contractor shall not be required to pick up trade waste as defined herein. Persons who generate such trade wastes shall remove or have same removed at their own expense.

(Ord. 30-2007. Passed 9-18-07.)

951.10 DISPOSAL OF REFUSE.

(a) The disposal site for municipal solid waste as defined in Pennsylvania Act 101, the Municipal Solid Waste Planning, Recycling and Waste Reduction Act shall be the facility operated by the York County Solid Waste Refuse Authority. The Director of Public Works may direct that another permitted site(s) be used.

(b) No person shall dispose of municipal solid waste except in an approved standard method and at all times shall be satisfactory to the Director and in conformance with the requirements of any local agencies having jurisdiction as well as the Pennsylvania Department of Environmental Protection.

(c) No person shall use their land or the land of any other person in the City as a municipal solid waste processing or disposal area or burn solid wastes except in a manner or under conditions prescribed and permitted by the Pennsylvania Department of Environmental Protection.

(Ord. 30-2007. Passed 9-18-07.)

951.11 ANNUAL REPORTING.

Any hauler who collects municipal solid waste and recyclable materials from within the City shall be required to complete an Annual Commercial Recycling Report and to submit it along with a complete customer list of all privately contracted dumpster and tote cart locations in the City. This list shall include customer name, address and the type and level of service. (Ord. 30-2007. Passed 9-18-07.)

951.12 ANNUAL COLLECTION FEE SCHEDULE.

All persons owning property located within the City shall pay the following fees, based on the category under which such property is classified, which fees are to be computed for each unit as exists for each property. Costs are assessed to cover services including but not limited to administration, enforcement, curbside and dumpster collection, disposal fees, street sweeping, illegal dumping, yard waste collection, recycling, litter control and other sanitation costs.

<u>Classification</u>	<u>Fee Per Year</u>	<u>Fee Per Month</u>
Minimum (per unit)	\$90.00	\$ 7.50
Residential #1	276.00 (Base Rate)	23.00
Commercial #1	552.00 (Base Rate)	46.00
Residential #(X)	(X) x \$276.00 (Base Rate) = Annual Rate	
Commercial #(X)	(X) x \$552.00 (Base Rate) = Annual Rate	
Special Container	As set by the Public Works Director	

City Council may, by resolution, change the collection fee schedule. (Ord. 30-2007. Passed 9-18-07.)

951.13 TIME OF PAYMENT; PENALTY FOR LATE PAYMENT.

(a) The annual refuse collection service fee shall be billed monthly to coincide with the billing of metered sanitary sewer accounts.

(b) A penalty of one and one-half percent (1.5%) per month shall be added to each bill for each month during which a bill remains unpaid after thirty days from the billing date. In addition all costs associated with the collection of delinquent accounts, including costs assessed by a collection agency for services rendered, shall be added to the account.

(c) It is the obligation of all persons owning property within the City to answer inquiries by the City as to their address, owner of property and its classification under this article, or to notify the City of such information so they may be billed according to this article. All persons owning property being subject to the refuse collection service fee, who do not supply the City with correct information for billing purposes shall upon discovery, be billed the correct annual fee and penalty from the date of the enactment of this section. (Ord. 30-2007. Passed 9-18-07.)

951.14 DELINQUENT COLLECTION FEES AND LIENS.

All refuse collection service fees, together with all penalties thereon not paid on or before the end of six months from the beginning of each billing period shall be deemed to be delinquent for the purpose of this article. All delinquent refuse collection service fees and penalties thereon shall be a lien on the property served and shall be entered as a lien against such property in the Office of the Prothonotary of York County and shall be collected in the manner provided by law for the filing and collection of municipal claims.
(Ord. 30-2007. Passed 9-18-07.)

951.15 ADJUSTMENTS AND CREDITS FOR CHANGE OF REFUSE CLASSIFICATION.

A classification form is available upon request from the City. No change of classification of a property shall be made until a classification form, properly filled out by the customer, is submitted and verified by the City. No credits or refunds shall be given as the result of reclassification of a property. It is the responsibility of the customer unit to notify the City of any changes in the classification. The City reserves the right to change the classification based on actual inspection of the property.
(Ord. 30-2007. Passed 9-18-07.)

951.16 MINIMUM CHARGES AND VACANCY CREDITS.

(a) There shall be a minimum fee as set by City Council for vacant properties that are connected to the sewer system, and for properties that have elected to opt out of the City collection contract. The minimum fee shall be charged on a per unit basis up to a maximum of fifty (50) units. Disconnection to the sewer system shall be made in compliance with the Plumbing Requirements of the Codified Ordinances of the City. A property shall be considered vacant when the water usage for the unit is 400 gallons or less for that month. Any due credit as verified by the City shall be issued to the owners account or a refund may be made if the amount exceeds fifty dollars (\$50.00).

(b) Refunds or credits shall not be made for any period more than two years prior to the date of the request. The minimum charges and vacancy credits shall become effective July 1, 1992.

(c) Any residential apartment complex, with 50 or more housing units, or commercial establishment that opts out shall be responsible for payment of the minimum fee X the number of units per month up to a maximum charge of fifty (50) units. Additionally, these properties are required to separate yard waste from the regular trash in accordance with this article and to separate all designated recyclables from the regular trash in accordance with this article and Act 101.

(d) Property owners who opt out and secure a private contractor are responsible to provide proper collection and disposal for all normal wastes which are generated by their tenants (trash, recyclables, yard waste and normal household furniture and appliances) in accordance with City ordinances, Article 951 and Article 952. Said properties will be required to furnish to the City adequate proof of a current licensed private contract and to report the tonnages for trash, recycling and yard waste on an annual basis. All opt out properties are subject to inspection by the City to ensure that proper collection and disposal arrangements are in place. Opt out properties shall be required to pay the minimum fee per housing or commercial unit, up to a maximum of 50 units, and are not eligible to receive any curbside collections which are provided under the City's refuse contracts.

(e) Residential properties with less than 50 housing units are not eligible to opt out and must use the City's contracted collection services.

(f) The City reserves the right to deny "opt out" or "exempt" status to any property if deemed in the best interest of the City at the City's sole discretion.
(Ord. 30-2007. Passed 9-18-07.)

951.99 PENALTY.

(a) Any person, firm, corporation or association who violates or fails to comply with any provision of this article shall, upon conviction thereof, be fined not more than six hundred dollars (\$600.00), and costs of prosecution, and in default of payment thereof, shall be imprisoned for not more than ninety days.

(b) The fact that refuse, large items or trade wastes remain on any owners premises in the City in violation of this article, shall be prima-facie evidence that the owner of such premises is responsible for the violation occurring.
(Ord. 30-2007. Passed 9-18-07.)

ARTICLE 952

Waste Minimization and Recycling

952.01	Purpose and goals.	952.12	Prohibited acts.
952.02	Responsible agent.	952.13	Noncollection of solid waste contaminated by designated recyclables.
952.03	Definitions.	952.14	Noncollection of designated recyclables contaminated by solid waste.
952.04	Establishment of curbside program.	952.15	Buy recycled.
952.05	Collection standards.	952.16	Other means of disposal.
952.06	Responsibilities of property owners.	952.17	Noninterference with existing contracts.
952.07	Responsibilities of community event organizers.	952.18	Additional reporting requirements.
952.08	Source separation and preparation for collection.	952.99	Penalty.
952.09	Establishment of leaf and yard waste facility.		
952.10	Mandatory source separation of yard waste.		
952.11	Mandatory commercial and institutional source separation program.		

CROSS REFERENCES

Municipal Waste Planning, Recycling and Waste Reduction -
see 53 P.S. Sec. 4000.101 et seq.

Municipal Solid Waste Management Act - see S.U. & P.S. Art. 951

952.01 PURPOSE AND GOALS.

The City finds that the reduction of the amount of municipal solid waste and conservation of recyclable materials is an important public concern and is necessary to implement the requirements of Pennsylvania Act 101, The Municipal Waste Planning, Recycling and Waste Reduction Act of 1988 and the County Plan. The separation and collection of used designated recyclable materials from the residential, commercial and institutional establishments in this City shall minimize the adverse environmental effects of landfilling by reducing the need for landfills and conserving existing landfill capacity, facilitate the implementation and operation of other forms of resource recovery called for by the County

Plan and conserve natural resources. The promotion and use of recyclable material, goods produced from recycled materials, and goods which facilitate recycling shall further serve the same purposes by encouraging and facilitating recycling. The City shall endeavor to recycle the State mandated goal of twenty-five percent (25%) of municipal solid waste by January 1, 1997. Beginning with the effective date of this Act, the City shall begin to reduce the weight or volume per capita of municipal solid waste by January 1, 1997, in accordance with the provisions of Act 101.

(Ord. 31-2007. Passed 9-18-07.)

952.02 RESPONSIBLE AGENT.

(a) The Public Works Director shall be responsible for all aspects of the recycling program in the City.

(b) The Director shall be responsible for the preparation of all necessary plans for recyclable materials and the coordination of those plans with local, State and Federal agencies. The Director shall prepare, in consultation with the City Solicitor and other City offices, the instructions to bidders, specifications and other contract documents necessary to enter into contracts with the refuse/recycling contractor.

(c) The Director shall have the power and duty to:

- (1) Provide a public recyclable collection, storage, transportation and marketing service and/or approve and regulate the establishment, maintenance and operation of private recyclable material collection, storage, transportation and disposal services and sites;
- (2) Adopt, issue and enforce such rules and standards as are necessary to implement and carry out the intent of this article;
- (3) Issue warning notices and initiate proceedings against violators of this article;
- (4) Investigate all complaints made by either customers or the refuse contractor;
- (5) Inspect all aspects of recyclable collection, storage and disposal, including but not limited to equipment, containers, facilities, books and records; and
- (6) Designate an agent(s) to enforce this article.

(Ord. 31-2007. Passed 9-18-07.)

952.03 DEFINITIONS.

The following words, when used in this article, shall have the meanings ascribed to them in this section except in those instances where the context clearly indicates otherwise.

- (a) "Act 101" means the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act.
- (b) "Aluminum can" means containers which are comprised "entirely" of aluminum and which formerly contained only edible substances.
- (c) "Authority" means the York County Solid Waste and Refuse Authority.

- (d) "Cans" means containers comprised of aluminum, tin, steel or a combination thereof, which formerly contained only edible substances or such other substances as have been approved for recycling by the City. Includes, but not limited to: cans formerly containing such substances as vegetables, meats, fruits, juices or other similar food storage containers constructed of materials listed above. Does not include: hazardous cleaning substances, insecticide containers, automotive supply cans (such as transmission fluids, motor oils, etc.), and other similar containers.
- (e) "Cardboard" means all corrugated cardboard normally used for packing, mailing, shipping or containerizing goods, merchandise or other material, but excluding plastic, foam, wax coated cardboard, soiled cardboard, pizza boxes and chip board.
- (f) "City" means the City of York, Pennsylvania.
- (g) "Commingled" means source separated, nonputrescible recyclable materials that have been mixed at the source of generation (that is placed in the same container).
- (h) "Contractor, refuse or recycling contractor" means such contractor as may be engaged by the City to collect, transport, market recyclables and dispose of all types of large items or bulky waste or appliances and refuse, defined under the terms of the contract.
- (i) "County" means the County of York, Commonwealth of Pennsylvania.
- (j) "County plan" means the solid waste management plan for York County as approved by the Pennsylvania Department of Environmental Protection and the City of York.
- (k) "Curbside magazines" means all post consumer magazines, office paper, computer paper, junk mail (coupons, sweepstake entries, including envelopes). The following are specifically excluded from the definition of curbside magazines (hereafter referred to as excluded material): newspapers, cardboard, cereal boxes, paper back books (pocket books), and carbon paper.
- (l) "Designated pick-up point" means the point designated at each property where refuse, large items (bulky waste/white goods), yard waste and recyclables are to be placed for collection by the refuse contractor at the curb, edge of alley or as designated by the Public Works Director.
- (m) "Designated recyclable materials" means those recyclable materials to be source separated in this City. The term may include, but may not be limited to, glass, cans, plastic containers, newsprint, high grade office paper, mixed office paper, curbside magazines, corrugated cardboard, yard waste or other materials.
- (n) "Director" means the Public Works Director of the City of York, Pennsylvania.
- (o) "Disposition" or "disposition of designated recyclable materials" means the transportation, placement or arrangement of designated recyclable materials for all possible end uses except disposal as solid waste.

- (p) "Glass" means all clear, green and brown colored glass food and/or beverage containers. Glass shall not include crystal, ceramics, lightbulbs and plate, window, laminated, wired or mirrored glass.
- (q) "Hazardous waste" means any waste which by virtue of its quantity or content presents a hazard to the individuals handling it, a hazard to public health, or potential pollution to the air or waters of the Commonwealth of Pennsylvania or makes land unfit or undesirable for normal use; this includes, but is not limited to chemicals, explosives, pathological wastes, radioactive materials, and any materials defined hazardous wastes by Federal or State law or regulation.
- (r) "High-grade office paper" includes paper items generated by offices and/or commercial entities. This may include white computer paper, white copier paper, white typing paper, white letterhead paper, white note pad paper and other similar office paper.
- (s) "Leaf and yard waste facility" means an area designated by the City where leaves, tree trimmings, brush, and garden residue are processed. This area may also be used as a public drop-off point, during the posted hours of operation only for yard waste as designated by the Public Works Director.
- (t) "Municipal solid waste" means, as defined in Act 101 any garbage, refuse, industrial lunchroom or office waste and other material, including solid, liquid, semisolid or contained gaseous material, resulting from operation of residential, municipal, commercial or institutional establishments and from community activities and any sludge not meeting the definition of residual or hazardous waste in Act 97 from a municipal, commercial or plant or air pollution control facility. The term does not include source-separated recyclable materials.
- (u) "Municipality" means the City of York located within the County of York, Commonwealth of Pennsylvania.
- (v) "Owner" means any person, agent, operator, firm or corporation having a legal or equitable interest in the property; or recorded in the official records of the State, County or Municipality as holding title to the property; or otherwise having control of the property, including the guardian of the estate of any such person, and the executor or administrator of the estate of such person if ordered to take possession of real property by a court.
- (w) "Person" means any individual, firm, partnership, corporation, association, cooperative enterprise, trust, municipal authority, Federal institution or agency, State institution or agency, municipality, public and private schools and educational facilities, other governmental agency or any other entity or any group of such persons which is recognized by law as the subject of rights and duties. In any provisions of this article prescribing a fine, penalty or imprisonment, the term "person" shall include the officers and directors of a corporation or other legal entity having officers and directors.

- (x) "Plastics" includes plastic #1 (PET, Polyethylene Terephthalate) and #2 (HDPE, High-Density Polyethylene).
- (y) "Recyclable material" means a material which would otherwise become municipal solid waste, which can be collected, separated or processed, and returned to beneficial use in the form of raw materials or products.
- (z) "Recycling" means any process by which materials, which would otherwise become municipal solid waste, can be collected, separated or processed, and returned to beneficial use in the form of raw materials or products.
- (aa) "Recycling container" means the container used for the express purpose of storing recyclables for collection by the City's contractor.
- (bb) "Refuse" means all regulated nonrecyclable municipal waste which is discarded as useless.
- (cc) "Resident" means any person residing within the City on a temporary or permanent basis.
- (dd) "Solid waste" means garbage, refuse and other nonrecyclable discarded materials resulting from commercial, institutional, residential and community activities.
- (ee) "Source separated" means to separate recyclable materials from the solid waste stream at the point of waste generation.
- (ff) "Yard waste" includes leaves, tree trimmings, brush and garden residue that meet the City's collection requirements. Grass clippings are specifically excluded from the definition of yard waste and grass shall either remain on lawns or be properly prepared and placed for disposal as regular refuse. (Sec. 952.08)
(Ord. 31-2007. Passed 9-18-07.)

952.04 ESTABLISHMENT OF CURBSIDE PROGRAM.

The Public Works Director shall designate a schedule and plan for curbside collection of recyclable materials for compliance with Act 101 by the deadline set by the Commonwealth of Pennsylvania, September 26, 1990.
(Ord. 31-2007. Passed 9-18-07.)

952.05 COLLECTION STANDARDS.

- (a) Collections of recyclable materials pursuant to this section shall be made in accordance with schedule set by the Public Works Director or as designated in the contract.
- (b) All residents of the Municipality within the area served by the curbside program established pursuant to this section shall source separate all designated recyclables and place them at designated pick-up points in the manner described in Section 952.06 and on the day and time specified for collection by the schedule published by the City.
- (c) The schedule which shall proceed upon public notice by the Director shall direct recyclables to be collected on the first day of the two regularly scheduled weekly pick-ups. For example, those residents who normally place solid waste for collection on Mondays and Thursdays shall also place yard waste (March 1 - December 15) and recyclables for collection on Mondays. Residents with regular refuse collection scheduled for Tuesdays and Fridays, shall also place yard waste (March 1 - December 15) and recyclables for collection on Tuesdays.

(d) All commercial and institutional establishments that currently utilize the existing curbside refuse collection program are required to separate all designated recyclables. Those commercial establishments who contract privately and individually for recycling/refuse collection are required to recycle materials as designated by this article. All commercial or institutional establishments are required to provide written documentation as to the type and weight of materials recycled annually. Reports are due to the City in a form required by the City no later than January 15 of each year.

(e) All designated recyclable materials shall be separated from municipal solid waste generated at apartment and condominium buildings.
(Ord. 31-2007. Passed 9-18-07.)

952.06 RESPONSIBILITIES OF PROPERTY OWNERS.

(a) Apartment and Condominium Buildings.

- (1) Property owners shall arrange with the City for collection of recyclables from their properties.
- (2) All property owners of residential rental units are responsible for posting refuse/recycling rules and information inside each apartment unit and in each common doorway, where possible. Further, owners are required to inform tenants of collection requirements such as: collection days, time of placement and designated pick-up points. The City shall provide public information to landlords upon request for distribution to tenants.
- (3) Property owners shall inform residents and employees about the materials to be recycled, how to prepare materials and how to use collection in writing at least once per year.
- (4) At this time, property owners, landlords and managers who comply with these requirements are not liable for nonparticipation of tenants.

(b) Commercial and Institutional Properties.

- (1) Property owners or their tenants shall arrange recycling collection.
- (2) All property owners of commercial and institutional properties are responsible for distributing refuse/recycling rules and information as provided by the City to tenants. Owners who make arrangements for their tenants are required to inform tenants of collection requirements such as: collection days, time of placement and designated pick-up points. The City shall provide public information to landlords upon request for distribution to tenants.

- (3) Property owners shall inform tenants and employees about the materials to be recycled, how to prepare materials and how to use collection in writing at least once per year.
- (4) At this time, property owners, landlords and managers who comply with these requirements are not liable for nonparticipation of tenants.
(Ord. 31-2007. Passed 9-18-07.)

952.07 RESPONSIBILITIES OF COMMUNITY EVENT ORGANIZERS.

(a) Organizers of community events held in the City, which include but are not limited to, fairs, bazaars, socials, picnics, parades and organized sporting events shall provide recycling opportunities to participants. Organizers shall follow the Act 101 Requirements for Recycling at Community Activities, and the York City Requirements for Recycling at Community Events.

(b) For reporting purposes, organizers shall report amount and types of recyclables to the City on a required form within thirty days following the event.
(Ord. 31-2007. Passed 9-18-07.)

952.08 SOURCE SEPARATION AND PREPARATION FOR COLLECTION.

All recyclables placed at the curbside by residents for collection pursuant to the curbside program established pursuant to Section 952.04 shall be prepared for collection in accordance with the following:

- (a) All newsprint shall be placed in brown paper grocery bags or tied in bundles not exceeding forty pounds in weight nor exceeding one foot in thickness each.
- (b) Cardboard shall be flattened and tied in bundles not exceeding forty pounds in weight with dimensions not exceeding three feet by one foot by three feet. Cardboard bundles shall be placed at the designated pick-up point.
- (c) Glass, cans and plastic containers shall have caps and lids removed, shall be rinsed free of contaminants, and shall be placed commingled in a recycling container. Only recycling containers designated by the City shall be utilized for recyclable material collection.
- (d) Curbside magazines shall be placed in brown paper grocery bags, securely fastened or tied in bundles not exceeding one foot in thickness each.
- (e) Yard waste collected curbside shall meet the following regulations:
 - (1) All bundles of brush shall be less than 3 feet in length, 3 feet in diameter and weigh no more than forty pounds each. All stems and branches shall be less than 4 inches in diameter. All stems and branches in excess of 4 inches in diameter are excluded from the City's yard waste program and must be handled privately.
 - (2) Yard waste shall either be bundled or placed in a biodegradeable paper yard waste/leaf bag or in an authorized yellow yard waste container as designated by the Public Works Director for collection by the City's collection contractor. There is no limit on the quantity of bags or bundles, however, each bag or can shall not exceed forty pounds and each bundle shall not exceed forty pounds.

- (f) No material shall be placed at the designated pick-up point earlier than 5:00 p.m. the evening of the day preceding a scheduled collection day. Material shall be placed at the designated pick-up point by 6:00 a.m. on the scheduled collection day. Bundled cardboard, bundled or bagged newsprint, bundled or bagged curbside magazines, the commingled recyclables container and bundled or bagged yard waste (March 1 - December 15) shall be placed at the curbside for collection adjacent to one another and clearly separated from containers of solid waste. (Ord. 31-2007. Passed 9-18-07.)

952.09 ESTABLISHMENT OF LEAF AND YARD WASTE FACILITY.

There is hereby established a facility, the "Leaf and Yard Waste Recycling Facility", for the processing and storage of leaves and yard waste including tree trimmings, brush and garden residue.

(Ord. 31-2007. Passed 9-18-07.)

952.10 MANDATORY SOURCE SEPARATION OF YARD WASTE.

(a) No person shall place yard waste, at the designated pick-up point for collection as solid waste by the contractor.

(b) All persons who gather yard waste and who are served by the municipal program for separate collection of yard waste shall source separate all yard waste and place for collection at the times and in the manner heretofore or hereafter prescribed by the Public Works Director.

(c) A leaf and yard waste composting facility has been established in Section 952.09. This area may also be used as a public drop-off point for yard waste during the posted hours of operation only as designated by the Public Works Director.

(d) Nothing herein shall require any person to gather yard waste or prevent any person from utilizing yard waste for compost, mulch or other agricultural, horticultural, silvicultural, gardening or landscaping purposes, provided it is maintained in a safe and sanitary manner, as deemed appropriate by the City.

(e) Failure to properly maintain a backyard compost pile in a safe and sanitary manner as determined by the City is deemed a nuisance.

(Ord. 31-2007. Passed 9-18-07.)

952.11 MANDATORY COMMERCIAL AND INSTITUTIONAL SOURCE SEPARATION PROGRAM.

(a) All persons within the City who are not residents and who are not served by the curbside program established pursuant to Section 952.04 shall source separate and arrange for the collection for recycling of all designated recyclables.

(b) Designated Recyclables. Designated recyclables for the mandatory commercial and institutional source separation program may include, but are not limited to, the following materials:

- (1) High grade office paper, which shall include paper items generated by offices and/or commercial entities;
- (2) Corrugated cardboard;
- (3) Glass, cans and plastics;
- (4) Yard waste; and
- (5) Other recyclable materials as designated by the Public Works Director at all times thirty days after such designation and publication of notice.

(c) Responsibility. The arrangement for collection of designated recyclables for disposition hereunder shall be the responsibility of the person who generates the recyclables ("generator") or the person contractually obligated to the generator to arrange for collection and disposal of its solid waste. Such arrangements may include, without limitation, direct marketing of recyclables, delivery to a drop-off, contracts with solid waste collection/haulers for separate collection of any or all designated recyclables, contracts with other persons for separate collections of any or all designated recyclables, or direct delivery to the designated site(s) or participation in the City's designated program.

(d) Reporting Requirements. For the purpose of reporting as required by the Commonwealth of Pennsylvania, all commercial or institutional establishments shall report amounts and types of recyclables to the City on a form required by the City for such purposes, annually, or as often as deemed necessary by the City. Reports for the preceding year shall be due to the City by January 15 each year. Failure to complete the form may result in an inspection of the commercial/institutional property and other penalties as described in Section 952.99.
(Ord. 31-2007. Passed 9-18-07.)

952.12 PROHIBITED ACTS.

- (a) It shall be unlawful for any persons, owners, tenants and lessees:
- (1) To collect any designated recyclable material which has been placed at the pick-up point for collection or within a recycling drop-off pursuant to this article other than the designated contractor;
 - (2) To violate or to cause or to assist in the violation of any provision of this article or any provision of the Pennsylvania Act 101 concerning recycling;
 - (3) To place or to cause to be placed any material other than a designated recyclable in a designated recycling container or in or near a recycling drop-off;
 - (4) To hinder, obstruct, prevent or interfere with the City or their personnel or designated contractor in the performance of any duty under this article or in the enforcement of this article;
 - (5) To allow recyclable materials that have been scattered or spilled from containers or bundles by other than negligence of the recycling contractor to remain in the right of way;
 - (6) To cause or to assist in the unauthorized use of containers;
 - (7) To cause or allow any unauthorized accumulation of municipal solid waste or other nonrecyclable material within the recycling container which is hereby declared to be a nuisance and is prohibited. Failure of the property owner, tenant or lessee to remove the existing accumulation within five days shall be deemed in violation of same;

(b) Any unsanitary or unsafe backyard compost pile as determined by the City shall constitute a public nuisance.

(c) All unlawful conduct set forth in this article shall constitute a public nuisance.
(Ord. 31-2007. Passed 9-18-07.)

952.13 NONCOLLECTION OF SOLID WASTE CONTAMINATED BY DESIGNATED RECYCLABLES.

The City, or at the direction of the City, the designated contractor collecting solid waste generated within the City may refuse to collect solid waste from any person who has clearly failed to source separate recyclables from solid waste designated under any applicable section of this article.

(Ord. 31-2007. Passed 9-18-07.)

952.14 NONCOLLECTION OF DESIGNATED RECYCLABLES CONTAMINATED BY SOLID WASTE.

The City, or at the direction of the City, the designated contractor collecting recyclables generated within the City may refuse to collect designated recyclables from any person who has clearly failed to source separate designated recyclables from solid waste as designated under an applicable section of this article. The City, or at the discretion of the City, the designated contractor collecting recyclables generated within the City, shall remove contaminated, misused or misplaced recycling containers as needed.

(Ord. 31-2007. Passed 9-18-07.)

952.15 BUY RECYCLED.

The City established a Recycled Product Procurement Policy, Article 138, to develop a market for products that incorporate postconsumer materials in their manufacturing, are reusable, or are designed to be recycled, to the greatest extent feasible. Businesses and institutions shall consider and purchase products that are made from recycled materials and that can be recycled to the greatest extent possible.

(Ord. 31-2007. Passed 9-18-07.)

952.16 OTHER MEANS OF DISPOSAL.

Notwithstanding anything herein to the contrary, any resident of the City may donate or sell any recyclable to any other person, whether operating for a profit or not for profit, provided, however, that the person receiving the recyclables shall not under any circumstances collect recyclable material from any designated collection point without prior written permission from the City for such collection.

(Ord. 31-2007. Passed 9-18-07.)

952.17 NONINTERFERENCE WITH EXISTING CONTRACTS.

(a) Nothing contained in this article shall be construed to interfere with or in any way modify the provisions of any existing contract which is consistent with the laws of the Commonwealth of Pennsylvania and in force in the City on the effective date of this section.

(b) No renewal of an existing contract upon the expiration of the original term thereof and no new contract for the collection, transportation, processing or purchase of solid waste or recyclables shall be entered into after the effective date of this section, unless such renewal or such contract shall conform to the requirements of this article.
(Ord. 31-2007. Passed 9-18-07.)

952.18 ADDITIONAL REPORTING REQUIREMENTS.

(a) All contractors providing recycling services to customers in the City are required to conform to all provisions in Act 101, the County Plan and this article, including, but not limited to, keeping accurate weight receipts for all designated recyclable materials and municipal solid waste collected from within City limits. These totals shall be provided to customers and the City annually or as often as deemed necessary by the City. These contractors shall make available for inspection any records/weight receipts pertaining to customers in the City.

(b) Commercial customers and institutions shall allow the City to use the information collected from their recycling efforts for the purpose of grant applications to the State.
(Ord. 31-2007. Passed 9-18-07.)

952.99 PENALTY.

Any persons, firms, corporations or associations who violate or fail to comply with any provision of this article, shall, upon conviction thereof, be fined not less than twenty-five dollars (\$25.00) and not more than six hundred dollars (\$600.00) and costs of prosecution, and in default of payment thereof, shall be imprisoned for not more than ninety days. Each continuing day of violation of this article shall constitute a separate offense.
(Ord. 31-2007. Passed 9-18-07.)